

UT Date 2015-11-17 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	01:35	23:07:14.5	+31:25:10	300	90	3.0	0 Calibration	4	
0011-0020.BIAS	0	02:05	23:07:14.5	+31:25:10	300	90	3.0	0 Calibration	4	
0021-0040.FLAT	8	02:27	23:07:14.5	+31:25:10	300	90	3.0	0 Calibration	2	
0041-0050.BIAS	0	02:31	23:07:14.5	+31:25:10	300	90	3.0	0 Calibration	2	
0051.BDp284211	150	03:10	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	clouds cleared... soft seeing
0052.COMP	10	03:13	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0053.BDp174708	80	03:15	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0054.COMP	10	03:17	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	
0055.snASASSN-15sf	2400	03:21	00:11:27.6	-06:25:38	300	89	3.0	#220 ASASSN Tr	2	
0056.COMP	10	04:01	00:11:27.6	-06:25:38	300	90	3.0	0 Calibration	2	
0057.PS15cku	1800	04:08	01:24:22.5	+03:35:15	300	102	3.0	#2 SN Observat	2	
0058.COMP	10	04:39	01:24:22.5	+03:35:15	300	102	3.0	0 Calibration	2	
0059.snASASSN-15rw	1800	04:43	02:15:58.1	+12:14:15	300	91	3.0	#220 ASASSN Tr	2	
0060.COMP	10	05:14	02:15:58.1	+12:14:15	300	91	3.0	0 Calibration	2	
0061.M31	60	05:16	00:42:44.3	+41:16:09	300	91	3.0	#57 Velocity S	2	
0062.COMP	10	05:17	00:42:44.3	+41:16:09	300	91	3.0	0 Calibration	2	
0063.LSPMJ2051+5922	900	05:27	20:51:57.9	+59:22:48	600	90	2.0	#222 M dwarfs	2	
0064.COMP	10	05:43	20:51:57.9	+59:22:48	600	90	2.0	0 Calibration	2	
0065.LSPMJ2101+3957	1800	05:46	21:01:33.4	+39:57:04	600	90	2.0	#222 M dwarfs	2	
0066.COMP	10	06:17	21:01:33.4	+39:57:04	600	90	2.0	0 Calibration	2	

UT Date 2015-11-17 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0067.LSPMJ2216+5439	720	06:19	22:16:02.6	+54:39:59	600	90	2.0	#222 M dwarfs	2	
0068.COMP	10	06:32	22:16:02.6	+54:39:59	600	90	2.0	0 Calibration	2	
0069.LSPMJ2200+7949	900	06:34	22:00:47.0	+79:49:25	600	91	2.0	#222 M dwarfs	2	
0070.COMP	10	06:50	22:00:47.0	+79:49:25	600	90	2.0	0 Calibration	2	
0071.LSPMJ2210+4250	1500	06:52	22:10:21.9	+42:50:58	600	90	2.0	#222 M dwarfs	2	
0072.COMP	10	07:17	22:10:21.9	+42:50:58	600	91	2.0	0 Calibration	2	
0073.LSPMJ2331+0842N	1200	07:26	23:31:05.9	+08:42:31	600	90	2.0	#222 M dwarfs	2	
0074.COMP	10	07:46	23:31:05.9	+08:42:31	600	90	2.0	0 Calibration	2	
0075.LSPMJ2338+2101W	840	07:48	23:38:55.7	+21:01:22	600	90	2.0	#222 M dwarfs	2	
0076.COMP	10	08:03	23:38:55.7	+21:01:22	600	90	2.0	0 Calibration	2	
0077.HD19445	20	08:06	03:08:25.6	+26:19:51	600	90	2.0	#56 Spectropho	2	
0078.COMP	10	08:07	03:08:25.6	+26:19:51	600	90	2.0	0 Calibration	2	
0079-0088.FLAT	12	08:49	05:08:18.5	+75:38:15	600	90	2.0	0 Calibration	2	
0089.LSPMJ0508+7538	900	09:09	05:08:18.5	+75:38:15	600	90	2.0	#222 M dwarfs	2	
0090.COMP	10	09:25	05:08:18.5	+75:38:15	600	90	2.0	0 Calibration	2	
0091.PM_I06504-2135	2400	09:29	06:50:26.6	-21:35:58	600	90	2.0	#222 M dwarfs	2	
0092.COMP	10	10:09	06:50:26.6	-21:35:58	600	90	2.0	0 Calibration	2	
0093.LSPMJ0516+5640	2400	10:13	05:16:53.5	+56:40:19	600	90	2.0	#222 M dwarfs	2	
0094.COMP	10	10:53	05:16:53.5	+56:40:19	600	90	2.0	0 Calibration	2	
0095.LSPMJ0731+0249	1800	10:57	07:31:29.5	+02:49:08	600	90	2.0	#222 M dwarfs	2	

UT Date 2015-11-17 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0096.COMP	10	11:27	07:31:29.5	+02:49:08	600	89	2.0	0 Calibration	2	
0097.LSPMJ0722+0851	1500	11:29	07:22:17.5	+08:51:57	600	89	2.0	#222 M dwarfs	2	
0098.COMP	10	11:54	07:22:17.5	+08:51:57	600	89	2.0	0 Calibration	2	
0099.COMP	5	11:58	07:22:17.5	+08:51:57	300	89	3.0	0 Calibration	2	test
0100.COMP	5	11:59	07:22:17.5	+08:51:57	300	89	3.0	0 Calibration	2	
0101.COMP	5	12:01	07:22:17.5	+08:51:57	300	89	3.0	0 Calibration	2	
0102.snPSN091008	1800	12:04	09:10:08.8	+50:03:40	300	105	3.0	#2 SN Observat	2	
0103.COMP	10	12:35	09:10:08.8	+50:03:40	300	105	3.0	0 Calibration	2	
0104.snASASSN-15so	300	12:37	11:14:11.0	+48:19:07	300	91	3.0	#220 ASASSN Tr	2	
0105.COMP	10	12:44	11:14:11.0	+48:19:07	300	91	3.0	0 Calibration	2	
0106.Feige34	180	12:45	10:39:36.7	+43:06:09	300	91	3.0	#56 Spectropho	2	
0107.COMP	10	12:49	10:39:36.7	+43:06:09	300	91	3.0	0 Calibration	2	
0108.HD84937	20	12:51	09:48:56.1	+13:44:39	300	91	3.0	#56 Spectropho	2	
0109.COMP	10	12:52	09:48:56.1	+13:44:39	300	91	3.0	0 Calibration	2	
0110.N3377	240	12:54	10:47:42.4	+13:59:08	300	91	3.0	#57 Velocity S	2	
0111.COMP	10	12:58	10:47:42.4	+13:59:08	300	91	3.0	0 Calibration	2	
0112-0121.BIAS	0	13:02	10:47:42.4	+13:59:08	300	91	3.0	0 Calibration	2	
0122-0141.FLAT	7	13:13	10:47:42.4	+13:59:08	300	91	3.0	0 Calibration	2	
0142-0151.DARK	900	15:33	10:47:42.4	+13:59:08	300	91	3.0	0 Calibration	2	