


UT Date 2015-11-18 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0006.DARK	900	00:42	10:47:42.4	+13:59:08	300	91	3.0	0 Calibration	4	
0007-0016.BIAS	0	01:00	10:47:42.4	+13:59:08	300	91	3.0	0 Calibration	4	
0017-0036.FLAT	7	01:11	10:47:42.4	+13:59:08	300	91	3.0	0 Calibration	2	
0037-0046.BIAS	0	01:14	10:47:42.4	+13:59:08	300	91	3.0	0 Calibration	2	
0047.BDp284211	150	01:23	21:51:11.0	+28:51:50	300	91	3.0	#56 Spectropho	2	
0048.COMP	10	01:26	21:51:11.0	+28:51:50	300	91	3.0	0 Calibration	2	
0049.BDp174708	45	01:28	22:11:31.4	+18:05:34	300	91	3.0	#56 Spectropho	2	
0050.COMP	10	01:29	22:11:31.4	+18:05:34	300	91	3.0	0 Calibration	2	
0051.N7331	240	01:30	22:37:04.1	+34:24:56	300	91	3.0	#57 Velocity S	2	
0052.COMP	10	01:35	22:37:04.1	+34:24:56	300	91	3.0	0 Calibration	2	
0053.AWI0005bk2	100	01:42	17:29:12.4	+00:56:05	300	91	3.0	#219 Disk Dete	2	
0054.AWI0005bk2	15	01:44	17:29:12.4	+00:56:05	300	91	3.0	#219 Disk Dete	2	
0055.COMP	10	01:45	17:29:12.4	+00:56:05	300	91	3.0	0 Calibration	2	
0056.AWI0002m6v	1200	01:48	18:29:55.3	+00:49:39	300	91	3.0	#219 Disk Dete	2	
0057.COMP	10	02:08	18:29:55.3	+00:49:39	300	90	3.0	0 Calibration	2	
0058.AWI00062h8	50	02:11	00:29:18.6	+09:52:31	300	90	3.0	#219 Disk Dete	2	
0059.COMP	10	02:13	00:29:18.6	+09:52:31	300	90	3.0	0 Calibration	2	
0060.snPSNJ2131237	1800	02:16	21:31:23.7	+43:36:31	300	90	3.0	#2 SN Observat	2	
0061.COMP	10	02:46	21:31:23.7	+43:36:31	300	90	3.0	0 Calibration	2	
0062.LSPMJ2234+2757	1500	03:00	22:34:47.2	+27:57:54	600	90	2.0	#222 M dwarfs	2	

UT Date 2015-11-18 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0063.COMP	10	03:28	22:34:47.2	+27:57:54	600	90	2.0	0 Calibration	2	
0064.LSPMJ2250+5136	1500	03:30	22:50:20.5	+51:36:26	600	90	2.0	#222 M dwarfs	2	
0065.COMP	10	03:55	22:50:20.5	+51:36:26	600	90	2.0	0 Calibration	2	
0066.LSPMJ2258+5705	1500	03:59	22:58:29.1	+57:05:06	600	90	2.0	#222 M dwarfs	2	
0067.COMP	10	04:24	22:58:29.1	+57:05:06	600	90	2.0	0 Calibration	2	
0068.LSPMJ2344+2242	2400	04:26	23:44:00.7	+22:42:03	600	90	2.0	#222 M dwarfs	2	
0069.COMP	10	05:08	23:44:00.7	+22:42:03	600	90	2.0	0 Calibration	2	
0070.LSPMJ2358+0443	1800	05:09	23:58:03.0	+04:43:18	600	90	2.0	#222 M dwarfs	2	
0071.COMP	10	05:40	23:58:03.0	+04:43:18	600	90	2.0	0 Calibration	2	
0072.HD19445	20	05:41	03:08:25.6	+26:19:51	600	90	2.0	#56 Spectropho	2	
0073.HD19445	40	05:43	03:08:25.6	+26:19:51	600	90	2.0	#56 Spectropho	2	
0074.COMP	10	05:44	03:08:25.6	+26:19:51	600	90	2.0	0 Calibration	2	
0075-0084.FLAT	12	05:49	03:08:25.6	+26:19:51	600	90	2.0	0 Calibration	2	
0085.snASASSN-15sf	1800	05:57	00:11:27.6	-06:25:38	300	90	3.0	#220 ASASSN Tr	2	
0086.COMP	10	06:28	00:11:27.6	-06:25:38	300	91	3.0	0 Calibration	2	
0087.PS15cku	1800	06:36	01:24:22.5	+03:35:15	300	105	3.0	#2 SN Observat	2	
0088.COMP	10	07:06	01:24:22.5	+03:35:15	300	105	3.0	0 Calibration	2	
0089.snASASSN-15rw	1800	07:09	02:15:58.1	+12:14:15	300	90	3.0	#220 ASASSN Tr	2	
0090.COMP	10	07:39	02:15:58.1	+12:14:15	300	90	3.0	0 Calibration	2	
0091.HD19445	10	07:41	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	

UT Date 2015-11-18 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0092.COMP	10	07:42	03:08:25.6	+26:19:51	300	90	3.0	0 Calibration	2	
0093.G191B2B	300	07:47	05:05:30.6	+52:49:52	300	88	3.0	#56 Spectropho	2	
0094.COMP	10	07:54	05:05:30.6	+52:49:52	300	89	3.0	0 Calibration	2	
0095-0104.FLAT	7	08:12	05:05:30.6	+52:49:52	300	89	3.0	0 Calibration	2	
0105-0114.FLAT	12	08:20	05:05:30.6	+52:49:52	600	89	1.5	0 Calibration	4	
0115.G191B2B	360	08:23	05:05:30.6	+52:49:52	600	90	1.5	#56 Spectropho	4	
0116.COMP	10	08:30	05:05:30.6	+52:49:52	600	90	1.5	0 Calibration	4	
0117.wd0752	1380	08:33	07:56:10.3	+41:04:54	600	89	1.5	#178 Low Mass	4	
0118.COMP	10	08:57	07:56:10.3	+41:04:54	600	89	1.5	0 Calibration	4	
0119.wd0752	1380	08:57	07:56:10.3	+41:04:54	600	89	1.5	#178 Low Mass	4	
0120.COMP	10	09:24	07:56:10.3	+41:04:54	600	89	1.5	0 Calibration	4	
0121.wd0752	1380	09:25	07:56:10.3	+41:04:54	600	89	1.5	#178 Low Mass	4	
0122.COMP	10	09:49	07:56:10.3	+41:04:54	600	89	1.5	0 Calibration	4	
0123.wd0752	1380	09:49	07:56:10.3	+41:04:54	600	89	1.5	#178 Low Mass	4	
0124.COMP	10	10:13	07:56:10.3	+41:04:54	600	90	1.5	0 Calibration	4	
0125.k0758	1020	10:17	07:58:04.6	+47:54:06	600	90	1.5	#178 Low Mass	4	
0126.COMP	10	10:35	07:58:04.6	+47:54:06	600	90	1.5	0 Calibration	4	
0127.k0758	1020	10:37	07:58:04.6	+47:54:06	600	90	1.5	#178 Low Mass	4	
0128.COMP	10	10:54	07:58:04.6	+47:54:06	600	90	1.5	0 Calibration	4	
0129.k0758	1020	10:55	07:58:04.6	+47:54:06	600	90	1.5	#178 Low Mass	4	

UT Date 2015-11-18 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0130.COMP	10	11:13	07:58:04.6	+47:54:06	600	90	1.5	0 Calibration	4	
0131.k0758	1020	11:14	07:58:04.6	+47:54:06	600	90	1.5	#178 Low Mass	4	
0132.COMP	10	11:31	07:58:04.6	+47:54:06	600	90	1.5	0 Calibration	4	
0133.snPSN091008	1800	11:49	09:10:08.8	+50:03:40	300	105	3.0	#2 SN Observat	2	
0134.COMP	10	12:20	09:10:08.8	+50:03:40	300	105	3.0	0 Calibration	2	
0135.sn2015an	1500	12:23	08:24:15.0	-18:46:28	300	91	3.0	#2 SN Observat	2	
0136.COMP	10	12:49	08:24:15.0	-18:46:28	300	90	3.0	0 Calibration	2	
0137.snASASSN-15so	300	12:51	11:14:11.0	+48:19:07	300	88	3.0	#220 ASASSN Tr	2	
0138.COMP	10	12:57	11:14:11.0	+48:19:07	300	89	3.0	0 Calibration	2	
0139.Feige34	150	12:58	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0140.COMP	10	13:01	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0141.HD84937	10	13:02	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0142.COMP	10	13:03	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0143-0152.BIAS	0	13:06	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0153-0172.FLAT	7	13:15	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0173-0182.DARK	900	15:34	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	