

UT Date 2016-01-11 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:31	22:37:04.1	+34:24:56	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:36	22:37:04.1	+34:24:56	300	90	3.0	0 Calibration	2	
0026-0035.DARK	1200	04:43	22:37:04.1	+34:24:56	300	90	3.0	0 Calibration	2	
0036.G191B2B	300	05:14	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	
0037.COMP	10	05:20	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0038.snPSN030357p43	1800	05:23	03:03:57.7	+43:24:04	300	90	3.0	#2 SN Observat	2	
0039.COMP	10	05:54	03:03:57.7	+43:24:04	300	90	3.0	0 Calibration	2	
0040.snAT2016G	1489	05:55	03:03:57.7	+43:24:04	300	90	3.0	#2 SN Observat	2	
0041.COMP	10	06:20	03:03:57.7	+43:24:04	300	89	3.0	0 Calibration	2	
0042.Hiltner600	100	06:23	06:45:13.4	+02:08:15	300	89	3.0	#56 Spectropho	2	
0043.COMP	10	06:25	06:45:13.4	+02:08:15	300	89	3.0	0 Calibration	2	
0044.snASASSN-15ug	900	06:30	06:45:01.7	+63:15:00	300	88	3.0	#220 ASASSN Tr	2	
0045.snASASSN-15ug	900	06:46	06:45:01.7	+63:15:00	300	88	3.0	#220 ASASSN Tr	2	
0046.snASASSN-15ug	900	07:01	06:45:01.7	+63:15:00	300	88	3.0	#220 ASASSN Tr	2	
0047.COMP	10	07:16	06:45:01.7	+63:15:00	300	86	3.0	0 Calibration	2	
0048.test	10	07:20	07:45:00.0	+32:00:00	300	86	5.0	#223 NEOWISE N	2	
0049.85990.1999JV6	720	07:24	07:03:30.7	-09:53:54	300	86	5.0	#223 NEOWISE N	2	
0050.85990.1999JV6	720	07:40	07:03:30.7	-09:53:54	300	86	5.0	#223 NEOWISE N	2	
0051.85990.1999JV6	720	07:52	07:03:30.7	-09:53:54	300	86	5.0	#223 NEOWISE N	2	
0052.85990.1999JV6	720	08:05	07:03:30.7	-09:53:54	300	86	5.0	#223 NEOWISE N	2	

UT Date 2016-01-11 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0053.COMP	5	08:17	07:03:30.7	-09:53:54	300	86	5.0	0 Calibration	2	
0054.Hiltner600	180	08:18	06:45:13.4	+02:08:15	300	86	5.0	#223 NEOWISE N	2	
0055.COMP	5	08:22	06:45:13.4	+02:08:15	300	90	5.0	0 Calibration	2	
0056.SA98-978	240	08:23	06:51:34.0	-00:11:33	300	90	5.0	#223 NEOWISE N	2	
0057.COMP	5	08:27	06:51:34.0	-00:11:33	300	90	5.0	0 Calibration	2	
0058.HD81809	2	08:29	09:27:46.8	-06:04:17	300	90	5.0	#223 NEOWISE N	2	
0059.HD81809	2	08:29	09:27:46.8	-06:04:17	300	90	5.0	#223 NEOWISE N	2	
0060.HD81809	2	08:30	09:27:46.8	-06:04:17	300	90	5.0	#223 NEOWISE N	2	
0061.COMP	5	08:30	09:27:46.8	-06:04:17	300	90	5.0	0 Calibration	2	
0062.HD78538	30	08:31	09:08:47.0	-05:06:58	300	90	5.0	#223 NEOWISE N	2	
0063.HD78538	30	08:32	09:08:47.0	-05:06:58	300	90	5.0	#223 NEOWISE N	2	
0064.HD78538	30	08:33	09:08:47.0	-05:06:58	300	90	5.0	#223 NEOWISE N	2	
0065.COMP	5	08:34	09:08:47.0	-05:06:58	300	90	5.0	0 Calibration	2	
0066-0080.FLAT	5	08:39	09:08:47.0	-05:06:58	300	90	5.0	0 Calibration	2	
0081-0085.FLAT	4	08:41	09:08:47.0	-05:06:58	300	90	5.0	0 Calibration	2	
0086.test	10	08:43	09:15:00.0	+32:00:00	300	90	3.0	#223 NEOWISE N	2	
0087.test	10	08:45	09:15:00.0	+32:00:00	300	90	3.0	#223 NEOWISE N	2	
0088.snASASSN15tj	1800	08:49	07:55:28.7	+52:09:28	300	90	3.0	#2 SN Observat	2	
0089.COMP	10	09:19	07:55:28.7	+52:09:28	300	90	3.0	0 Calibration	2	
0090.CSS151219	1200	11:38	10:19:34.6	+39:00:48	300	89	3.0	#220 ASASSN Tr	2	

UT Date 2016-01-11 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0091.CSS151219	1200	11:59	10:19:34.6	+39:00:48	300	89	3.0	#220 ASASSN Tr	2	
0092.CSS151219	1200	12:19	10:19:34.6	+39:00:48	300	89	3.0	#220 ASASSN Tr	2	
0093.COMP	10	12:40	10:19:34.6	+39:00:48	300	89	3.0	0 Calibration	2	
0094.Feige34	180	12:41	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0095.COMP	10	12:45	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0096.snASASSN-15u1	900	12:48	15:00:27.7	+06:27:19	300	89	3.0	#220 ASASSN Tr	2	
0097.snASASSN-15u1	900	13:03	15:00:27.7	+06:27:19	300	89	3.0	#220 ASASSN Tr	2	
0098.snASASSN-15u1	850	13:19	15:00:27.7	+06:27:19	300	89	3.0	#220 ASASSN Tr	2	
0099.COMP	10	13:33	15:00:27.7	+06:27:19	300	89	3.0	0 Calibration	2	
0100-0109.BIAS	0	13:37	15:00:27.7	+06:27:19	300	89	3.0	0 Calibration	2	
0110-0124.FLAT	7	13:43	15:00:27.7	+06:27:19	300	89	3.0	0 Calibration	2	
0125-0134.DARK	1200	16:50	15:00:27.7	+06:27:19	300	89	3.0	0 Calibration	2	