



UT Date 2016-03-15 Observers Paegert/MoranColl. Focus 1320 Grating/Grism 600


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.COMP	5	19:04	14:02:52.4	+39:13:48	300	90	2.0	0 Calibration	2	
0002.COMP	10	19:09	14:02:52.4	+39:13:48	300	90	2.0	0 Calibration	2	
0003.COMP	5	19:20	14:02:52.4	+39:13:48	300	90	2.0	0 Calibration	4	
0004.COMP	10	19:26	14:02:52.4	+39:13:48	300	90	2.0	0 Calibration	1	
0005.COMP	10	19:30	14:02:52.4	+39:13:48	300	90	2.0	0 Calibration	2	
0006.BIAS	0	23:12	14:02:52.4	+39:13:48	600	90	1.5	0 Calibration	2	
0007.COMP	10	23:13	14:02:52.4	+39:13:48	600	90	1.5	0 Calibration	2	
0008-0012.DARK	900	02:36	14:02:52.4	+39:13:48	600	90	1.5	0 Calibration	4	
0013-0022.BIAS	0	02:54	14:02:52.4	+39:13:48	600	90	1.5	0 Calibration	4	
0023-0042.FLAT	12	03:04	14:02:52.4	+39:13:48	600	90	1.5	0 Calibration	4	
0043.G191B2B	300	03:26	05:05:30.6	+52:49:52	600	90	1.5	#56 Spectropho	4	
0043.G191B2Bq.ms	300	03:26	05:05:30.6	+52:49:52	600	90	1.5	#56 Spectropho	1	
0044.j0810p03	354	03:40	08:10:04.0	+03:29:27	600	89	1.5	#178 Low Mass	4	
0044.j0810p03q.ms	354	03:40	08:10:04.0	+03:29:27	600	89	1.5	#178 Low Mass	1	
0045.j0810p03	600	03:50	08:10:04.0	+03:29:27	600	90	1.5	#178 Low Mass	4	
0045.j0810p03q.ms	600	03:50	08:10:04.0	+03:29:27	600	90	1.5	#178 Low Mass	1	
0046.COMP	20	04:02	08:10:04.0	+03:29:27	600	90	1.5	0 Calibration	4	
0047.j0846m02	1200	04:15	08:46:57.1	-02:06:30	600	89	1.5	#178 Low Mass	4	
0047.j0846m02q.ms	1200	04:15	08:46:57.1	-02:06:30	600	89	1.5	#178 Low Mass	1	
0048.COMP	20	04:37	08:46:57.1	-02:06:30	600	89	1.5	0 Calibration	4	

UT Date 2016-03-15 Observers Paegert/MoranColl. Focus 1320 Grating/Grism 600


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0049.j0924p20	360	04:42	09:24:05.3	+20:35:46	600	90	1.5	#178 Low Mass	4	
0049.j0924p20q.ms	360	04:42	09:24:05.3	+20:35:46	600	90	1.5	#178 Low Mass	1	
0050.COMP	20	04:51	09:24:05.3	+20:35:46	600	90	1.5	0 Calibration	4	
0051.j0932p26	1200	04:55	09:32:08.2	+26:47:55	600	90	1.5	#178 Low Mass	4	
0051.j0932p26q.ms	1200	04:55	09:32:08.2	+26:47:55	600	90	1.5	#178 Low Mass	1	
0052.COMP	20	05:16	09:32:08.2	+26:47:55	600	90	1.5	0 Calibration	4	
0053.j0945m03	180	05:21	09:45:11.9	-03:09:21	600	89	1.5	#178 Low Mass	4	
0053.j0945m03q.ms	180	05:21	09:45:11.9	-03:09:21	600	89	1.5	#178 Low Mass	1	
0054.COMP	20	05:25	09:45:11.9	-03:09:21	600	89	1.5	0 Calibration	4	
0055.j1004p24	1400	05:30	10:04:12.5	+24:38:49	600	89	1.5	#178 Low Mass	4	
0055.j1004p24q.ms	1400	05:30	10:04:12.5	+24:38:49	600	89	1.5	#178 Low Mass	1	
0056.COMP	20	05:55	10:04:12.5	+24:38:49	600	89	1.5	0 Calibration	4	
0057.Feige34	180	05:59	10:39:36.7	+43:06:09	600	88	1.5	#56 Spectropho	4	
0057.Feige34q.ms	180	05:59	10:39:36.7	+43:06:09	600	88	1.5	#56 Spectropho	1	
0058.j1041p50	360	06:09	10:41:23.1	+50:44:20	600	87	1.5	#178 Low Mass	4	
0058.j1041p50q.ms	360	06:09	10:41:23.1	+50:44:20	600	87	1.5	#178 Low Mass	1	
0059.COMP	20	06:16	10:41:23.1	+50:44:20	600	87	1.5	0 Calibration	4	
0060.j1050p33	1400	06:19	10:50:46.1	+33:15:47	600	87	1.5	#178 Low Mass	4	
0060.j1050p33q.ms	1400	06:19	10:50:46.1	+33:15:47	600	87	1.5	#178 Low Mass	1	
0061.j1050p33	1800	06:46	10:50:46.1	+33:15:47	600	87	1.5	#178 Low Mass	4	

UT Date 2016-03-15 Observers Paegert/MoranColl. Focus 1320 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0061.j1050p33q.ms	1800	06:46	10:50:46.1	+33:15:47	600	87	1.5	#178 Low Mass	1	
0062.COMP	20	07:18	10:50:46.1	+33:15:47	600	87	1.5	0 Calibration	4	
0063.j1121p05	189	07:27	11:21:02.6	+05:49:01	600	88	1.5	#178 Low Mass	4	
0063.j1121p05q.ms	189	07:27	11:21:02.6	+05:49:01	600	88	1.5	#178 Low Mass	1	
0064.COMP	20	07:32	11:21:02.6	+05:49:01	600	88	1.5	0 Calibration	4	
0065.j1131p49	1211	07:44	11:31:00.2	+49:38:26	600	89	1.5	#178 Low Mass	4	
0065.j1131p49q.ms	1211	07:44	11:31:00.2	+49:38:26	600	89	1.5	#178 Low Mass	1	
0066.COMP	20	08:06	11:31:00.2	+49:38:26	600	89	1.5	0 Calibration	4	
0067.j1158p33	1497	08:20	11:58:08.1	+33:02:12	600	87	1.5	#178 Low Mass	4	
0067.j1158p33q.ms	1497	08:20	11:58:08.1	+33:02:12	600	87	1.5	#178 Low Mass	1	
0068.COMP	20	08:47	11:58:08.1	+33:02:12	600	87	1.5	0 Calibration	4	
0069.j1236p50	259	08:54	12:36:52.7	+50:15:14	600	87	1.5	#178 Low Mass	4	
0069.j1236p50q.ms	259	08:54	12:36:52.7	+50:15:14	600	87	1.5	#178 Low Mass	1	
0070.COMP	20	09:02	12:36:52.7	+50:15:14	600	89	1.5	0 Calibration	4	
0071.Feige66	120	09:06	12:37:23.5	+25:04:00	600	89	1.5	#56 Spectropho	4	
0071.Feige66q.ms	120	09:06	12:37:23.5	+25:04:00	600	89	1.5	#56 Spectropho	1	
0072.COMP	20	09:09	12:37:23.5	+25:04:00	600	89	1.5	0 Calibration	4	
0073.j1254p40	1101	09:16	12:54:48.7	+40:51:47	600	89	1.5	#178 Low Mass	4	
0073.j1254p40q.ms	1101	09:16	12:54:48.7	+40:51:47	600	89	1.5	#178 Low Mass	1	
0074.COMP	20	09:37	12:54:48.7	+40:51:47	600	89	1.5	0 Calibration	4	

UT Date 2016-03-15 Observers Paegert/MoranColl. Focus 1320 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0075.j1332p47	445	09:46	13:32:36.0	+47:04:11	600	88	1.5	#178 Low Mass	4	
0075.j1332p47q.ms	445	09:46	13:32:36.0	+47:04:11	600	88	1.5	#178 Low Mass	1	
0076.COMP	20	09:55	13:32:36.0	+47:04:11	600	88	1.5	0 Calibration	4	
0077.j1403p04	1069	10:03	14:03:11.3	+04:52:06	600	87	1.5	#178 Low Mass	4	
0077.j1403p04q.ms	1069	10:03	14:03:11.3	+04:52:06	600	87	1.5	#178 Low Mass	1	
0078.COMP	20	10:22	14:03:11.3	+04:52:06	600	87	1.5	0 Calibration	4	
0079.j1420p46	1234	10:28	14:20:47.0	+46:56:01	600	85	1.5	#178 Low Mass	4	
0079.j1420p46q.ms	1234	10:28	14:20:47.0	+46:56:01	600	85	1.5	#178 Low Mass	1	
0080.COMP	20	10:51	14:20:47.0	+46:56:01	600	85	1.5	0 Calibration	4	
0081.j1447p07	259	10:59	14:47:08.3	+07:23:49	600	86	1.5	#178 Low Mass	4	
0081.j1447p07q.ms	259	10:59	14:47:08.3	+07:23:49	600	86	1.5	#178 Low Mass	1	
0082.COMP	20	11:05	14:47:08.3	+07:23:49	600	86	1.5	0 Calibration	4	
0083.j1509p45	1197	11:11	15:09:45.3	+45:46:25	600	88	1.5	#178 Low Mass	4	
0083.j1509p45q.ms	1197	11:11	15:09:45.3	+45:46:25	600	88	1.5	#178 Low Mass	1	
0084.COMP	20	11:32	15:09:45.3	+45:46:25	600	88	1.5	0 Calibration	4	
0085.j1525p32	836	11:38	15:25:11.4	+32:05:29	600	86	1.5	#178 Low Mass	4	
0085.j1525p32q.ms	836	11:38	15:25:11.4	+32:05:29	600	86	1.5	#178 Low Mass	1	
0086.COMP	20	11:54	15:25:11.4	+32:05:29	600	81	1.5	0 Calibration	4	
0087.BDp332642	120	12:00	15:51:59.9	+32:56:54	600	81	1.5	#56 Spectropho	4	
0087.BDp332642q.ms	120	12:00	15:51:59.9	+32:56:54	600	81	1.5	#56 Spectropho	1	

UT Date 2016-03-15 Observers Paegert/MoranColl. Focus 1320 Grating/Grism 600

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0088.COMP	20	12:04	15:51:59.9	+32:56:54	600	81	1.5	0 Calibration	4	
0089.j1559p00	1166	12:12	15:59:26.5	+00:14:40	600	84	1.5	#178 Low Mass	4	
0089.j1559p00q.ms	1166	12:12	15:59:26.5	+00:14:40	600	84	1.5	#178 Low Mass	1	
0090.COMP	20	12:34	15:59:26.5	+00:14:40	600	84	1.5	0 Calibration	4	
0091-0110.FLAT	12	12:48	15:59:26.5	+00:14:40	600	88	1.5	0 Calibration	4	
0111-0130.BIAS	0	12:53	15:59:26.5	+00:14:40	600	88	1.5	0 Calibration	4	
0131-0135.DARK	900	13:56	15:59:26.5	+00:14:40	600	88	1.5	0 Calibration	4	
comp300+600.ms	10	05:47	10:39:36.9	+43:06:11	300	90	3.0	#56 Spectropho	1	