

UT Date 2016-04-06 Observers P BerlindColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:50	16:30:13.3	+21:29:23	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:56	16:30:13.3	+21:29:23	300	90	3.0	0 Calibration	2	
0026-0030.DARK	1200	04:47	16:30:13.3	+21:29:23	300	90	3.0	0 Calibration	2	
0031.Feige34	240	06:01	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0032.COMP	10	06:06	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0033.HD84937	60	06:07	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0034.COMP	10	06:09	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0035.sn2016bkv	874	06:10	10:18:19.3	+41:25:39	300	90	3.0	#2 SN Observat	2	
0036.sn2016bkv	884	06:30	10:18:19.3	+41:25:39	300	89	3.0	#2 SN Observat	2	
0037.sn2016bkv	874	06:45	10:18:19.3	+41:25:39	300	89	3.0	#2 SN Observat	2	
0038.COMP	10	07:00	10:18:19.3	+41:25:39	300	89	3.0	0 Calibration	2	
0039.Feige34	200	08:42	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0040.COMP	10	08:46	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0041.snPSNmasterPGC054958	1200	08:49	15:23:33.0	+09:21:26	300	90	3.0	#2 SN Observat	2	
0042.snPSNmasterPGC054958	1200	09:09	15:23:33.0	+09:21:26	300	90	3.0	#2 SN Observat	2	
0043.snPSNmasterPGC054958	1200	09:30	15:23:33.0	+09:21:26	300	90	3.0	#2 SN Observat	2	
0044.COMP	10	09:50	15:23:33.0	+09:21:26	300	89	3.0	0 Calibration	2	
0045.Feige34	200	09:54	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0046.Feige34	200	09:59	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0047.COMP	10	10:03	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	

UT Date 2016-04-06 Observers P BerlindColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0048.BDp332642	120	10:06	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0049.COMP	10	10:08	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0050.Feige34.ADCOFF	200	10:10	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0051.COMP	10	10:14	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0052.BDp332642.ADCOFF	120	10:17	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0053.COMP	10	10:19	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0054.BDp262606	90	10:22	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0055.COMP	10	10:24	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0056.17333667-1632035	1200	10:37	17:33:36.7	-16:32:04	300	90	3.0	#141 2MASS Red	2	
0057.COMP	10	10:57	17:33:36.7	-16:32:04	300	89	3.0	0 Calibration	2	
0058.17262720-1816525	1500	11:04	17:26:27.2	-18:16:53	300	89	3.0	#141 2MASS Red	2	
0059.COMP	10	11:29	17:26:27.2	-18:16:53	300	89	3.0	0 Calibration	2	
0060.17165956-2338068	1500	11:31	17:16:59.6	-23:38:07	300	90	3.0	#141 2MASS Red	2	
0061.COMP	10	11:56	17:16:59.6	-23:38:07	300	90	3.0	0 Calibration	2	
0062.AS338	600	11:59	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0063.AS338	90	12:10	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0064.COMP	10	12:12	19:03:47.0	+16:26:17	300	90	3.0	0 Calibration	2	
0065-0074.BIAS	0	12:16	19:03:47.0	+16:26:17	300	89	3.0	0 Calibration	2	
0075-0089.FLAT	7	12:22	19:03:47.0	+16:26:17	300	89	3.0	0 Calibration	2	
0090-0094.DARK	1200	13:49	19:03:47.0	+16:26:17	300	89	3.0	0 Calibration	2	