

UT Date 2016-05-12 Observers Ste OBrienColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:02	19:23:53.0	+29:40:27	300	80	3.0	0 Calibration	4	
0011-0020.FLAT	4	00:04	19:23:53.0	+29:40:27	300	80	3.0	0 Calibration	4	
0021-0030.BIAS	0	00:06	19:23:53.0	+29:40:27	300	80	3.0	0 Calibration	2	
0031-0045.FLAT	7	00:11	19:23:53.0	+29:40:27	300	80	3.0	0 Calibration	2	
0046-0050.DARK	900	01:13	19:23:53.0	+29:40:27	300	80	3.0	0 Calibration	2	
0051.COMP	10	02:52	19:23:53.0	+29:40:27	300	80	3.0	0 Calibration	2	
0052.Feige34	180	03:10	10:39:36.7	+43:06:09	300	80	3.0	#56 Spectropho	2	
0053.Feige34	180	03:15	10:39:36.7	+43:06:09	300	81	3.0	#56 Spectropho	2	
0054.Feige34	180	03:18	10:39:36.7	+43:06:09	300	81	3.0	#56 Spectropho	2	
0055.Feige34	180	03:21	10:39:36.7	+43:06:09	300	81	3.0	#56 Spectropho	2	
0056.COMP	10	03:25	10:39:36.7	+43:06:09	300	81	3.0	0 Calibration	2	
0057.HD84937	30	03:28	09:48:56.1	+13:44:39	300	81	3.0	#56 Spectropho	2	
0058.HD84937	30	03:29	09:48:56.1	+13:44:39	300	81	3.0	#56 Spectropho	2	
0059.HD84937	30	03:29	09:48:56.1	+13:44:39	300	81	3.0	#56 Spectropho	2	
0060.COMP	10	03:31	09:48:56.1	+13:44:39	300	81	3.0	0 Calibration	2	
0061.sn2016bkv	1800	03:38	10:18:19.3	+41:25:39	300	86	3.0	#2 SN Observat	2	
0062.sn2016bkv	838	04:08	10:18:19.3	+41:25:39	300	86	3.0	#2 SN Observat	2	
0063.sn2016bkv	1800	04:25	10:18:19.3	+41:25:39	300	86	3.0	#2 SN Observat	2	
0064.sn2016bkv	1800	04:55	10:18:19.3	+41:25:39	300	86	3.0	#2 SN Observat	2	
0065.COMP	10	05:26	10:18:19.3	+41:25:39	300	86	3.0	0 Calibration	2	

UT Date 2016-05-12 Observers Ste OBrienColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0066.AGDra	2	05:35	16:01:41.0	+66:48:10	300	86	3.0	#12 Symbiotic	2	
0067.AGDra	15	05:36	16:01:41.0	+66:48:10	300	86	3.0	#12 Symbiotic	2	
0068.AGDra	60	05:36	16:01:41.0	+66:48:10	300	86	3.0	#12 Symbiotic	2	
0069.COMP	10	05:37	16:01:41.0	+66:48:10	300	86	3.0	0 Calibration	2	
0070.DracoC1	1200	05:43	17:19:58.0	+57:50:06	300	86	3.0	#12 Symbiotic	2	
0071.COMP	10	06:03	17:19:58.0	+57:50:06	300	86	3.0	0 Calibration	2	
0072.Feige34	180	06:14	10:39:36.7	+43:06:09	300	88	3.0	#56 Spectropho	2	
0073.COMP	10	06:18	10:39:36.7	+43:06:09	300	88	3.0	0 Calibration	2	
0074.COMP	10	06:24	13:32:14.2	+84:40:42	300	88	3.0	0 Calibration	2	
0075.COMP	10	06:25	13:32:14.2	+84:40:42	600	88	1.5	0 Calibration	4	
0076.BIAS	0	06:29	13:32:14.2	+84:40:42	600	88	1.5	0 Calibration	4	
0077.BDp332642	120	06:39	15:51:59.9	+32:56:54	600	88	1.5	#56 Spectropho	4	
0078.BDp332642	120	06:41	15:51:59.9	+32:56:54	600	88	1.5	#56 Spectropho	4	
0079.BDp332642	120	06:43	15:51:59.9	+32:56:54	600	88	1.5	#56 Spectropho	4	
0080.COMP	10	06:45	15:51:59.9	+32:56:54	600	88	1.5	0 Calibration	4	
0081.ec14142-1736	1620	06:51	14:16:58.0	-17:50:37	600	88	1.5	#178 Low Mass	4	
0082.COMP	10	07:18	14:16:58.0	-17:50:37	600	88	1.5	0 Calibration	4	
0083.ec14002-1833	240	07:22	14:03:00.1	-18:48:16	600	89	1.5	#178 Low Mass	4	
0084.COMP	10	07:27	14:03:00.1	-18:48:16	600	89	1.5	0 Calibration	4	
0085.ec14102-1337	600	07:29	14:13:00.2	-13:51:35	600	89	1.5	#178 Low Mass	4	

UT Date 2016-05-12 Observers Ste OBrienColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0086.COMP	10	07:40	14:13:00.2	-13:51:35	600	89	1.5	0 Calibration	4	
0087.ec14398-1241	480	07:54	14:42:36.4	-12:54:36	600	89	1.5	#178 Low Mass	4	
0088.COMP	10	08:02	14:42:36.4	-12:54:36	600	89	1.5	0 Calibration	4	
0089.j1510p44	360	08:35	15:10:00.4	+44:08:04	600	89	1.5	#178 Low Mass	4	
0090.COMP	10	08:41	15:10:00.4	+44:08:04	600	89	1.5	0 Calibration	4	
0091.j1533p37	180	08:46	15:33:49.4	+37:59:28	600	87	1.5	#178 Low Mass	4	
0092.COMP	10	08:50	15:33:49.4	+37:59:28	600	87	1.5	0 Calibration	4	
0093.j1546p00	420	08:58	15:46:42.8	+00:45:28	600	87	1.5	#178 Low Mass	4	
0094.COMP	10	09:05	15:46:42.8	+00:45:28	600	87	1.5	0 Calibration	4	
0095.j1547p24	720	09:08	15:47:54.5	+24:20:40	600	88	1.5	#178 Low Mass	4	
0096.COMP	10	09:21	15:47:54.5	+24:20:40	600	88	1.5	0 Calibration	4	
0097.j1521p47	600	09:37	15:21:54.0	+47:37:29	600	88	1.5	#178 Low Mass	4	
0098.COMP	10	09:47	15:21:54.0	+47:37:29	600	88	1.5	0 Calibration	4	
0099.COMP	10	09:53	15:21:54.0	+47:37:29	300	88	3.0	0 Calibration	2	
0100.COMP	10	09:54	15:21:54.0	+47:37:29	300	88	3.0	0 Calibration	2	
0101.COMP	10	09:56	15:21:54.0	+47:37:29	300	88	3.0	0 Calibration	2	
0102.BDp332642	120	09:59	15:51:59.9	+32:56:54	300	88	3.0	#56 Spectropho	2	
0103.COMP	10	10:02	15:51:59.9	+32:56:54	300	88	3.0	0 Calibration	2	
0104.sn2016ccj	1113	10:19	17:10:23.9	+26:23:48	300	88	3.0	#2 SN Observat	2	
0104.sn2016ccjq.ms	1113	10:19	17:10:23.9	+26:23:48	300	88	3.0	#2 SN Observat	1	

UT Date 2016-05-12 Observers Ste OBrienColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0105.COMP	10	10:38	17:10:23.9	+26:23:48	300	88	3.0	0 Calibration	2	
0106.sn2016ccj	1800	10:40	17:10:23.9	+26:23:48	300	88	3.0	#2 SN Observat	2	
0107.COMP	10	11:11	17:10:23.9	+26:23:48	300	88	3.0	0 Calibration	2	
0108.CICyg	4	11:14	19:50:12.0	+35:41:02	300	86	3.0	#12 Symbiotic	2	
0109.CICyg	15	11:14	19:50:12.0	+35:41:02	300	86	3.0	#12 Symbiotic	2	
0110.COMP	10	11:15	19:50:12.0	+35:41:02	300	86	3.0	0 Calibration	2	
0111.AS360	60	11:18	19:45:49.0	+18:36:49	300	86	3.0	#12 Symbiotic	2	
0112.AS360	300	11:19	19:45:49.0	+18:36:49	300	86	3.0	#12 Symbiotic	2	
0113.COMP	10	11:24	19:45:49.0	+18:36:49	300	86	3.0	0 Calibration	2	
0114.HMSge	1	11:27	19:41:57.0	+16:44:41	300	86	3.0	#12 Symbiotic	2	
0115.HMSge	10	11:27	19:41:57.0	+16:44:41	300	86	3.0	#12 Symbiotic	2	
0116.HMSge	60	11:27	19:41:57.0	+16:44:41	300	86	3.0	#12 Symbiotic	2	
0117.COMP	10	11:29	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	2	
0118-0127.BIAS	0	11:34	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	4	
0128-0137.FLAT	4	11:36	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	4	
0138-0147.BIAS	0	11:38	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	2	
0148-0162.FLAT	7	11:43	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	2	
0163-0167.DARK	900	12:52	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	2	