

UT Date 2016-05-13 Observers Ste OBrienColl. Focus 1320 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.BIAS	0	00:03	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	2	
0002-0011.BIAS	0	00:08	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	4	
0012-0021.FLAT	4	00:10	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	4	
0022-0031.BIAS	0	00:12	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	2	
0032-0046.FLAT	7	00:16	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	2	
0047-0057.FLAT	12	00:30	19:41:57.0	+16:44:41	600	86	1.5	0 Calibration	4	
0058.COMP	10	00:36	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	2	
0059.COMP	10	00:37	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	2	
0060.COMP	10	00:39	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	2	
0061.COMP	10	00:41	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	2	
0062-0066.DARK	900	01:45	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	2	
0067.COMP	10	02:48	19:41:57.0	+16:44:41	300	86	3.0	0 Calibration	2	
0068.Feige34	180	03:11	10:39:36.7	+43:06:09	300	85	3.0	#56 Spectropho	2	
0069.Feige34	180	03:16	10:39:36.7	+43:06:09	300	85	3.0	#56 Spectropho	2	
0070.COMP	10	03:20	10:39:36.7	+43:06:09	300	85	3.0	0 Calibration	2	
0071.Feige34	180	03:23	10:39:36.7	+43:06:09	300	85	3.0	#56 Spectropho	2	
0072.Feige34	180	03:28	10:39:36.7	+43:06:09	300	85	3.0	#56 Spectropho	2	
0073.Feige34	180	03:31	10:39:36.7	+43:06:09	300	85	3.0	#56 Spectropho	2	
0074.COMP	10	03:35	10:39:36.7	+43:06:09	300	85	3.0	0 Calibration	2	
0075.HD84937	30	03:38	09:48:56.1	+13:44:39	300	85	3.0	#56 Spectropho	2	

UT Date 2016-05-13 Observers Ste OBrienColl. Focus 1320 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0076.HD84937	30	03:39	09:48:56.1	+13:44:39	300	85	3.0	#56 Spectropho	2	
0077.HD84937	30	03:39	09:48:56.1	+13:44:39	300	85	3.0	#56 Spectropho	2	
0078.COMP	10	03:41	09:48:56.1	+13:44:39	300	85	3.0	0 Calibration	2	
0079.snASASSN-16fa	1800	03:46	11:25:35.7	+32:19:17	300	85	3.0	#220 ASASSN Tr	2	
0080.snASASSN-16fa	1800	04:17	11:25:35.7	+32:19:17	300	85	3.0	#220 ASASSN Tr	2	
0081.snASASSN-16fa	1525	04:47	11:25:35.7	+32:19:17	300	85	3.0	#220 ASASSN Tr	2	
0082.snASASSN-16fa	1800	05:13	11:25:35.7	+32:19:17	300	85	3.0	#220 ASASSN Tr	2	
0083.COMP	10	05:44	11:25:35.7	+32:19:17	300	85	3.0	0 Calibration	2	
0084.COMP	10	05:50	11:25:35.7	+32:19:17	300	89	1.5	0 Calibration	4	
0085.Feige34	180	05:53	10:39:36.7	+43:06:09	300	89	1.5	#56 Spectropho	4	
0086.Feige34	180	05:56	10:39:36.7	+43:06:09	300	89	1.5	#56 Spectropho	4	
0087.Feige34	180	05:59	10:39:36.7	+43:06:09	300	89	1.5	#56 Spectropho	4	
0088.COMP	10	06:03	10:39:36.7	+43:06:09	300	89	1.5	0 Calibration	4	
0089.Feige34	180	06:03	10:39:36.7	+43:06:09	300	89	1.5	#56 Spectropho	4	
0090.j1248p41	1200	06:12	12:48:47.6	+41:53:09	300	89	1.5	#178 Low Mass	4	
0091.COMP	10	06:32	12:48:47.6	+41:53:09	300	89	1.5	0 Calibration	4	
0092.j1323p31	1440	06:42	13:23:00.3	+31:07:51	300	88	1.5	#178 Low Mass	4	
0093.COMP	10	07:06	13:23:00.3	+31:07:51	300	88	1.5	0 Calibration	4	
0094.j1350p24	1020	07:10	13:50:32.4	+24:34:15	300	88	1.5	#178 Low Mass	4	
0095.COMP	10	07:27	13:50:32.4	+24:34:15	300	88	1.5	0 Calibration	4	

UT Date 2016-05-13 Observers Ste OBrienColl. Focus 1320 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0096.j1352p30	900	07:29	13:52:11.3	+30:12:34	300	88	1.5	#178 Low Mass	4	
0097.COMP	10	07:45	13:52:11.3	+30:12:34	300	88	1.5	0 Calibration	4	
0098.j1414p54	1320	07:48	14:14:20.4	+54:03:47	300	87	1.5	#178 Low Mass	4	
0099.COMP	10	08:10	14:14:20.4	+54:03:47	300	87	1.5	0 Calibration	4	
0100.j1415p42	1080	08:15	14:15:49.0	+42:58:48	300	87	1.5	#178 Low Mass	4	
0101.COMP	10	08:33	14:15:49.0	+42:58:48	300	87	1.5	0 Calibration	4	
0102.j1415p53	1380	08:38	14:15:49.3	+53:36:39	300	87	1.5	#178 Low Mass	4	
0103.COMP	10	09:01	14:15:49.3	+53:36:39	300	87	1.5	0 Calibration	4	
0104.j1446p48	660	09:05	14:46:01.0	+48:30:58	300	88	1.5	#178 Low Mass	4	
0105.COMP	10	09:16	14:46:01.0	+48:30:58	300	88	1.5	0 Calibration	4	
0106.j1446p34	960	09:33	14:46:59.9	+34:53:07	300	88	1.5	#178 Low Mass	4	
0107.COMP	10	09:50	14:46:59.9	+34:53:07	300	88	1.5	0 Calibration	4	
0108.COMP	10	09:56	14:46:59.9	+34:53:07	600	88	3.0	0 Calibration	2	
0109.COMP	10	09:58	14:46:59.9	+34:53:07	600	88	3.0	0 Calibration	2	
0110.COMP	10	10:00	14:46:59.9	+34:53:07	600	88	3.0	0 Calibration	2	
0111.BDp332642	120	10:03	15:51:59.9	+32:56:54	600	88	3.0	#56 Spectropho	2	
0112.BDp332642	120	10:05	15:51:59.9	+32:56:54	600	88	3.0	#56 Spectropho	2	
0113.BDp332642	120	10:08	15:51:59.9	+32:56:54	600	88	3.0	#56 Spectropho	2	
0114.COMP	10	10:10	15:51:59.9	+32:56:54	600	88	3.0	0 Calibration	2	
0115.BDp262606	90	10:12	14:49:02.4	+25:42:09	600	88	3.0	#56 Spectropho	2	

UT Date 2016-05-13 Observers Ste OBrienColl. Focus 1320 Grating/Grism 600

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0116.BDp262606	90	10:14	14:49:02.4	+25:42:09	600	88	3.0	#56 Spectropho	2	
0117.BDp262606	90	10:15	14:49:02.4	+25:42:09	600	88	3.0	#56 Spectropho	2	
0118.COMP	10	10:17	14:49:02.4	+25:42:09	600	88	3.0	0 Calibration	2	
0119.AS338	90	10:22	19:03:47.0	+16:26:17	600	88	3.0	#12 Symbiotic	2	
0120.AS338	600	10:24	19:03:47.0	+16:26:17	600	88	3.0	#12 Symbiotic	2	
0121.COMP	10	10:34	19:03:47.0	+16:26:17	600	88	3.0	0 Calibration	2	
0122.BRUTUS7521_8	1800	10:39	22:38:22.5	+42:35:57	600	88	3.0	#220 ASASSN Tr	2	
0123.BRUTUS7521_8	1193	11:09	22:38:22.5	+42:35:57	600	88	3.0	#220 ASASSN Tr	2	
0124.COMP	10	11:30	22:38:22.5	+42:35:57	600	88	3.0	0 Calibration	2	
0125-0134.BIAS	0	11:37	22:38:22.5	+42:35:57	600	88	3.0	0 Calibration	4	
0135-0144.FLAT	4	11:39	22:38:22.5	+42:35:57	600	88	3.0	0 Calibration	4	
0145-0154.BIAS	0	11:41	22:38:22.5	+42:35:57	600	88	3.0	0 Calibration	2	
0155-0169.FLAT	7	11:46	22:38:22.5	+42:35:57	600	88	3.0	0 Calibration	2	
0170-0174.DARK	900	13:01	22:38:22.5	+42:35:57	600	88	3.0	0 Calibration	2	