

UT Date 2016-06-04 Observers P BerlindColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	02:39	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	2	
0011-0025.FLAT	7	02:45	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	2	
0026.Feige34	180	03:22	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0027.COMP	10	03:25	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0028.N4486B	300	03:28	12:30:31.9	+12:29:26	300	87	3.0	#57 Velocity S	2	
0029.COMP	10	03:33	12:30:31.9	+12:29:26	300	87	3.0	0 Calibration	2	
0030.sn2016cop	1200	03:40	12:08:06.8	+65:10:38	300	88	3.0	#2 SN Observat	2	
0031.COMP	10	04:01	12:08:06.8	+65:10:38	300	89	3.0	0 Calibration	2	
0032.snGaia16apd	1200	04:03	12:02:51.7	+44:15:27	300	89	3.0	#225 SLSNe and	2	
0033.snGaia16apd	1200	04:23	12:02:51.7	+44:15:27	300	89	3.0	#225 SLSNe and	2	
0034.snGaia16apd	1200	04:43	12:02:51.7	+44:15:27	300	89	3.0	#225 SLSNe and	2	
0035.COMP	10	05:04	12:02:51.7	+44:15:27	300	89	3.0	0 Calibration	2	
0036.BDp262606	90	05:06	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0037.BDp262606	90	05:09	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0038.BDp262606	90	05:11	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0039.COMP	10	05:13	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0040.snASASSN-16fs	900	05:17	14:47:06.6	+11:35:42	300	98	3.0	#220 ASASSN Tr	2	
0041.snASASSN-16fs	900	05:32	14:47:06.6	+11:35:42	300	98	3.0	#220 ASASSN Tr	2	
0042.snASASSN-16fs	900	05:47	14:47:06.6	+11:35:42	300	98	3.0	#220 ASASSN Tr	2	
0043.COMP	10	06:03	14:47:06.6	+11:35:42	300	99	3.0	0 Calibration	2	

UT Date 2016-06-04 Observers P BerlindColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.BDp332642	120	06:05	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0045.COMP	10	06:08	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0046.TXS1452+516	600	06:09	14:54:27.1	+51:24:34	300	90	3.0	#99 Falco	2	
0047.TXS1452+516	600	06:20	14:54:27.1	+51:24:34	300	90	3.0	#99 Falco	2	
0048.TXS1452+516	600	06:30	14:54:27.1	+51:24:34	300	90	3.0	#99 Falco	2	
0049.COMP	10	06:41	14:54:27.1	+51:24:34	300	90	3.0	0 Calibration	2	
0050.PS16ccm	1200	06:47	16:48:32.4	+37:00:12	300	89	3.0	#225 SLSNe and	2	
0051.PS16ccm	1200	07:12	16:48:32.4	+37:00:12	300	89	3.0	#225 SLSNe and	2	
0052.COMP	10	07:43	16:48:32.4	+37:00:12	300	90	3.0	0 Calibration	2	
0053.PS16cee	1200	07:45	16:46:25.9	+40:02:42	300	90	3.0	#225 SLSNe and	2	
0054.PS16cee	1200	08:06	16:46:25.9	+40:02:42	300	90	3.0	#225 SLSNe and	2	
0055.PS16cee	1200	08:26	16:46:25.9	+40:02:42	300	90	3.0	#225 SLSNe and	2	
0056.COMP	10	08:47	16:46:25.9	+40:02:42	300	89	3.0	0 Calibration	2	
0057.snASASSN16cow	1200	08:55	15:54:12.3	+14:36:23	300	89	3.0	#2 SN Observat	2	
0058.COMP	10	09:17	15:54:12.3	+14:36:23	300	90	3.0	0 Calibration	2	
0059.19335293+0052509	900	09:21	19:33:52.9	+00:52:51	300	90	3.0	#141 2MASS Red	2	
0060.COMP	10	09:38	19:33:52.9	+00:52:51	300	90	3.0	0 Calibration	2	
0061.19340875+0158380	900	09:40	19:34:08.7	+01:58:38	300	90	3.0	#141 2MASS Red	2	
0062.COMP	10	09:56	19:34:08.7	+01:58:38	300	90	3.0	0 Calibration	2	
0063.19372939+0303543	900	09:59	19:37:29.4	+03:03:54	300	97	3.0	#141 2MASS Red	2	

UT Date 2016-06-04 Observers P BerlindColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0064.COMP	10	10:14	19:37:29.4	+03:03:54	300	97	3.0	0 Calibration	2	
0065.snASASSN-16fp	1200	10:17	21:59:04.1	+18:11:11	300	90	3.0	#220 ASASSN Tr	2	
0066.COMP	10	10:39	21:59:04.1	+18:11:11	300	90	3.0	0 Calibration	2	
0067.19390542+0917593	1200	10:42	19:39:05.4	+09:17:59	300	90	3.0	#141 2MASS Red	2	
0068.COMP	10	11:03	19:39:05.4	+09:17:59	300	90	3.0	0 Calibration	2	
0069.HD192281	5	11:05	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0070.HD192281	5	11:05	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0071.HD192281	5	11:06	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0072.COMP	10	11:06	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0073.BDp284211	150	11:08	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0074.COMP	10	11:11	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0075-0084.BIAS	0	11:17	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0085-0099.FLAT	7	11:22	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0100-0104.DARK	1200	12:51	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
comp300+600.ms	10	05:47	10:39:36.9	+43:06:11	300	90	3.0	#56 Spectropho	1	