

UT Date 2016-06-08 Observers D SliskiColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	1200	02:57	07:16:09.2	+31:32:28	300	86	3.0	0 Calibration	2	
0006-0015.BIAS	0	03:19	07:16:09.2	+31:32:28	300	86	3.0	0 Calibration	2	
0016-0030.FLAT	7	03:23	07:16:09.2	+31:32:28	300	86	3.0	0 Calibration	2	
0031.test	1	03:24	07:16:09.2	+31:32:28	300	86	3.0	#178 Low Mass	2	
0032.vega	60	07:42	18:36:56.3	+38:47:01	300	90	3.0	#57 Velocity S	2	
0033.snASASSN16fs	60	09:02	14:47:06.6	+11:35:42	300	80	3.0	SN follow up	2	
0034.snASASSN16fs	1200	09:06	14:47:06.6	+11:35:42	300	80	3.0	SN follow up	2	
0035.COMP	10	09:26	14:47:06.6	+11:35:42	300	80	3.0	0 Calibration	2	
0036.sn2016ccj	60	09:40	17:10:23.9	+26:23:48	300	100	3.0	SN follow up	2	
0037.sn2016ccj	1800	09:41	17:10:23.9	+26:23:48	300	100	3.0	SN follow up	2	
0038.COMP	10	10:12	17:10:23.9	+26:23:48	300	99	3.0	0 Calibration	2	
0039.snASASSN16fp	60	10:28	21:59:04.1	+18:11:11	300	99	3.0	SN follow up	2	
0040.snASASSN16fp	600	10:31	21:59:04.1	+18:11:11	300	99	3.0	SN follow up	2	
0041.COMP	10	10:42	21:59:04.1	+18:11:11	300	99	3.0	0 Calibration	2	
0042.BDp174708	90	10:48	22:11:31.4	+18:05:34	300	99	3.0	#56 Spectropho	2	
0043.BDp174708	90	10:50	22:11:31.4	+18:05:34	300	99	3.0	#56 Spectropho	2	
0044.COMP	10	10:53	22:11:31.4	+18:05:34	300	99	3.0	0 Calibration	2	
0046.Feige110	180	11:11	23:19:58.4	-05:09:56	300	99	3.0	#56 Spectropho	2	
0047.Feige110	180	11:14	23:19:58.4	-05:09:56	300	99	3.0	#56 Spectropho	2	
0048.COMP	10	11:17	23:19:58.4	-05:09:56	300	99	3.0	0 Calibration	2	

UT Date 2016-06-08 Observers D SliskiColl. Focus 1320 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0049-0058.BIAS	0	11:24	23:56:13.7	-00:32:28	300	100	3.0	0 Calibration	2	
0059-0073.FLAT	7	11:29	23:56:13.7	-00:32:28	300	100	3.0	0 Calibration	2	