

UT Date 2016-10-26 Observers Falco/BakerColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.BIAS	0	20:47	15:55:03.7	+31:33:11	600	88	1.5	0 Calibration	2	
0002.COMP	10	20:47	15:55:03.7	+31:33:11	600	88	1.5	0 Calibration	2	
0003.BIAS	0	20:49	15:55:03.7	+31:33:11	600	88	1.5	0 Calibration	2	
0004.COMP	10	21:18	15:55:03.7	+31:33:11	600	88	1.5	0 Calibration	2	
0005.COMP	10	21:21	15:55:03.7	+31:33:11	600	88	1.5	0 Calibration	2	
0006.COMP	10	21:23	15:55:03.7	+31:33:11	600	88	1.5	0 Calibration	2	
0007.COMP	10	21:25	15:55:03.7	+31:33:11	600	88	1.5	0 Calibration	2	
0008.BIAS	0	23:19	15:55:03.7	+31:33:11	300	88	3.0	0 Calibration	2	
0009.COMP	10	23:20	15:55:03.7	+31:33:11	300	88	3.0	0 Calibration	2	
0010-0014.DARK	900	01:24	15:55:03.7	+31:33:11	300	88	3.0	0 Calibration	2	
0015-0024.BIAS	0	01:41	15:55:03.7	+31:33:11	300	88	3.0	0 Calibration	2	
0025-0039.FLAT	7	01:47	15:55:03.7	+31:33:11	300	88	3.0	0 Calibration	2	
0040.COMP	5	01:59	21:05:03.1	+02:32:47	300	88	3.0	0 Calibration	2	
0041.AWI0005zuw	30	02:05	21:05:03.1	+02:32:47	300	88	3.0	#219 WISE Debr	2	
0041.AWI0005zuwq.ms	30	02:05	21:05:03.1	+02:32:47	300	88	3.0	#219 WISE Debr	1	
0042.COMP	5	02:11	21:51:11.0	+28:51:50	300	88	3.0	0 Calibration	2	
0043.BDp284211	150	02:12	21:51:11.0	+28:51:50	300	88	3.0	#56 Spectropho	2	
0044.COMP	5	02:18	22:11:31.4	+18:05:34	300	88	3.0	0 Calibration	2	
0045.BDp174708	90	02:19	22:11:31.4	+18:05:34	300	88	3.0	#56 Spectropho	2	
0046.COMP	5	02:24	21:55:43.4	+17:06:32	300	88	3.0	0 Calibration	2	

UT Date 2016-10-26 Observers Falco/BakerColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0047.AWI0005zvh	30	02:25	21:55:43.4	+17:06:32	300	88	3.0	#219 WISE Debr	2	
0048.COMP	5	02:51	22:05:04.0	+44:45:44	300	88	3.0	0 Calibration	2	
0049.AWI0005w1h	30	02:52	22:05:04.0	+44:45:44	300	88	3.0	#219 WISE Debr	2	
0050.COMP	5	03:00	22:10:55.0	+57:56:29	300	88	3.0	0 Calibration	2	
0051.AWI00019i2	30	03:01	22:10:55.0	+57:56:29	300	88	3.0	#219 WISE Debr	2	
0052.COMP	5	03:06	20:41:04.0	+30:00:25	300	88	3.0	0 Calibration	2	
0053.20410405+3000246	1200	03:08	20:41:04.0	+30:00:25	300	88	3.0	#141 2MASS Red	2	
0054.COMP	5	03:32	20:39:57.1	+26:00:04	300	87	3.0	0 Calibration	2	
0055.20395705+2600039	1200	03:33	20:39:57.1	+26:00:04	300	87	3.0	#141 2MASS Red	2	
0056.COMP	5	03:57	21:51:02.0	+12:37:33	300	86	3.0	0 Calibration	2	
0057.AGPeg	1	03:58	21:51:02.0	+12:37:33	300	86	3.0	#12 Symbiotic	2	
0058.AGPeg	10	03:58	21:51:02.0	+12:37:33	300	86	3.0	#12 Symbiotic	2	
0059.AGPeg	30	03:58	21:51:02.0	+12:37:33	300	86	3.0	#12 Symbiotic	2	
0060.COMP	5	04:14	22:39:57.9	+63:34:47	300	86	3.0	0 Calibration	2	
0061.AWI0002cw2	40	04:15	22:39:57.9	+63:34:47	300	86	3.0	#219 WISE Debr	2	
0062.COMP	5	04:20	22:40:45.3	+78:01:20	300	86	3.0	0 Calibration	2	
0063.AWI0005c1w	40	04:21	22:40:45.3	+78:01:20	300	86	3.0	#219 WISE Debr	2	
0064.COMP	5	04:32	22:42:06.6	-03:28:24	300	86	3.0	0 Calibration	2	
0065.AWI00062ke	30	04:33	22:42:06.6	-03:28:24	300	86	3.0	#219 WISE Debr	2	
0066.COMP	5	04:40	21:06:55.3	+38:44:31	300	86	3.0	0 Calibration	2	

UT Date 2016-10-26 Observers Falco/BakerColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0067.61CygB	5	04:41	21:06:55.3	+38:44:31	300	86	3.0	#226 GAIA-ESO	2	
0068.61CygB	1	04:42	21:06:55.3	+38:44:31	300	86	3.0	#226 GAIA-ESO	2	
0069.61CygB	3	04:44	21:06:55.3	+38:44:31	300	86	3.0	#226 GAIA-ESO	2	
0070.COMP	5	04:48	21:06:54.0	+38:44:58	300	86	3.0	0 Calibration	2	
0071.61CygA	3	04:49	21:06:54.0	+38:44:58	300	86	3.0	#226 GAIA-ESO	2	
0072.COMP	5	04:52	23:20:20.6	+05:22:53	300	86	3.0	0 Calibration	2	
0073.HD220009	3	04:53	23:20:20.6	+05:22:53	300	86	3.0	#226 GAIA-ESO	2	
0074.COMP	5	04:58	00:44:37.0	+40:40:47	300	86	3.0	0 Calibration	2	
0075.EGAnd	1	04:59	00:44:37.0	+40:40:47	300	86	3.0	#12 Symbiotic	2	
0076.EGAnd	5	04:59	00:44:37.0	+40:40:47	300	86	3.0	#12 Symbiotic	2	
0077.EGAnd	10	04:59	00:44:37.0	+40:40:47	300	86	3.0	#12 Symbiotic	2	
0078.COMP	5	05:04	01:36:23.0	+54:15:03	300	86	3.0	0 Calibration	2	
0079.AXPer	4	05:05	01:36:23.0	+54:15:03	300	86	3.0	#12 Symbiotic	2	
0080.AXPer	30	05:05	01:36:23.0	+54:15:03	300	86	3.0	#12 Symbiotic	2	
0081.AXPer	90	05:05	01:36:23.0	+54:15:03	300	86	3.0	#12 Symbiotic	2	
0082.COMP	5	05:11	01:08:16.4	+54:55:13	300	86	3.0	0 Calibration	2	
0083.muCas	3	05:12	01:08:16.4	+54:55:13	300	86	3.0	#226 GAIA-ESO	2	
0084.tauCet	1	05:16	01:44:04.1	-15:56:15	300	86	3.0	#226 GAIA-ESO	2	
0085.COMP	5	05:16	01:44:04.1	-15:56:15	300	86	3.0	0 Calibration	2	
0086.tauCet	1	05:17	01:44:04.1	-15:56:15	300	86	3.0	#226 GAIA-ESO	2	

UT Date 2016-10-26 Observers Falco/BakerColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0087.COMP	5	05:24	00:01:39.8	+73:36:43	300	86	3.0	0 Calibration	2	
0088.AWI00055s3	20	05:25	00:01:39.8	+73:36:43	300	86	3.0	#219 WISE Debr	2	
0089.COMP	5	05:29	01:16:59.7	+63:32:06	300	86	3.0	0 Calibration	2	
0090.AWI0000x9k	60	05:29	01:16:59.7	+63:32:06	300	86	3.0	#219 WISE Debr	2	
0091.COMP	5	05:35	01:39:17.3	+54:36:02	300	86	3.0	0 Calibration	2	
0092.AWI0005mth	30	05:36	01:39:17.3	+54:36:02	300	86	3.0	#219 WISE Debr	2	
0093.COMP	5	05:41	01:41:13.0	+16:30:52	300	86	3.0	0 Calibration	2	
0094.AWI00062aa	40	05:42	01:41:13.0	+16:30:52	300	86	3.0	#219 WISE Debr	2	
0095.COMP	5	05:53	01:48:35.3	+10:12:53	300	86	3.0	0 Calibration	2	
0096.AWI00062hj	40	05:54	01:48:35.3	+10:12:53	300	86	3.0	#219 WISE Debr	2	
0097.COMP	5	05:58	02:15:32.2	+59:14:24	300	86	3.0	0 Calibration	2	
0098.AWI0003cs7	40	05:59	02:15:32.2	+59:14:24	300	86	3.0	#219 WISE Debr	2	
0099.COMP	5	06:07	02:28:34.5	+13:52:35	300	86	3.0	0 Calibration	2	
0100.AWI00062as	40	06:08	02:28:34.5	+13:52:35	300	86	3.0	#219 WISE Debr	2	
0101.COMP	5	06:14	03:02:16.8	+04:05:23	300	86	3.0	0 Calibration	2	
0102.alfCet	4	06:15	03:02:16.8	+04:05:23	300	86	3.0	#226 GAIA-ESO	2	
0103.alfCet	2	06:16	03:02:16.8	+04:05:23	300	86	3.0	#226 GAIA-ESO	2	
0104.alfCet	2	06:17	03:02:16.8	+04:05:23	300	86	3.0	#226 GAIA-ESO	2	
0105-0114.BIAS	0	06:34	03:02:16.8	+04:05:23	600	86	1.5	0 Calibration	4	
0115-0129.FLAT	12	06:40	03:02:16.8	+04:05:23	600	86	1.5	0 Calibration	4	

UT Date 2016-10-26 Observers Falco/BakerColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0130.COMP	10	06:47	01:52:07.4	+29:04:50	600	86	1.5	0 Calibration	4	
0131.j0152p29	1303	06:49	01:52:07.4	+29:04:50	600	86	1.5	#178 Low Mass	4	
0132.COMP	10	07:17	01:59:13.0	+26:16:15	600	89	1.5	0 Calibration	4	
0133.j0159p26	1100	07:19	01:59:13.0	+26:16:15	600	89	1.5	#178 Low Mass	4	
0134.COMP	10	07:43	02:52:58.1	+34:53:46	600	90	1.5	0 Calibration	4	
0135.j0252p34	1311	07:45	02:52:58.1	+34:53:46	600	90	1.5	#178 Low Mass	4	
0136.COMP	10	08:14	03:08:35.4	+40:18:42	600	90	1.5	0 Calibration	4	
0137.j0308p40	1280	08:16	03:08:35.4	+40:18:42	600	89	1.5	#178 Low Mass	4	
0138.COMP	10	08:42	04:18:27.6	+19:29:03	600	89	1.5	0 Calibration	4	
0139.j0418p19	1360	08:43	04:18:27.6	+19:29:03	600	89	1.5	#178 Low Mass	4	
0140.COMP	10	09:18	04:31:29.2	+55:38:32	600	89	1.5	0 Calibration	4	
0141.j0431p55	1420	09:19	04:31:29.2	+55:38:32	600	89	1.5	#178 Low Mass	4	
0142.COMP	10	09:48	05:05:30.6	+52:49:52	600	89	1.5	0 Calibration	4	
0143.G191B2B	300	09:49	05:05:30.6	+52:49:52	600	89	1.5	#56 Spectropho	4	
0144.COMP	10	09:59	05:07:09.7	+26:45:15	600	89	1.5	0 Calibration	4	
0145.j0507p26	1060	10:00	05:07:09.7	+26:45:15	600	89	1.5	#178 Low Mass	4	
0146.COMP	10	10:22	05:00:07.5	-15:20:22	600	90	1.5	0 Calibration	4	
0147.ec04578-1524	110	10:23	05:00:07.5	-15:20:22	600	90	1.5	#178 Low Mass	4	
0148.COMP	10	10:28	05:01:40.5	-16:05:25	600	90	1.5	0 Calibration	4	
0149.ec04594-1609	35	10:28	05:01:40.5	-16:05:25	600	90	1.5	#178 Low Mass	4	

UT Date 2016-10-26 Observers Falco/BakerColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0150.COMP	10	10:32	05:05:06.2	-19:53:03	600	90	1.5	0 Calibration	4	
0151.ec05029-1957	115	10:33	05:05:06.2	-19:53:03	600	90	1.5	#178 Low Mass	4	
0152.COMP	10	10:41	05:46:02.1	+20:56:00	600	90	1.5	0 Calibration	4	
0153.j0546p20	1200	10:42	05:46:02.1	+20:56:00	600	90	1.5	#178 Low Mass	4	
0154.COMP	5	11:07	06:20:38.9	+34:43:06	600	90	1.5	0 Calibration	4	
0155.j0620p34	1400	11:08	06:20:38.9	+34:43:06	600	90	1.5	#178 Low Mass	4	
0156.COMP	5	11:34	06:35:32.5	+26:19:58	600	90	1.5	0 Calibration	4	
0157.j0635p26	1600	11:34	06:35:32.5	+26:19:58	600	90	1.5	#178 Low Mass	4	
0158.COMP	5	12:05	07:30:00.0	+27:16:41	600	90	1.5	0 Calibration	4	
0159.j0730p27	1200	12:05	07:30:00.0	+27:16:41	600	90	1.5	#178 Low Mass	4	
0160-0164.DARK	900	13:40	07:30:00.0	+27:16:41	600	90	1.5	0 Calibration	4	
0165-0169.DARK	900	14:56	07:30:00.0	+27:16:41	600	90	1.5	0 Calibration	2	