

UT Date 2016-10-27 Observers BakerColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.COMP	10	23:35	07:30:00.0	+27:16:41	300	90	3.0	0 Calibration	2	
0002.COMP	5	23:39	07:30:00.0	+27:16:41	300	90	3.0	0 Calibration	2	
0003.COMP	10	23:40	07:30:00.0	+27:16:41	300	90	3.0	0 Calibration	2	
0004-0008.DARK	900	00:44	07:30:00.0	+27:16:41	300	90	3.0	0 Calibration	2	
0009.COMP	10	01:01	07:30:00.0	+27:16:41	300	90	3.0	0 Calibration	2	
0010-0019.BIAS	0	01:04	07:30:00.0	+27:16:41	300	90	3.0	0 Calibration	2	
0020-0034.FLAT	7	01:10	07:30:00.0	+27:16:41	300	90	3.0	0 Calibration	2	
0035.COMP	10	01:18	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0036.BDp284211	120	01:19	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0037.COMP	10	01:25	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	
0038.BDp174708	90	01:26	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0039.COMP	10	01:39	20:33:05.7	+54:03:02	300	90	3.0	0 Calibration	2	
0040.20330565+5403016	1200	01:41	20:33:05.7	+54:03:02	300	89	3.0	#141 2MASS Red	2	
0041.COMP	10	02:11	20:39:22.0	+27:42:41	300	89	3.0	0 Calibration	2	
0042.20392203+2742407	1200	02:12	20:39:22.0	+27:42:41	300	89	3.0	#141 2MASS Red	2	
0043.COMP	10	02:43	20:50:50.1	+57:28:20	300	89	3.0	0 Calibration	2	
0044.AWI0005mdd	60	02:44	20:50:50.1	+57:28:20	300	89	3.0	#219 WISE Debr	2	
0045.COMP	10	02:51	20:32:16.5	+51:39:39	300	89	3.0	0 Calibration	2	
0046.AWI0005mbj	180	02:53	20:32:16.5	+51:39:39	300	89	3.0	#219 WISE Debr	2	
0047.COMP	10	03:44	23:56:28.4	+83:11:29	300	89	3.0	0 Calibration	2	

UT Date 2016-10-27 Observers BakerColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0048.AWI0005ctn	25	03:45	23:56:28.4	+83:11:29	300	89	3.0	#219 WISE Debr	2	
0049.COMP	10	03:53	23:33:40.0	+48:49:06	300	89	3.0	0 Calibration	2	
0050.ZAnd	1	03:54	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0051.ZAnd	5	03:54	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0052.ZAnd	30	03:54	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0053.COMP	10	03:59	23:43:49.0	-15:17:05	300	89	3.0	0 Calibration	2	
0054.RAqr	1	04:00	23:43:49.0	-15:17:05	300	89	3.0	#12 Symbiotic	2	
0055.RAqr	5	04:00	23:43:49.0	-15:17:05	300	89	3.0	#12 Symbiotic	2	
0056.RAqr	10	04:00	23:43:49.0	-15:17:05	300	89	3.0	#12 Symbiotic	2	
0057.COMP	10	04:06	00:29:18.6	+09:52:31	300	89	3.0	0 Calibration	2	
0058.AWI00062h8	90	04:07	00:29:18.6	+09:52:31	300	89	3.0	#219 WISE Debr	2	
0059.COMP	10	04:13	00:48:26.4	+02:07:53	300	89	3.0	0 Calibration	2	
0060.AWI00062m4	100	04:14	00:48:26.4	+02:07:53	300	89	3.0	#219 WISE Debr	2	
0061.COMP	10	04:33	22:15:36.6	+79:46:42	300	89	3.0	0 Calibration	2	
0062.PS16eqi	1800	04:46	22:15:36.6	+79:46:42	300	90	3.0	#225 SLSNe and	2	
0063.COMP	10	05:21	22:26:53.9	+73:34:29	300	90	3.0	0 Calibration	2	
0064.AWI0005abb	30	05:22	22:26:53.9	+73:34:29	300	90	3.0	#219 WISE Debr	2	
0065.COMP	10	05:36	21:57:39.4	-08:33:51	300	89	3.0	0 Calibration	2	
0066.AWI00062fo	30	05:37	21:57:39.4	-08:33:51	300	89	3.0	#219 WISE Debr	2	
0067.COMP	10	05:55	02:32:23.7	+72:39:53	300	89	3.0	0 Calibration	2	

UT Date 2016-10-27 Observers BakerColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0068.AWI00055us	180	05:56	02:32:23.7	+72:39:53	300	89	3.0	#219 WISE Debr	2	
0069.AWI00055us	360	06:00	02:32:23.7	+72:39:53	300	89	3.0	#219 WISE Debr	2	
0070.COMP	10	06:12	03:35:49.4	+64:13:25	300	89	3.0	0 Calibration	2	
0071.AWI0002d6a	40	06:14	03:35:49.4	+64:13:25	300	89	3.0	#219 WISE Debr	2	
0072.COMP	10	06:19	03:34:40.9	+41:30:27	300	89	3.0	0 Calibration	2	
0073.AWI000632w	500	06:20	03:34:40.9	+41:30:27	300	89	3.0	#219 WISE Debr	2	
0074.COMP	10	06:33	03:45:31.1	+42:00:25	300	89	3.0	0 Calibration	2	
0075.AWI000632l	25	06:34	03:45:31.1	+42:00:25	300	89	3.0	#219 WISE Debr	2	
0076.COMP	10	06:39	03:49:05.1	+38:56:17	300	89	3.0	0 Calibration	2	
0077.AWI000632j	220	06:40	03:49:05.1	+38:56:17	300	89	3.0	#219 WISE Debr	2	
0078.COMP	10	06:46	03:49:19.5	+38:44:39	300	89	3.0	0 Calibration	2	
0079.AWI000632h	250	06:48	03:49:19.5	+38:44:39	300	89	3.0	#219 WISE Debr	2	
0080.COMP	10	06:54	03:49:29.1	+34:58:01	300	89	3.0	0 Calibration	2	
0081.AWI000632g	220	06:55	03:49:29.1	+34:58:01	300	89	3.0	#219 WISE Debr	2	
0082.COMP	10	07:04	04:00:37.4	+32:38:08	300	89	3.0	0 Calibration	2	
0083.AWI0005w9t	120	07:06	04:00:37.4	+32:38:08	300	89	3.0	#219 WISE Debr	2	
0084.COMP	10	07:12	04:08:18.3	+32:27:36	300	89	3.0	0 Calibration	2	
0085.AWI000631f	30	07:13	04:08:18.3	+32:27:36	300	89	3.0	#219 WISE Debr	2	
0086.COMP	10	07:18	04:07:54.7	+16:31:50	300	89	3.0	0 Calibration	2	
0087.AWI0005zgj	30	07:19	04:07:54.7	+16:31:50	300	89	3.0	#219 WISE Debr	2	

UT Date 2016-10-27 Observers BakerColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0088.COMP	10	07:29	04:14:47.3	+26:46:26	300	89	3.0	0 Calibration	2	
0089.AWI0005wad	280	07:30	04:14:47.3	+26:46:26	300	89	3.0	#219 WISE Debr	2	
0090.COMP	10	07:37	04:17:33.7	+28:20:47	300	89	3.0	0 Calibration	2	
0091.AWI0005waj	260	07:38	04:17:33.7	+28:20:47	300	89	3.0	#219 WISE Debr	2	
0092.COMP	10	07:46	04:39:17.4	+22:47:53	300	89	3.0	0 Calibration	2	
0093.AWI0005wby	260	07:47	04:39:17.4	+22:47:53	300	89	3.0	#219 WISE Debr	2	
0094.COMP	10	07:54	04:46:12.1	+26:02:07	300	89	3.0	0 Calibration	2	
0095.AWI000630o	40	07:55	04:46:12.1	+26:02:07	300	89	3.0	#219 WISE Debr	2	
0096.COMP	10	07:59	04:48:22.7	+29:46:23	300	89	3.0	0 Calibration	2	
0097.AWI0005myu	30	08:00	04:48:22.7	+29:46:23	300	89	3.0	#219 WISE Debr	2	
0098.COMP	10	08:03	03:50:07.9	+09:55:28	300	89	3.0	0 Calibration	2	
0099.AWI0005zyr	35	08:05	03:50:07.9	+09:55:28	300	89	3.0	#219 WISE Debr	2	
0100.COMP	10	08:08	04:09:44.8	-03:17:45	300	89	3.0	0 Calibration	2	
0101.AWI0005zzc	60	08:09	04:09:44.8	-03:17:45	300	89	3.0	#219 WISE Debr	2	
0102.COMP	10	08:23	03:32:55.8	-09:27:30	300	89	3.0	0 Calibration	2	
0103.epsEri	1	08:25	03:32:55.8	-09:27:30	300	89	3.0	#226 GAIA-ESO	2	
0104.epsEri	1	08:26	03:32:55.8	-09:27:30	300	89	3.0	#226 GAIA-ESO	2	
0105.epsEri	1	08:29	03:32:55.8	-09:27:30	300	89	3.0	#226 GAIA-ESO	2	
0106.COMP	10	08:32	03:43:14.9	-09:45:48	300	89	3.0	0 Calibration	2	
0107.delEri	1	08:33	03:43:14.9	-09:45:48	300	89	3.0	#226 GAIA-ESO	2	

UT Date 2016-10-27 Observers BakerColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0108.delEri	1	08:34	03:43:14.9	-09:45:48	300	89	3.0	#226 GAIA-ESO	2	
0109.COMP	10	08:40	04:33:34.0	+24:21:18	300	89	3.0	0 Calibration	2	
0110.GITau	600	08:42	04:33:34.0	+24:21:18	300	89	3.0	#12 Symbiotic	2	
0111.COMP	10	08:53	04:33:34.5	+24:21:07	300	90	3.0	0 Calibration	2	
0112.GKTau	300	08:55	04:33:34.5	+24:21:07	300	90	3.0	#12 Symbiotic	2	
0113.COMP	10	09:02	04:35:55.2	+16:30:33	300	90	3.0	0 Calibration	2	
0114.alfTau	1	09:03	04:35:55.2	+16:30:33	300	90	3.0	#226 GAIA-ESO	2	
0115.alfTau	1	09:04	04:35:55.2	+16:30:33	300	90	3.0	#226 GAIA-ESO	2	
0116.alfTau	1	09:05	04:35:55.2	+16:30:33	300	90	3.0	#226 GAIA-ESO	2	
0117.alfTau	1	09:05	04:35:55.2	+16:30:33	300	90	3.0	#226 GAIA-ESO	2	
0118.alfTau	1	09:06	04:35:55.2	+16:30:33	300	90	3.0	#226 GAIA-ESO	2	
0119.alfTau	1	09:07	04:35:55.2	+16:30:33	300	90	3.0	#226 GAIA-ESO	2	
0120.alfTau	1	09:08	04:35:55.2	+16:30:33	300	90	3.0	#226 GAIA-ESO	2	
0121.COMP	10	09:12	04:46:28.1	-02:04:15	300	90	3.0	0 Calibration	2	
0122.AWI0005zgx	50	09:13	04:46:28.1	-02:04:15	300	90	3.0	#219 WISE Debr	2	
0123.COMP	10	09:16	04:58:36.9	-04:33:34	300	90	3.0	0 Calibration	2	
0124.AWI0005zh3	30	09:17	04:58:36.9	-04:33:34	300	90	3.0	#219 WISE Debr	2	
0125.COMP	10	09:23	05:25:56.4	-01:57:14	300	90	3.0	0 Calibration	2	
0126.AWI0005wev	240	09:25	05:25:56.4	-01:57:14	300	90	3.0	#219 WISE Debr	2	
0127.COMP	10	09:33	05:21:09.9	-08:17:06	300	90	3.0	0 Calibration	2	

UT Date 2016-10-27 Observers BakerColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0128.AWI0005yp3	40	09:34	05:21:09.9	-08:17:06	300	90	3.0	#219 WISE Debr	2	
0129.COMP	10	09:53	05:04:34.6	+68:34:56	300	90	3.0	0 Calibration	2	
0130.05043462+6834556	1200	09:54	05:04:34.6	+68:34:56	300	90	3.0	#141 2MASS Red	2	
0131.COMP	10	10:21	05:16:15.2	+53:30:53	300	89	3.0	0 Calibration	2	
0132.05161516+5330531	1800	10:23	05:16:15.2	+53:30:53	300	89	3.0	#141 2MASS Red	2	
0133.COMP	10	10:58	06:03:31.0	+27:41:50	300	90	3.0	0 Calibration	2	
0134.BGGem	300	10:59	06:03:31.0	+27:41:50	300	90	3.0	#12 Symbiotic	2	
0135.COMP	10	11:11	06:37:21.2	-29:22:11	300	90	3.0	0 Calibration	2	
0136.PS16eqm	1800	11:12	06:37:21.2	-29:22:11	300	90	3.0	#225 SLSNe and	2	
0137.COMP	10	11:48	06:57:12.5	+02:57:33	300	90	3.0	0 Calibration	2	
0138.AWI0002p36	220	11:49	06:57:12.5	+02:57:33	300	90	3.0	#219 WISE Debr	2	
0139.COMP	10	11:55	06:50:49.8	-00:32:27	300	90	3.0	0 Calibration	2	
0140.HD49933	1	11:57	06:50:49.8	-00:32:27	300	90	3.0	#226 GAIA-ESO	2	
0141.COMP	10	12:02	07:20:24.3	-02:23:35	300	90	3.0	0 Calibration	2	
0142.AWI0002dap	150	12:02	07:20:24.3	-02:23:35	300	90	3.0	#219 WISE Debr	2	
0143-0152.BIAS	0	12:16	07:20:24.3	-02:23:35	300	90	3.0	0 Calibration	2	
0153-0167.FLAT	7	12:23	07:20:24.3	-02:23:35	300	90	3.0	0 Calibration	2	
0168-0172.DARK	900	13:46	07:20:24.3	-02:23:35	300	90	3.0	0 Calibration	2	