

UT Date 2016-10-29 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	23:59	06:17:54.2	+23:37:53	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	00:05	06:17:54.2	+23:37:53	300	90	3.0	0 Calibration	2	
0026-0028.DARK	900	00:54	06:17:54.2	+23:37:53	300	90	3.0	0 Calibration	2	
0029.AWI0005djb	30	01:15	17:20:07.5	+35:41:04	300	90	3.0	#219 WISE Debr	2	
0030.AWI0005djb	30	01:16	17:20:07.5	+35:41:04	300	90	3.0	#219 WISE Debr	2	
0031.COMP	10	01:17	17:20:07.5	+35:41:04	300	90	3.0	0 Calibration	2	
0032.AWI0005clr	90	01:19	17:14:26.4	-00:42:29	300	90	3.0	#219 WISE Debr	2	
0033.AWI0005clr	90	01:21	17:14:26.4	-00:42:29	300	90	3.0	#219 WISE Debr	2	
0034.COMP	10	01:23	17:14:26.4	-00:42:29	300	90	3.0	0 Calibration	2	
0035.AWI0005bgk	100	01:25	17:14:23.2	-04:09:43	300	90	3.0	#219 WISE Debr	2	
0036.AWI0005bgk	100	01:27	17:14:23.2	-04:09:43	300	90	3.0	#219 WISE Debr	2	
0037.COMP	10	01:29	17:14:23.2	-04:09:43	300	90	3.0	0 Calibration	2	
0038.AWI0005bgp	65	01:30	17:14:36.8	-04:29:04	300	90	3.0	#219 WISE Debr	2	
0039.AWI0005bgp	65	01:31	17:14:36.8	-04:29:04	300	90	3.0	#219 WISE Debr	2	
0040.COMP	10	01:32	17:14:36.8	-04:29:04	300	90	3.0	0 Calibration	2	
0041.AWI0005cm2	209	01:33	17:17:40.0	+00:18:23	300	90	3.0	#219 WISE Debr	2	
0042.COMP	10	01:38	17:17:40.0	+00:18:23	300	90	3.0	0 Calibration	2	
0043.AWI0005bke	600	01:39	17:30:52.2	+00:28:48	300	90	3.0	#219 WISE Debr	2	
0044.COMP	10	01:50	17:30:52.2	+00:28:48	300	87	3.0	0 Calibration	2	
0045.AWI0005cm1	900	01:51	17:17:18.7	+00:40:35	300	87	3.0	#219 WISE Debr	2	

UT Date 2016-10-29 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0046.COMP	10	02:06	17:17:18.7	+00:40:35	300	88	3.0	0 Calibration	2	
0047.AWI0005clv	900	02:08	17:15:28.8	+04:43:20	300	88	3.0	#219 WISE Debr	2	
0048.COMP	10	02:23	17:15:28.8	+04:43:20	300	88	3.0	0 Calibration	2	
0049.AWI000590x	900	02:26	17:47:36.5	-00:30:15	300	88	3.0	#219 WISE Debr	2	
0050.COMP	10	02:41	17:47:36.5	-00:30:15	300	88	3.0	0 Calibration	2	
0051.AWI0002008	1200	02:42	18:27:21.6	-03:14:16	300	88	3.0	#219 WISE Debr	2	
0052.COMP	10	03:03	18:27:21.6	-03:14:16	300	88	3.0	0 Calibration	2	
0053.AWI0005uwg	840	03:04	19:15:18.5	-08:19:23	300	88	3.0	#219 WISE Debr	2	
0054.COMP	10	03:18	19:15:18.5	-08:19:23	300	88	3.0	0 Calibration	2	
0055.AWI00066qg	45	03:20	19:41:58.3	+01:10:54	300	88	3.0	#219 WISE Debr	2	
0056.AWI00066qg	45	03:21	19:41:58.3	+01:10:54	300	88	3.0	#219 WISE Debr	2	
0057.COMP	10	03:22	19:41:58.3	+01:10:54	300	88	3.0	0 Calibration	2	
0058.AWI00021r1	150	03:24	19:25:20.2	+22:44:49	300	88	3.0	#219 WISE Debr	2	
0059.AWI00021r1	150	03:27	19:25:20.2	+22:44:49	300	88	3.0	#219 WISE Debr	2	
0060.COMP	10	03:30	19:25:20.2	+22:44:49	300	88	3.0	0 Calibration	2	
0061.AWI0005ycg	600	03:32	20:43:15.2	+10:43:35	300	88	3.0	#219 WISE Debr	2	
0062.COMP	10	03:43	20:43:15.2	+10:43:35	300	88	3.0	0 Calibration	2	
0063.BDp174708	90	03:44	22:11:31.4	+18:05:34	300	88	3.0	#56 Spectropho	2	
0064.COMP	10	03:47	22:11:31.4	+18:05:34	300	88	3.0	0 Calibration	2	
0065.BDp284211	150	03:48	21:51:11.0	+28:51:50	300	88	3.0	#56 Spectropho	2	

UT Date 2016-10-29 Observers P BerlindColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0066.BDp284211	300	03:52	21:51:11.0	+28:51:50	300	88	3.0	#56 Spectropho	2	
0067.COMP	10	03:57	21:51:11.0	+28:51:50	300	87	3.0	0 Calibration	2	
0068.BIAS	0	04:03	00:00:00.0	+32:00:00	600	87	1.5	0 Calibration	4	
0069.BDp284211	150	04:04	21:51:11.0	+28:51:50	600	87	1.5	#56 Spectropho	4	
0070.COMP	10	04:07	21:51:11.0	+28:51:50	600	87	1.5	0 Calibration	4	
0071.ec21397-1619	600	04:10	21:42:28.5	-16:05:16	600	87	1.5	#178 Low Mass	4	
0072.COMP	10	04:21	21:42:28.5	-16:05:16	600	87	1.5	0 Calibration	4	
0073.j2204p04	1500	04:24	22:04:27.8	+04:56:12	600	87	1.5	#178 Low Mass	4	
0074.COMP	10	04:49	22:04:27.8	+04:56:12	600	89	1.5	0 Calibration	4	
0075.j2210p05	900	04:51	22:10:46.5	+05:50:15	600	89	1.5	#178 Low Mass	4	
0076.COMP	10	05:07	22:10:46.5	+05:50:15	600	88	1.5	0 Calibration	4	
0077.j2213p19	1320	05:08	22:13:42.7	+19:55:10	600	88	1.5	#178 Low Mass	4	
0078.COMP	10	05:31	22:13:42.7	+19:55:10	600	88	1.5	0 Calibration	4	
0079.j2216p28	1500	05:32	22:16:31.9	+28:31:46	600	88	1.5	#178 Low Mass	4	
0080.COMP	10	05:57	22:16:31.9	+28:31:46	600	88	1.5	0 Calibration	4	
0081.j2332p52	1200	06:00	23:32:50.0	+52:22:34	600	88	1.5	#178 Low Mass	4	
0082.COMP	10	06:20	23:32:50.0	+52:22:34	600	90	1.5	0 Calibration	4	
0083.j2330p52	1500	06:22	23:30:31.3	+52:00:05	600	90	1.5	#178 Low Mass	4	
0084.COMP	10	06:47	23:30:31.3	+52:00:05	600	90	1.5	0 Calibration	4	
0085.j0045p21	720	06:49	00:45:11.2	+21:21:08	600	90	1.5	#178 Low Mass	4	

UT Date 2016-10-29 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0086.COMP	10	07:02	00:45:11.2	+21:21:08	600	89	1.5	0 Calibration	4	
0087.j0054p41	900	07:03	00:54:13.1	+41:56:14	600	89	1.5	#178 Low Mass	4	
0088.COMP	10	07:19	00:54:13.1	+41:56:14	600	89	1.5	0 Calibration	4	
0089.j0054p22	1200	07:22	00:54:46.2	+22:56:09	600	89	1.5	#178 Low Mass	4	
0090.COMP	10	07:42	00:54:46.2	+22:56:09	600	90	1.5	0 Calibration	4	
0091.j0055p11	1500	07:45	00:55:34.2	+11:35:01	600	88	1.5	#178 Low Mass	4	
0092.COMP	10	08:11	00:55:34.2	+11:35:01	600	88	1.5	0 Calibration	4	
0093.ec03505-1719	360	08:12	03:52:46.9	-17:10:51	600	88	1.5	#178 Low Mass	4	
0094.COMP	10	08:19	03:52:46.9	-17:10:51	600	88	1.5	0 Calibration	4	
0095.ec04201-1806	240	08:20	04:22:25.2	-17:59:19	600	88	1.5	#178 Low Mass	4	
0096.COMP	10	08:24	04:22:25.2	-17:59:19	600	88	1.5	0 Calibration	4	
0097.ec04296-1723	60	08:25	04:31:51.9	-17:16:45	600	88	1.5	#178 Low Mass	4	
0098.COMP	10	08:26	04:31:51.9	-17:16:45	600	88	1.5	0 Calibration	4	
0099.ec04070-2122	90	08:27	04:09:11.7	-21:14:38	600	88	1.5	#178 Low Mass	4	
0100.COMP	10	08:29	04:09:11.7	-21:14:38	600	88	1.5	0 Calibration	4	
0101.ec04230-2344	480	08:30	04:25:07.5	-23:37:53	600	88	1.5	#178 Low Mass	4	
0102.COMP	10	08:39	04:25:07.5	-23:37:53	600	89	1.5	0 Calibration	4	
0103.ec04330-2247	1500	08:40	04:35:12.5	-22:40:59	600	89	1.5	#178 Low Mass	4	
0104.COMP	10	09:06	04:35:12.5	-22:40:59	600	90	1.5	0 Calibration	4	
0105.ec04491-1522	1200	09:07	04:51:27.5	-15:17:59	600	90	1.5	#178 Low Mass	4	

UT Date 2016-10-29 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0106.COMP	10	09:27	04:51:27.5	-15:17:59	600	90	1.5	0 Calibration	4	
0107.ec04474-1812	1200	09:29	04:49:37.6	-18:07:00	600	89	1.5	#178 Low Mass	4	
0108.COMP	10	09:50	04:49:37.6	-18:07:00	600	89	1.5	0 Calibration	4	
0109.j0419p00	1500	09:52	04:19:56.0	+00:35:58	600	89	1.5	#178 Low Mass	4	
0110.COMP	10	10:17	04:19:56.0	+00:35:58	600	88	1.5	0 Calibration	4	
0111.j0413p18	1200	10:19	04:13:09.1	+18:59:38	600	88	1.5	#178 Low Mass	4	
0112.COMP	10	10:40	04:13:09.1	+18:59:38	600	89	1.5	0 Calibration	4	
0113-0122.FLAT	12	10:43	06:30:00.0	+32:00:00	600	89	1.5	0 Calibration	4	
0123.BIAS	0	10:44	06:45:00.0	+32:00:00	600	89	1.5	0 Calibration	4	
0124.test	10	10:48	06:45:00.0	+32:00:00	300	89	3.0	#178 Low Mass	2	
0125.test	10	10:49	06:45:00.0	+32:00:00	300	89	3.0	#178 Low Mass	2	
0126.Procyon	10	10:54	07:39:18.1	+05:13:30	300	89	3.0	#226 GAIA-ESO	2	
0127.Procyon	10	10:54	07:39:18.1	+05:13:30	300	89	3.0	#226 GAIA-ESO	2	
0128.Procyon	10	10:55	07:39:18.1	+05:13:30	300	89	3.0	#226 GAIA-ESO	2	
0129.COMP	10	10:55	07:39:18.1	+05:13:30	300	89	3.0	0 Calibration	2	
0130.betGem	10	10:57	07:45:19.0	+28:01:34	300	89	3.0	#226 GAIA-ESO	2	
0131.betGem	10	10:58	07:45:19.0	+28:01:34	300	89	3.0	#226 GAIA-ESO	2	
0132.betGem	10	10:58	07:45:19.0	+28:01:34	300	89	3.0	#226 GAIA-ESO	2	
0133.COMP	10	10:59	07:45:19.0	+28:01:34	300	89	3.0	0 Calibration	2	
0134.snASASSN-16mj	900	11:02	09:21:19.1	+17:01:58	300	89	3.0	#220 ASASSN Tr	2	

UT Date 2016-10-29 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0135.snASASSN-16mj	900	11:17	09:21:19.1	+17:01:58	300	89	3.0	#220 ASASSN Tr	2	
0136.snASASSN-16mj	900	11:32	09:21:19.1	+17:01:58	300	89	3.0	#220 ASASSN Tr	2	
0137.COMP	10	11:48	09:21:19.1	+17:01:58	300	88	3.0	0 Calibration	2	
0138.snASASSN-16mh	600	11:50	09:43:59.0	-05:05:49	300	88	3.0	#220 ASASSN Tr	2	
0139.snASASSN-16mh	600	12:00	09:43:59.0	-05:05:49	300	88	3.0	#220 ASASSN Tr	2	
0140.snASASSN-16mh	600	12:10	09:43:59.0	-05:05:49	300	88	3.0	#220 ASASSN Tr	2	
0141.COMP	10	12:21	09:43:59.0	-05:05:49	300	89	3.0	0 Calibration	2	
0142.HD84937	30	12:23	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0143.HD84937	30	12:24	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0144.HD84937	30	12:25	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0145.COMP	10	12:26	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0146.Feige34	180	12:29	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0147.COMP	10	12:32	10:39:36.7	+43:06:09	300	87	3.0	0 Calibration	2	
0148-0157.BIAS	0	12:35	10:39:36.7	+43:06:09	300	87	3.0	0 Calibration	2	
0158-0172.FLAT	7	12:41	10:39:36.7	+43:06:09	300	87	3.0	0 Calibration	2	
0173-0182.BIAS	0	12:43	10:39:36.7	+43:06:09	300	87	3.0	0 Calibration	4	
0183-0187.DARK	1200	14:08	10:39:36.7	+43:06:09	300	87	3.0	0 Calibration	4	