

UT Date 2016-10-31 Observers M CalkinsColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	00:39	06:20:56.0	-07:54:36	300	89	3.0	0 Calibration	4	
0006-0015.BIAS	0	01:07	06:20:56.0	-07:54:36	300	89	3.0	0 Calibration	4	
0016-0035.FLAT	7	01:13	06:20:56.0	-07:54:36	300	89	3.0	0 Calibration	2	
0036-0045.BIAS	0	01:15	06:20:56.0	-07:54:36	300	89	3.0	0 Calibration	2	
0046.BDp284211	180	01:30	21:51:11.0	+28:51:50	300	89	3.0	#56 Spectropho	2	
0047.COMP	10	01:34	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0048.BDp284211	90	01:37	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0049.COMP	10	01:39	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0050.BDp174708	25	01:40	22:11:31.4	+18:05:34	300	89	3.0	#56 Spectropho	2	
0051.COMP	10	01:42	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0052.AWI00039en	720	01:50	18:20:01.4	-16:49:48	300	89	3.0	#219 WISE Debr	2	
0053.COMP	10	02:03	18:20:01.4	-16:49:48	300	89	3.0	0 Calibration	2	
0054.19335293+0052509	1500	02:06	19:33:52.9	+00:52:51	300	89	3.0	#141 2MASS Red	2	
0055.COMP	10	02:31	19:33:52.9	+00:52:51	300	88	3.0	0 Calibration	2	
0056.19340875+0158380	1600	02:33	19:34:08.7	+01:58:38	300	88	3.0	#141 2MASS Red	2	
0057.COMP	10	03:00	19:34:08.7	+01:58:38	300	88	3.0	0 Calibration	2	
0058.19344221+0901463	1800	03:02	19:34:42.2	+09:01:46	300	76	3.0	#141 2MASS Red	2	row=104
0059.COMP	10	03:33	19:34:42.2	+09:01:46	300	76	3.0	0 Calibration	2	
0060.20211333+2429074	1500	03:41	20:21:13.3	+24:29:07	300	95	3.0	#141 2MASS Red	2	clouds coming in, try again....
0061.COMP	10	04:07	20:21:13.3	+24:29:07	300	95	3.0	0 Calibration	2	

UT Date 2016-10-31 Observers M CalkinsColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0062.20211333+2429074	1800	04:08	20:21:13.3	+24:29:07	300	95	3.0	#141 2MASS Red	2	
0063.COMP	10	04:39	20:21:13.3	+24:29:07	300	96	3.0	0 Calibration	2	
0064.snAT2016gsu	2400	04:45	01:08:24.6	+21:09:06	300	91	3.0	#220 ASASSN Tr	2	
0065.COMP	10	05:26	01:08:24.6	+21:09:06	300	90	3.0	0 Calibration	2	
0066.j2341p53	1200	05:46	23:41:53.5	+53:59:24	600	90	1.5	#178 Low Mass	4	cirrus all over
0067.COMP	10	06:06	23:41:53.5	+53:59:24	600	90	1.5	0 Calibration	4	
0068.Feige110	420	06:13	23:19:58.4	-05:09:56	600	90	1.5	#56 Spectropho	4	
0069.COMP	10	06:20	23:19:58.4	-05:09:56	600	90	1.5	0 Calibration	4	
0070-0079.FLAT	12	06:29	23:44:05.3	+55:05:22	600	90	1.5	0 Calibration	4	
0080.j2344p55	1200	06:50	23:44:05.3	+55:05:22	600	91	1.5	#178 Low Mass	4	
0081.COMP	10	07:11	23:44:05.3	+55:05:22	600	82	1.5	0 Calibration	4	
0082.j0106p01	1800	07:18	01:06:37.1	+01:45:02	600	90	1.5	#178 Low Mass	4	
0083.COMP	10	07:48	01:06:37.1	+01:45:02	600	90	1.5	0 Calibration	4	
0084.j0107p30	2400	07:51	01:07:20.0	+30:32:30	600	90	1.5	#178 Low Mass	4	
0085.COMP	10	08:32	01:07:20.0	+30:32:30	600	90	1.5	0 Calibration	4	
0086.j0107p25	1800	08:34	01:07:26.3	+25:18:35	600	90	1.5	#178 Low Mass	4	
0087.COMP	10	09:04	01:07:26.3	+25:18:35	600	89	1.5	0 Calibration	4	
0088.j0222m05	2400	09:07	02:22:38.0	-05:03:49	600	89	1.5	#178 Low Mass	4	
0089.COMP	10	09:48	02:22:38.0	-05:03:49	600	90	1.5	0 Calibration	4	
0090.j0223p48	420	09:51	02:23:40.4	+48:16:47	600	90	1.5	#178 Low Mass	4	

UT Date 2016-10-31 Observers M CalkinsColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0091.COMP	10	09:58	02:23:40.4	+48:16:47	600	90	1.5	0 Calibration	4	
0092.j0232p27	1200	10:17	02:32:07.7	+27:17:26	600	89	1.5	#178 Low Mass	4	
0093.COMP	10	10:37	02:32:07.7	+27:17:26	600	89	1.5	0 Calibration	4	
0094.j0525m06	1800	10:42	05:25:19.3	-06:26:07	600	89	1.5	#178 Low Mass	4	
0095.COMP	10	11:13	05:25:19.3	-06:26:07	600	89	1.5	0 Calibration	4	
0096.j0551m00	1500	11:16	05:51:54.9	-00:33:10	600	89	1.5	#178 Low Mass	4	
0097.COMP	10	11:42	05:51:54.9	-00:33:10	600	89	1.5	0 Calibration	4	
0098.j0552p31	600	11:44	05:52:34.2	+31:24:02	600	89	1.5	#178 Low Mass	4	
0099.COMP	10	11:55	05:52:34.2	+31:24:02	600	89	1.5	0 Calibration	4	
0100.j0556p46	420	11:57	05:56:03.0	+46:41:58	600	89	1.5	#178 Low Mass	4	
0101.COMP	10	12:04	05:56:03.0	+46:41:58	600	89	1.5	0 Calibration	4	
0102.j0559p02	1200	12:07	05:59:05.2	+02:28:02	600	89	1.5	#178 Low Mass	4	
0103.COMP	10	12:27	05:59:05.2	+02:28:02	600	89	1.5	0 Calibration	4	
0104-0113.BIAS	0	12:31	05:59:05.2	+02:28:02	600	89	1.5	0 Calibration	4	
0114-0123.BIAS	0	12:36	05:59:05.2	+02:28:02	600	89	1.5	0 Calibration	2	
0124-0126.DARK	900	13:06	05:59:05.2	+02:28:02	600	89	1.5	0 Calibration	2	