

UT Date 2016-11-24 Observers A.VazColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0002.BIAS	0	18:55	16:00:18.1	+31:33:11	300	87	3.0	0 Calibration	2	
0003.COMP	10	18:56	16:00:18.1	+31:33:11	300	87	3.0	0 Calibration	2	
0004.COMP	10	18:59	16:00:18.1	+31:33:11	300	87	3.0	0 Calibration	2	
0005.COMP	10	19:01	16:00:18.1	+31:33:11	300	87	3.0	0 Calibration	2	
0006-0008.DARK	900	23:56	16:00:18.1	+31:33:11	300	87	3.0	0 Calibration	2	
0009.COMP	10	00:14	16:00:18.1	+31:33:11	300	87	3.0	0 Calibration	2	
0010-0019.BIAS	0	00:17	16:00:18.1	+31:33:11	300	87	3.0	0 Calibration	4	
0020-0029.FLAT	4	00:19	16:00:18.1	+31:33:11	300	87	3.0	0 Calibration	4	
0030-0039.BIAS	0	00:21	16:00:18.1	+31:33:11	300	87	3.0	0 Calibration	2	
0040-0054.FLAT	7	00:26	16:00:18.1	+31:33:11	300	87	3.0	0 Calibration	2	
0055.COMP	10	00:26	16:00:18.1	+31:33:11	300	87	3.0	0 Calibration	2	
0055.COMPq.ms	10	00:26	16:00:18.1	+31:33:11	300	87	3.0	#178 Low Mass	1	
0056.COMP	5	00:54	16:00:18.1	+31:33:11	300	87	3.0	0 Calibration	4	
0057.COMP	5	00:55	16:00:18.1	+31:33:11	600	87	2.0	0 Calibration	4	
0058-0067.BIAS	0	01:09	16:00:18.1	+31:33:11	600	87	2.0	0 Calibration	4	
0068-0078.FLAT	12	01:12	16:00:18.1	+31:33:11	600	87	2.0	0 Calibration	4	
0079.COMP	5	01:13	16:00:18.1	+31:33:11	600	87	2.0	0 Calibration	4	
0080.BDp284211	150	01:41	21:51:11.0	+28:51:50	600	87	2.0	#56 Spectropho	4	
0081.COMP	5	01:44	21:51:11.0	+28:51:50	600	87	2.0	0 Calibration	4	
0082.BDp284211	150	01:49	21:51:11.0	+28:51:50	600	87	2.0	#56 Spectropho	4	

UT Date 2016-11-24 Observers A.VazColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0083.COMP	5	01:52	21:51:11.0	+28:51:50	600	87	2.0	0 Calibration	4	
0084.j2221p05	454	02:03	22:21:22.6	+05:24:58	600	87	2.0	#178 Low Mass	4	
0085.COMP	10	02:11	22:21:22.6	+05:24:58	600	87	2.0	0 Calibration	4	
0086.j2222p22	377	02:15	22:22:29.4	+22:55:06	600	87	2.0	#178 Low Mass	4	
0087.COMP	10	02:21	22:22:29.4	+22:55:06	600	86	2.0	0 Calibration	4	
0088.j0000p01	1068	02:27	00:00:42.9	+01:32:22	600	85	2.0	#178 Low Mass	4	
0089.COMP	10	02:45	00:00:42.9	+01:32:22	600	85	2.0	0 Calibration	4	
0090.j0010p09	922	02:48	00:10:29.1	+09:45:32	600	85	2.0	#178 Low Mass	4	
0091.COMP	10	03:03	00:10:29.1	+09:45:32	600	85	2.0	0 Calibration	4	
0092.j0015p36	561	03:06	00:15:18.3	+36:23:52	600	85	2.0	#178 Low Mass	4	
0093.COMP	10	03:15	00:15:18.3	+36:23:52	600	85	2.0	0 Calibration	4	
0094.j0025p08	588	03:19	00:25:27.8	+08:57:54	600	85	2.0	#178 Low Mass	4	
0095.COMP	10	03:29	00:25:27.8	+08:57:54	600	85	2.0	0 Calibration	4	
0096.j0032p13	550	03:33	00:32:55.7	+13:38:16	600	85	2.0	#178 Low Mass	4	
0097.COMP	10	03:42	00:32:55.7	+13:38:16	600	85	2.0	0 Calibration	4	
0098.j0053p13	1578	03:49	00:53:47.5	+13:47:26	600	87	2.0	#178 Low Mass	4	
0099.COMP	10	04:16	00:53:47.5	+13:47:26	600	87	2.0	0 Calibration	4	
0100.j0130p26	551	04:18	01:30:01.4	+26:38:58	600	87	2.0	#178 Low Mass	4	
0101.COMP	10	04:27	01:30:01.4	+26:38:58	600	87	2.0	0 Calibration	4	
0102.j0146p32	487	04:30	01:46:36.7	+32:36:14	600	87	2.0	#178 Low Mass	4	

UT Date 2016-11-24 Observers A.VazColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0103.COMP	10	04:39	01:46:36.7	+32:36:14	600	87	2.0	0 Calibration	4	
0104.j0147p30	228	04:41	01:47:10.6	+30:32:13	600	87	2.0	#178 Low Mass	4	
0105.COMP	10	04:45	01:47:10.6	+30:32:13	600	87	2.0	0 Calibration	4	
0106.j0203m06	600	04:58	02:03:51.3	-06:39:06	600	87	2.0	#178 Low Mass	4	
0107.COMP	10	05:08	02:03:51.3	-06:39:06	600	87	2.0	0 Calibration	4	
0108.j0203m06	600	05:09	02:03:51.3	-06:39:06	600	87	2.0	#178 Low Mass	4	
0109.COMP	10	05:19	02:03:51.3	-06:39:06	600	87	2.0	0 Calibration	4	
0110.j0238p22	492	05:22	02:38:02.2	+22:11:13	600	87	2.0	#178 Low Mass	4	
0111.COMP	10	05:31	02:38:02.2	+22:11:13	600	87	2.0	0 Calibration	4	
0112.j0242m02	697	05:34	02:42:02.2	-02:25:39	600	87	2.0	#178 Low Mass	4	
0113.COMP	10	05:46	02:42:02.2	-02:25:39	600	87	2.0	0 Calibration	4	
0114.j0246m02	697	05:48	02:46:30.9	-02:27:27	600	87	2.0	#178 Low Mass	4	
0115.COMP	10	06:00	02:46:30.9	-02:27:27	600	87	2.0	0 Calibration	4	
0116.j0255m05	837	06:09	02:55:19.4	-05:45:58	600	87	2.0	#178 Low Mass	4	
0117.COMP	10	06:24	02:55:19.4	-05:45:58	600	87	2.0	0 Calibration	4	
0118.j0248p44	300	06:28	02:48:19.9	+44:33:10	600	87	2.0	#178 Low Mass	4	
0119.COMP	10	06:33	02:48:19.9	+44:33:10	600	87	2.0	0 Calibration	4	
0120.j0257p43	1300	06:40	02:57:32.9	+43:21:58	600	87	2.0	#178 Low Mass	4	
0121.COMP	10	07:02	02:57:32.9	+43:21:58	600	87	2.0	0 Calibration	4	
0122.j0347p16	1500	07:07	03:47:36.7	+16:24:09	600	87	2.0	#178 Low Mass	4	

UT Date 2016-11-24 Observers A.VazColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0123.COMP	10	07:33	03:47:36.7	+16:24:09	600	87	2.0	0 Calibration	4	
0124.j0452m03	1200	07:37	04:51:32.2	-03:33:08	600	87	2.0	#178 Low Mass	4	
0125.COMP	10	07:58	04:51:32.2	-03:33:08	600	88	2.0	0 Calibration	4	
0126-0135.BIAS	0	08:00	04:51:32.2	-03:33:08	600	88	2.0	0 Calibration	4	
0136-0146.FLAT	12	08:03	04:51:32.2	-03:33:08	600	88	2.0	0 Calibration	4	
0147.COMP	5	08:11	04:51:32.2	-03:33:08	600	88	2.0	0 Calibration	2	
0148.COMP	5	08:13	04:51:32.2	-03:33:08	600	88	2.0	0 Calibration	2	
0149.COMP	5	08:14	04:51:32.2	-03:33:08	600	88	2.0	0 Calibration	2	
0150.COMP	5	08:16	04:51:32.2	-03:33:08	600	88	2.0	0 Calibration	2	
0151.COMP	5	08:18	04:51:32.2	-03:33:08	600	88	2.0	0 Calibration	2	
0152.COMP	10	08:19	04:51:32.2	-03:33:08	600	88	2.0	0 Calibration	2	
0153-0162.BIAS	0	08:22	04:51:32.2	-03:33:08	300	88	3.0	0 Calibration	2	
0163-0177.FLAT	7	08:28	04:51:32.2	-03:33:08	300	88	3.0	0 Calibration	2	
0178.G191B2B	300	08:38	05:05:30.6	+52:49:52	300	88	3.0	#56 Spectropho	2	
0179.COMP	10	08:43	05:05:30.6	+52:49:52	300	88	3.0	0 Calibration	2	
0180.G191B2B	10	08:46	05:05:30.6	+52:49:52	300	88	3.0	#56 Spectropho	2	
0181.G191B2B	10	08:46	05:05:30.6	+52:49:52	300	88	3.0	#56 Spectropho	2	
0182.G191B2B	10	08:51	05:05:30.6	+52:49:52	300	88	3.0	#56 Spectropho	2	
0183.G191B2B	10	08:52	05:05:30.6	+52:49:52	300	88	3.0	#56 Spectropho	2	
0184.COMP	10	08:53	05:05:30.6	+52:49:52	300	88	3.0	0 Calibration	2	

UT Date 2016-11-24 Observers A.VazColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0185.BIAS	0	08:54	05:05:30.6	+52:49:52	300	88	3.0	0 Calibration	2	
0186-0187.FLAT	7	08:56	05:05:30.6	+52:49:52	300	88	3.0	0 Calibration	2	
0188.G191B2B	300	09:02	05:05:30.6	+52:49:52	300	88	3.0	#56 Spectropho	2	
0189.COMP	10	09:07	05:05:30.6	+52:49:52	300	88	3.0	0 Calibration	2	
0190.sn2016iew	1800	09:14	06:13:11.5	-24:16:19	300	88	3.0	#2 SN Observat	2	
0191.COMP	10	09:44	06:13:11.5	-24:16:19	300	87	3.0	0 Calibration	2	
0192.snATLAS16dtf	1800	09:50	06:44:02.2	+12:23:48	300	87	3.0	#2 SN Observat	2	
0193.COMP	10	10:20	06:44:02.2	+12:23:48	300	87	3.0	0 Calibration	2	
0194.Hiltner600	90	10:23	06:45:13.4	+02:08:15	300	87	3.0	#56 Spectropho	2	
0195.COMP	10	10:25	06:45:13.4	+02:08:15	300	87	3.0	0 Calibration	2	
0196.Hiltner600	90	10:25	06:45:13.4	+02:08:15	300	87	3.0	#56 Spectropho	2	
0197.Hiltner600	90	10:27	06:45:13.4	+02:08:15	300	87	3.0	#56 Spectropho	2	
0198.COMP	10	10:29	06:45:13.4	+02:08:15	300	87	3.0	0 Calibration	2	
0199.BGGem	300	10:43	06:03:31.0	+27:41:50	300	87	3.0	#12 Symbiotic	2	
0200.COMP	10	10:49	06:03:31.0	+27:41:50	300	87	3.0	0 Calibration	2	
0201.AWI0005c3v	600	10:53	07:17:28.9	+35:04:54	300	87	3.0	#219 WISE Debr	2	
0202.COMP	10	11:03	07:17:28.9	+35:04:54	300	87	3.0	0 Calibration	2	
0203.AWI0005c3v	240	11:04	07:17:28.9	+35:04:54	300	87	3.0	#219 WISE Debr	2	
0204.COMP	10	11:08	07:17:28.9	+35:04:54	300	87	3.0	0 Calibration	2	
0205.Feige34	180	11:20	10:39:36.7	+43:06:09	300	87	3.0	#56 Spectropho	2	

UT Date 2016-11-24 Observers A.VazColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0206.COMP	10	11:24	10:39:36.7	+43:06:09	300	87	3.0	0 Calibration	2	
0207.HD84937	30	11:32	09:48:56.1	+13:44:39	300	87	3.0	#56 Spectropho	2	
0208.COMP	10	11:33	09:48:56.1	+13:44:39	300	87	3.0	0 Calibration	2	
0209.HD84937	30	11:34	09:48:56.1	+13:44:39	300	87	3.0	#56 Spectropho	2	
0210.HD84937	30	11:34	09:48:56.1	+13:44:39	300	87	3.0	#56 Spectropho	2	
0211.HD84937	30	11:35	09:48:56.1	+13:44:39	300	87	3.0	#56 Spectropho	2	
0212.COMP	10	11:37	09:48:56.1	+13:44:39	300	87	3.0	0 Calibration	2	
0213.AWI00055zx	20	11:40	06:55:56.2	+27:17:09	300	87	3.0	#219 WISE Debr	2	
0214.AWI0002p2o	90	11:44	06:43:59.7	+03:28:10	300	87	3.0	#219 WISE Debr	2	
0215.COMP	10	11:46	06:43:59.7	+03:28:10	300	87	3.0	0 Calibration	2	
0216.AWI0002p2o	300	11:47	06:43:59.7	+03:28:10	300	87	3.0	#219 WISE Debr	2	
0217.COMP	10	11:52	06:43:59.7	+03:28:10	300	87	3.0	0 Calibration	2	
0218.AWI00055zx	20	11:54	06:55:56.2	+27:17:09	300	87	3.0	#219 WISE Debr	2	
0219.COMP	10	11:55	06:55:56.2	+27:17:09	300	87	3.0	0 Calibration	2	
0220.AWI0005d80	180	12:00	08:12:58.0	+40:21:07	300	87	3.0	#219 WISE Debr	2	
0221.COMP	10	12:04	08:12:58.0	+40:21:07	300	87	3.0	0 Calibration	2	
0222-0231.BIAS	0	12:36	08:12:58.0	+40:21:07	300	87	3.0	0 Calibration	2	
0232-0246.FLAT	7	12:42	08:12:58.0	+40:21:07	300	87	3.0	0 Calibration	2	
0247-0251.DARK	900	13:45	08:12:58.0	+40:21:07	300	87	3.0	0 Calibration	2	
0252-0256.DARK	900	15:01	08:12:58.0	+40:21:07	300	87	3.0	0 Calibration	4	