

UT Date 2016-11-29 Observers W.BrownColl. Focus 1300 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.BIAS	0	00:14	19:03:47.0	+16:26:17	300	90	3.0	0 Calibration	2	x11
0002-0011.BIAS	0	00:15	19:03:47.0	+16:26:17	300	90	3.0	0 Calibration	2	
0012.FLAT	7	00:17	19:03:47.0	+16:26:17	300	90	3.0	0 Calibration	2	x17
0013-0028.FLAT	7	00:21	19:03:47.0	+16:26:17	300	90	3.0	0 Calibration	2	
0029.BFCyg	25	01:16	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	variable light clouds; NON-PHOTOMETRIC
0030.BFCyg	25	01:17	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0031.COMP	10	01:18	19:23:53.0	+29:40:27	300	90	3.0	0 Calibration	2	
0032.CHCyg	1	01:26	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0033.CHCyg	5	01:26	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0034.CHCyg	30	01:26	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0035.COMP	10	01:27	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	
0036.AS338	90	01:28	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0037.AS338	600	01:30	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0038.COMP	10	01:40	19:03:47.0	+16:26:17	300	90	3.0	0 Calibration	2	solid clouds, closing
0039.DARK	900	01:46	19:41:57.0	+16:44:41	300	90	3.0	0 Calibration	2	x10
0040-0048.DARK	900	04:02	19:41:57.0	+16:44:41	300	90	3.0	0 Calibration	2	
0049.DARK	900	05:04	19:41:57.0	+16:44:41	300	90	3.0	0 Calibration	4	x10
0050-0058.DARK	900	07:20	19:41:57.0	+16:44:41	300	90	3.0	0 Calibration	4	