

UT Date 2016-12-04 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0007.DARK	900	00:31	00:08:32.1	+31:24:47	300	90	3.0	0 Calibration	4	
0008-0017.BIAS	0	00:47	00:08:32.1	+31:24:47	300	90	3.0	0 Calibration	4	
0018-0037.FLAT	7	00:55	00:08:32.1	+31:24:47	300	90	3.0	0 Calibration	2	
0038-0047.BIAS	0	00:57	00:08:32.1	+31:24:47	300	90	3.0	0 Calibration	2	
0048.BDp284211	120	01:30	21:51:11.1	+28:51:53	300	90	3.0	#21 Spectropho	2	
0049.COMP	10	01:32	21:51:11.1	+28:51:53	300	90	3.0	0 Calibration	2	
0050.BDp174708	45	01:35	22:11:31.5	+18:05:34	300	90	3.0	#21 Spectropho	2	
0051.COMP	10	01:36	22:11:31.5	+18:05:34	300	90	3.0	0 Calibration	2	
0052.snPS16fbb	1800	01:58	00:07:03.2	-20:41:49	300	90	3.0	#2 SN Observat	2	
0053.COMP	10	02:29	00:07:03.2	-20:41:49	300	89	3.0	0 Calibration	2	
0054.snAT2016igr	1200	02:32	01:03:26.7	-04:52:39	300	89	3.0	#2 SN Observat	2	
0055.COMP	10	02:52	01:03:26.7	-04:52:39	300	89	3.0	0 Calibration	2	
0056.snAT2016ipd	1800	02:58	01:53:34.4	+31:17:44	300	89	3.0	#220 ASASSN Tr	2	
0057.COMP	10	03:29	01:53:34.4	+31:17:44	300	90	3.0	0 Calibration	2	
0058.snAT2016htn	1800	03:32	02:11:29.1	-16:30:37	300	90	3.0	#2 SN Observat	2	missed it....
0059.COMP	10	04:02	02:11:29.1	-16:30:37	300	90	3.0	0 Calibration	2	
0060.AWI0005w52	30	04:21	00:03:08.3	+72:44:52	300	90	3.0	#219 WISE Debr	2	ID?
0061.COMP	10	04:22	00:03:08.3	+72:44:52	300	90	3.0	0 Calibration	2	
0062.snAT2016htm	1800	04:33	02:32:02.6	-26:39:57	300	59	3.0	#2 SN Observat	2	
0063.COMP	10	05:03	02:32:02.6	-26:39:57	300	60	3.0	0 Calibration	2	

UT Date 2016-12-04 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0064.snAT2016htm	1800	05:08	02:32:02.6	-26:39:57	300	60	3.0	#2 SN Observat	2	
0065.COMP	10	05:39	02:32:02.6	-26:39:57	300	59	3.0	0 Calibration	2	
0066.j0110m03	1800	05:54	01:10:36.7	-03:53:16	600	91	1.5	#178 Low Mass	4	
0067.COMP	10	06:25	01:10:36.7	-03:53:16	600	90	1.5	0 Calibration	4	
0068.j0115p12	1800	06:27	01:15:18.8	+12:44:13	600	90	1.5	#178 Low Mass	4	
0069.COMP	10	06:58	01:15:18.8	+12:44:13	600	90	1.5	0 Calibration	4	
0070.j0225p03	1600	07:03	02:25:17.1	+03:12:18	600	95	1.5	#178 Low Mass	4	
0071.COMP	10	07:31	02:25:17.1	+03:12:18	600	95	1.5	0 Calibration	4	
0072.j0226p20	1600	07:39	02:26:31.3	+20:31:06	600	90	1.5	#178 Low Mass	4	
0073.COMP	10	08:06	02:26:31.3	+20:31:06	600	90	1.5	0 Calibration	4	
0074.j0233m07	360	08:08	02:33:49.2	-07:15:35	600	90	1.5	#178 Low Mass	4	
0075.COMP	10	08:15	02:33:49.2	-07:15:35	600	90	1.5	0 Calibration	4	
0076.BIAS	0	08:20	05:48:41.9	+31:30:29	600	90	1.5	0 Calibration	4	
0077.j0234p29	1500	08:23	02:34:09.1	+29:05:21	600	90	1.5	#178 Low Mass	4	
0078.COMP	10	08:49	02:34:09.1	+29:05:21	600	90	1.5	0 Calibration	4	
0079.j0234m04	1200	08:52	02:34:15.5	-04:06:09	600	90	1.5	#178 Low Mass	4	
0080.COMP	10	09:13	02:34:15.5	-04:06:09	600	90	1.5	0 Calibration	4	
0081.j0342p16	1500	09:16	03:42:40.8	+16:34:02	600	90	1.5	#178 Low Mass	4	
0082.COMP	10	09:41	03:42:40.8	+16:34:02	600	90	1.5	0 Calibration	4	
0083.j0344p15n	1376	09:44	03:44:10.9	+15:10:22	600	90	1.5	#178 Low Mass	4	

UT Date 2016-12-04 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0084.COMP	10	10:07	03:44:10.9	+15:10:22	600	90	1.5	0 Calibration	4	
0085.j0512m00	1600	10:28	05:12:12.4	-00:11:49	600	90	1.5	#178 Low Mass	4	
0086.COMP	10	10:55	05:12:12.4	-00:11:49	600	90	1.5	0 Calibration	4	
0087.Feige34	180	10:58	10:39:36.7	+43:06:09	600	90	1.5	#56 Spectropho	4	
0088.COMP	10	11:02	10:39:36.7	+43:06:09	600	90	1.5	0 Calibration	4	
0089-0098.FLAT	12	11:06	10:39:36.7	+43:06:09	600	90	1.5	0 Calibration	4	
0099.snATLAS16dtf	1500	11:32	06:44:02.2	+12:23:48	300	88	3.0	#2 SN Observat	2	
0100.COMP	10	11:57	06:44:02.2	+12:23:48	300	87	3.0	0 Calibration	2	
0101.snASASSN-16no	1800	12:00	08:07:27.4	+25:07:45	300	87	3.0	#220 ASASSN Tr	2	
0102.COMP	10	12:31	08:07:27.4	+25:07:45	300	90	3.0	0 Calibration	2	
0103.snASASSN-16ns	1800	12:33	10:04:18.6	+43:25:29	300	90	3.0	#220 ASASSN Tr	2	
0104.COMP	10	13:04	10:04:18.6	+43:25:29	300	90	3.0	0 Calibration	2	
0105.Feige34	120	13:05	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0106.COMP	10	13:08	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0107.HD84937	30	13:12	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0108.COMP	10	13:13	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0109.N3377	180	13:15	10:47:42.4	+13:59:08	300	89	3.0	#57 Velocity S	2	
0110.COMP	10	13:19	10:47:42.4	+13:59:08	300	89	3.0	0 Calibration	2	
0111-0120.BIAS	0	13:22	10:47:42.4	+13:59:08	300	89	3.0	0 Calibration	2	
0121-0140.FLAT	7	13:28	10:47:42.4	+13:59:08	300	89	3.0	0 Calibration	2	

UT Date 2016-12-04 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0141-0150.BIAS	0	13:30	10:47:42.4	+13:59:08	300	89	3.0	0 Calibration	4	
0151-0160.DARK	900	15:48	10:47:42.4	+13:59:08	300	89	3.0	0 Calibration	2	