

UT Date 2017-01-03 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:28	00:43:14.4	+41:07:21	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:34	00:43:14.4	+41:07:21	300	90	3.0	0 Calibration	2	
0026.NGC1700	300	06:45	04:56:56.3	-04:51:57	300	90	3.0	#57 Velocity S	2	
0027.COMP	10	06:51	04:56:56.3	-04:51:57	300	90	3.0	0 Calibration	2	
0028.AWI00062to	900	06:52	05:54:38.0	+01:29:51	300	90	3.0	#219 WISE Debr	2	
0029.COMP	10	07:08	05:54:38.0	+01:29:51	300	89	3.0	0 Calibration	2	
0030.AWI000639q	900	07:10	06:30:16.6	-16:29:37	300	89	3.0	#219 WISE Debr	2	
0031.COMP	10	07:25	06:30:16.6	-16:29:37	300	89	3.0	0 Calibration	2	
0032.Hiltner600	90	07:27	06:45:13.4	+02:08:15	300	89	3.0	#56 Spectropho	2	
0033.COMP	10	07:29	06:45:13.4	+02:08:15	300	89	3.0	0 Calibration	2	
0034.AWI000639t	900	07:30	06:32:13.3	-14:11:02	300	89	3.0	#219 WISE Debr	2	
0035.COMP	10	07:46	06:32:13.3	-14:11:02	300	89	3.0	0 Calibration	2	
0036.AWI0003m38	900	07:47	06:59:12.1	-09:08:54	300	89	3.0	#219 WISE Debr	2	
0037.COMP	10	08:03	06:59:12.1	-09:08:54	300	89	3.0	0 Calibration	2	
0038.AWI0000zu3	900	08:04	07:19:33.7	-10:19:52	300	89	3.0	#219 WISE Debr	2	
0039.COMP	10	08:20	07:19:33.7	-10:19:52	300	89	3.0	0 Calibration	2	
0040.AWI0005n01	1200	08:22	05:25:11.3	+19:15:48	300	89	3.0	#219 WISE Debr	2	
0041.COMP	10	08:42	05:25:11.3	+19:15:48	300	89	3.0	0 Calibration	2	
0042.06113223+0755508	1800	08:45	06:11:32.2	+07:55:51	300	89	3.0	#141 2MASS Red	2	
0043.06113223+0755508	1800	09:16	06:11:32.2	+07:55:51	300	89	3.0	#141 2MASS Red	2	

UT Date 2017-01-03 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.COMP	10	09:46	06:11:32.2	+07:55:51	300	89	3.0	0 Calibration	2	
0045.snASASSN16oz	1800	09:49	09:00:13.4	-13:38:03	300	89	3.0	#220 ASASSN Tr	2	
0046.COMP	10	10:19	09:00:13.4	-13:38:03	300	89	3.0	0 Calibration	2	
0047.snASASSN16pk	1800	10:29	12:27:39.9	+40:36:53	300	89	3.0	#2 SN Observat	2	
0048.COMP	10	11:00	12:27:39.9	+40:36:53	300	89	3.0	0 Calibration	2	
0049.sn2016jdw	1800	11:05	13:16:19.6	+30:40:33	300	89	3.0	#2 SN Observat	2	
0050.sn2016jdw	1800	11:36	13:16:19.6	+30:40:33	300	89	3.0	#2 SN Observat	2	
0051.COMP	10	12:07	13:16:19.6	+30:40:33	300	90	3.0	0 Calibration	2	
0052.Feige34	180	12:09	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0053.COMP	10	12:13	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0054.HD84937	30	12:15	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0055.HD84937	30	12:16	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0056.COMP	10	12:17	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0057.HD84937	300	12:25	14:32:36.6	-00:05:30	300	90	3.0	#56 Spectropho	2	
0058.COMP	10	12:31	14:32:36.6	-00:05:30	300	89	3.0	0 Calibration	2	
0059.AWI0005dwe	300	12:36	13:22:17.7	+62:33:38	300	89	3.0	#219 WISE Debr	2	
0060.COMP	10	12:42	13:22:17.7	+62:33:38	300	89	3.0	0 Calibration	2	
0061.AWI0005dq1	90	12:49	15:18:39.0	-00:10:04	300	89	3.0	#219 WISE Debr	2	
0062.AWI0005dq1	60	12:52	15:18:39.0	-00:10:04	300	89	3.0	#219 WISE Debr	2	
0063.COMP	10	12:54	15:18:39.0	-00:10:04	300	89	3.0	0 Calibration	2	

UT Date 2017-01-03 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0064.AWI0005dqb	900	12:59	15:09:37.8	-05:36:55	300	89	3.0	#219 WISE Debr	2	
0065.COMP	10	13:15	15:09:37.8	-05:36:55	300	89	3.0	0 Calibration	2	
0066.AWI0005dpu	20	13:17	14:53:51.4	-09:05:10	300	89	3.0	#219 WISE Debr	2	
0067.COMP	10	13:18	14:53:51.4	-09:05:10	300	89	3.0	0 Calibration	2	
0068-0077.BIAS	0	13:23	14:53:51.4	-09:05:10	300	89	3.0	0 Calibration	2	
0078-0092.FLAT	7	13:29	14:53:51.4	-09:05:10	300	89	3.0	0 Calibration	2	
0093-0096.DARK	1200	14:34	14:53:51.4	-09:05:10	300	89	3.0	0 Calibration	2	