

UT Date 2017-01-27 Observers P BerlindColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:55	03:08:25.6	+26:19:51	300	91	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:01	03:08:25.6	+26:19:51	300	91	3.0	0 Calibration	2	
0026.AGPeg	5	01:38	21:51:02.0	+12:37:33	300	91	3.0	#12 Symbiotic	2	
0027.AGPeg	2	01:39	21:51:02.0	+12:37:33	300	91	3.0	#12 Symbiotic	2	
0028.AGPeg	15	01:39	21:51:02.0	+12:37:33	300	91	3.0	#12 Symbiotic	2	
0029.COMP	10	01:40	21:51:02.0	+12:37:33	300	91	3.0	0 Calibration	2	
0030.RAqr	5	01:41	23:43:49.0	-15:17:05	300	91	3.0	#12 Symbiotic	2	
0031.RAqr	15	01:42	23:43:49.0	-15:17:05	300	91	3.0	#12 Symbiotic	2	
0032.RAqr	45	01:43	23:43:49.0	-15:17:05	300	91	3.0	#12 Symbiotic	2	
0033.COMP	10	01:44	23:43:49.0	-15:17:05	300	91	3.0	0 Calibration	2	
0034.HD19445	10	01:48	03:08:25.6	+26:19:51	300	91	3.0	#56 Spectropho	2	
0035.HD19445	10	01:50	03:08:25.6	+26:19:51	300	91	3.0	#56 Spectropho	2	
0036.HD19445	10	01:50	03:08:25.6	+26:19:51	300	91	3.0	#56 Spectropho	2	
0037.COMP	10	01:51	03:08:25.6	+26:19:51	300	91	3.0	0 Calibration	2	
0038.158m213	360	01:53	00:43:14.4	+41:07:21	300	70	3.0	#57 Velocity S	2	
0039.COMP	10	02:00	00:43:14.4	+41:07:21	300	70	3.0	0 Calibration	2	
0040.snAT2017lm	1800	02:05	03:01:32.4	-15:00:57	300	90	3.0	#2 SN Observat	2	
0041.COMP	10	02:36	03:01:32.4	-15:00:57	300	90	3.0	0 Calibration	2	
0042.sn2017j1	1800	02:39	00:57:31.9	+30:11:07	300	65	3.0	#2 SN Observat	2	
0043.COMP	10	03:09	00:57:31.9	+30:11:07	300	65	3.0	0 Calibration	2	

UT Date 2017-01-27 Observers P BerlindColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.snATLAS17ama	1800	03:13	01:27:49.5	+22:20:36	300	65	3.0	#2 SN Observat	2	
0045.COMP	10	03:43	01:27:49.5	+22:20:36	300	65	3.0	0 Calibration	2	
0046.COMP	10	03:55	05:40:00.0	+32:00:00	600	87	1.5	0 Calibration	4	
0047.j0240m16	1200	03:59	02:40:15.6	-16:31:39	600	87	1.5	#178 Low Mass	4	
0048.COMP	10	04:19	02:40:15.6	-16:31:39	600	89	1.5	0 Calibration	4	
0049.j0245p06	1800	04:21	02:45:55.2	+06:20:55	600	89	1.5	#178 Low Mass	4	
0050.COMP	10	04:52	02:45:55.2	+06:20:55	600	89	1.5	0 Calibration	4	
0051.j0246p29	1800	04:54	02:46:07.6	+29:36:45	600	89	1.5	#178 Low Mass	4	
0052.COMP	10	05:27	02:46:07.6	+29:36:45	600	88	1.5	0 Calibration	4	
0053.j0503p60	1550	05:29	05:03:06.2	+60:19:30	600	88	1.5	#178 Low Mass	4	
0054.COMP	10	06:00	05:03:06.2	+60:19:30	600	89	1.5	0 Calibration	4	
0055.j0508p60	1800	06:03	05:08:00.7	+60:13:10	600	89	1.5	#178 Low Mass	4	
0056.COMP	10	06:33	05:08:00.7	+60:13:10	600	89	1.5	0 Calibration	4	
0057.j0559p05	1200	06:36	05:59:21.5	+05:12:51	600	88	1.5	#178 Low Mass	4	
0058.COMP	10	06:57	05:59:21.5	+05:12:51	600	89	1.5	0 Calibration	4	
0059.j0654p08	1800	07:01	06:54:32.9	+08:02:17	600	89	1.5	#178 Low Mass	4	
0060.COMP	10	07:33	06:54:32.9	+08:02:17	600	89	1.5	0 Calibration	4	
0061.j0652p14	1200	07:55	06:52:42.8	+14:16:21	600	88	1.5	#178 Low Mass	4	a few seconds of HeNeAr, featureless star
0062.COMP	10	08:15	06:52:42.8	+14:16:21	600	88	1.5	0 Calibration	4	
0063.Feige34	180	08:17	10:39:36.7	+43:06:09	600	88	1.5	#56 Spectropho	4	

UT Date 2017-01-27 Observers P BerlindColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0064.COMP	10	08:21	10:39:36.7	+43:06:09	600	88	1.5	0 Calibration	4	
0065-0074.FLAT	12	08:24	10:39:36.7	+43:06:09	600	88	1.5	0 Calibration	4	
0075.test	10	08:28	10:30:00.0	+32:00:00	300	88	3.0	#56 Spectropho	2	
0076.test	10	08:29	10:30:00.0	+32:00:00	300	88	3.0	#56 Spectropho	2	
0077.snATLAS17alr	1800	08:32	08:15:34.8	+29:41:09	300	88	3.0	#2 SN Observat	2	
0078.COMP	10	09:02	08:15:34.8	+29:41:09	300	88	3.0	0 Calibration	2	
0079.HD84937	30	09:04	09:48:56.1	+13:44:39	300	88	3.0	#56 Spectropho	2	
0080.COMP	10	09:06	09:48:56.1	+13:44:39	300	88	3.0	0 Calibration	2	
0081.Feige34	180	09:07	10:39:36.7	+43:06:09	300	88	3.0	#56 Spectropho	2	
0082.COMP	10	09:11	10:39:36.7	+43:06:09	300	87	3.0	0 Calibration	2	
0083.snASASSN16ns	1200	09:15	10:04:18.6	+43:25:29	300	89	3.0	#2 SN Observat	2	
0084.snASASSN16ns	1200	09:35	10:04:18.6	+43:25:29	300	89	3.0	#2 SN Observat	2	
0085.snASASSN16ns	1200	09:56	10:04:18.6	+43:25:29	300	89	3.0	#2 SN Observat	2	
0086.COMP	10	10:16	10:04:18.6	+43:25:29	300	90	3.0	0 Calibration	2	
0087.snASASSN17at	1500	10:19	11:38:33.8	+25:23:47	300	90	3.0	#2 SN Observat	2	
0088.COMP	10	10:45	11:38:33.8	+25:23:47	300	90	3.0	0 Calibration	2	
0089.BRUTUS7780_9	600	10:50	12:27:19.7	+64:48:20	300	90	3.0	#220 ASASSN Tr	2	
0090.sn2017mf	1800	11:03	14:16:31.0	+39:35:12	300	100	3.0	#2 SN Observat	2	
0091.COMP	10	11:34	14:16:31.0	+39:35:12	300	99	3.0	0 Calibration	2	
0092.BRUTUS7780_10	1200	11:38	16:03:51.7	+39:59:25	300	95	3.0	#220 ASASSN Tr	2	

UT Date 2017-01-27 Observers P BerlindColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0093.BRUTUS7780_10	1200	11:58	16:03:51.7	+39:59:25	300	95	3.0	#220 ASASSN Tr	2	
0094.COMP	10	12:23	16:03:51.7	+39:59:25	300	96	3.0	0 Calibration	2	
0095.sn2016bkv	1200	12:26	10:18:19.3	+41:25:39	300	96	3.0	#2 SN Observat	2	
0096.sn2016bkv	1200	12:46	10:18:19.3	+41:25:39	300	96	3.0	#2 SN Observat	2	
0097.sn2016bkv	1052	13:06	10:18:19.3	+41:25:39	300	96	3.0	#2 SN Observat	2	
0098.COMP	10	13:24	10:18:19.3	+41:25:39	300	95	3.0	0 Calibration	2	
0099.AGDra	5	13:26	16:01:41.0	+66:48:10	300	95	3.0	#12 Symbiotic	2	
0100.AGDra	15	13:27	16:01:41.0	+66:48:10	300	95	3.0	#12 Symbiotic	2	
0101.AGDra	45	13:27	16:01:41.0	+66:48:10	300	95	3.0	#12 Symbiotic	2	
0102.COMP	10	13:29	16:01:41.0	+66:48:10	300	95	3.0	0 Calibration	2	
0103.BDp332642	89	13:30	15:51:59.9	+32:56:54	300	95	3.0	#56 Spectropho	2	
0104.COMP	10	13:32	15:51:59.9	+32:56:54	300	95	3.0	0 Calibration	2	
0105.BDp262606	75	13:33	14:49:02.4	+25:42:09	300	95	3.0	#56 Spectropho	2	
0106.COMP	10	13:35	14:49:02.4	+25:42:09	300	95	3.0	0 Calibration	2	
0107-0116.BIAS	0	13:46	14:49:02.4	+25:42:09	300	95	3.0	0 Calibration	2	
0117-0131.FLAT	7	13:53	14:49:02.4	+25:42:09	300	95	3.0	0 Calibration	2	
0132-0136.DARK	900	14:55	14:49:02.4	+25:42:09	300	95	3.0	0 Calibration	2	
0137-0141.DARK	900	16:11	14:49:02.4	+25:42:09	300	95	3.0	0 Calibration	4	