

UT Date 2017-01-29 Observers T Hutchison L MacriColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	21:55	10:03:58.0	+49:02:28	300	86	3.0	0 Calibration	2	
0011-0025.FLAT	7	22:00	10:03:58.0	+49:02:28	300	86	3.0	0 Calibration	2	
0026-0030.DARK	900	23:04	10:03:58.0	+49:02:28	300	86	3.0	0 Calibration	2	
0030.DARKq.ms	900	23:04	10:03:58.0	+49:02:28	300	86	3.0	#2 SN Observat	1	
0031.HD19445	10	01:23	03:08:25.6	+26:19:51	300	86	3.0	#56 Spectropho	2	
0032.HD19445	10	01:24	03:08:25.6	+26:19:51	300	86	3.0	#56 Spectropho	2	
0033.HD19445	10	01:25	03:08:25.6	+26:19:51	300	86	3.0	#56 Spectropho	2	
0034.COMP	10	01:26	03:08:25.6	+26:19:51	300	86	3.0	0 Calibration	2	
0035.M32	30	01:34	00:42:41.8	+40:51:55	300	86	3.0	#57 Velocity S	2	
0036.COMP	10	01:36	00:42:41.8	+40:51:55	300	86	3.0	0 Calibration	2	
0037.M31	30	01:38	00:42:44.3	+41:16:09	300	86	3.0	#57 Velocity S	2	
0038.COMP	10	01:39	00:42:44.3	+41:16:09	300	86	3.0	0 Calibration	2	
0039.G191B2B	300	01:45	05:05:30.6	+52:49:52	300	86	3.0	#56 Spectropho	2	
0040.COMP	10	01:51	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0041.sn2017j1	1800	02:02	00:57:31.9	+30:11:07	300	90	3.0	#2 SN Observat	2	
0042.COMP	10	02:35	00:57:31.9	+30:11:07	300	90	3.0	0 Calibration	2	
0043.sn2017ns	1800	02:39	02:49:10.4	+14:36:04	300	90	3.0	#2 SN Observat	2	
0044.COMP	10	03:10	02:49:10.4	+14:36:04	300	90	3.0	0 Calibration	2	
0045.snAT2017lm	1800	03:18	03:01:32.4	-15:00:57	300	90	3.0	#2 SN Observat	2	
0046.COMP	10	03:49	03:01:32.4	-15:00:57	300	90	3.0	0 Calibration	2	

UT Date 2017-01-29 Observers T Hutchison L MacriColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0047.05194723+0758503	1200	04:03	05:19:47.2	+07:58:50	300	90	3.0	#141 2MASS Red	2	
0048.05194723+0758503	1200	04:27	05:19:47.2	+07:58:50	300	90	3.0	#141 2MASS Red	2	
0049.COMP	10	04:51	05:19:47.2	+07:58:50	300	90	3.0	0 Calibration	2	
0050.BRUTUS7781_12	1200	05:06	07:25:38.7	+59:00:13	300	90	3.0	#220 ASASSN Tr	2	
0050.BRUTUS7781_12q.ms	1200	05:06	07:25:38.7	+59:00:13	300	90	3.0	#220 ASASSN Tr	1	
0051.BRUTUS7781_12	1200	05:27	07:25:38.7	+59:00:13	300	90	3.0	#220 ASASSN Tr	2	
0051.BRUTUS7781_12q.ms	1200	05:27	07:25:38.7	+59:00:13	300	90	3.0	#220 ASASSN Tr	1	
0052.COMP	10	05:47	07:25:38.7	+59:00:13	300	89	3.0	0 Calibration	2	
0053.snATLAS17alr	1800	05:58	08:15:34.8	+29:41:09	300	89	3.0	#2 SN Observat	2	
0054.COMP	10	06:29	08:15:34.8	+29:41:09	300	90	3.0	0 Calibration	2	
0055-0064.BIAS	0	06:51	08:15:34.8	+29:41:09	600	90	1.5	0 Calibration	4	
0065-0075.FLAT	12	06:55	08:15:34.8	+29:41:09	600	90	1.5	0 Calibration	4	
0076.j0813m01	605	07:01	08:13:18.5	-01:03:28	600	90	1.5	#178 Low Mass	4	
0077.COMP	10	07:16	08:13:18.5	-01:03:28	600	90	1.5	0 Calibration	4	
0078.j0823m01	1657	07:23	08:23:09.6	-01:52:47	600	90	1.5	#178 Low Mass	4	
0079.COMP	10	07:52	08:23:09.6	-01:52:47	600	90	1.5	0 Calibration	4	
0080.j0810p00	1317	07:55	08:10:22.0	+00:41:49	600	90	1.5	#178 Low Mass	4	
0081.COMP	10	08:19	08:10:22.0	+00:41:49	600	90	1.5	0 Calibration	4	
0082.j0811p01	1400	08:24	08:11:45.8	+01:24:37	600	90	1.5	#178 Low Mass	4	
0083.COMP	10	08:49	08:11:45.8	+01:24:37	600	90	1.5	0 Calibration	4	

UT Date 2017-01-29 Observers T Hutchison L MacriColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0084.j0826p54	240	08:55	08:26:49.6	+54:28:00	600	90	1.5	#178 Low Mass	4	
0085.COMP	10	09:02	08:26:49.6	+54:28:00	600	90	1.5	0 Calibration	4	
0086.j1030p78	1600	09:16	10:30:42.0	+78:38:10	600	90	1.5	#178 Low Mass	4	
0087.COMP	10	09:43	10:30:42.0	+78:38:10	600	89	1.5	0 Calibration	4	
0088-0102.FLAT	7	10:12	10:03:58.0	+49:02:28	300	89	3.0	0 Calibration	2	
0103.sn2017ms	1800	10:57	10:26:42.4	+36:40:51	300	88	3.0	#2 SN Observat	2	
0104.COMP	10	11:28	10:26:42.4	+36:40:51	300	90	3.0	0 Calibration	2	
0105.snASASSN17bo	1800	11:36	11:01:19.5	+70:39:55	300	90	3.0	#220 ASASSN Tr	2	
0105.snASASSN17boq.ms	1800	11:36	11:01:19.5	+70:39:55	300	90	3.0	#220 ASASSN Tr	1	
0106.COMP	10	12:06	11:01:19.5	+70:39:55	300	89	3.0	0 Calibration	2	
0107.BRUTUS7782_9	1800	12:10	12:10:33.3	+58:18:13	300	89	3.0	#220 ASASSN Tr	2	
0107.BRUTUS7782_9q.ms	1800	12:10	12:10:33.3	+58:18:13	300	89	3.0	#220 ASASSN Tr	1	
0108.COMP	10	12:41	12:10:33.3	+58:18:13	300	89	3.0	0 Calibration	2	
BRUTUS7781_12-170128	1200	05:06	07:25:38.7	+59:00:13	300	90	3.0	#220 ASASSN Tr	1	
comp300+600.ms	10	05:47	10:39:36.9	+43:06:11	300	90	3.0	#56 Spectropho	1	