

UT Date 2017-02-25 Observers A VazColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0002.BIAS	0	20:05	22:59:10.7	+31:25:08	300	88	3.0	0 Calibration	2	
0003.COMP	10	20:06	22:59:10.7	+31:25:08	300	88	3.0	0 Calibration	2	
0004-0013.BIAS	0	00:09	22:59:10.7	+31:25:08	300	88	3.0	0 Calibration	2	
0014-0028.FLAT	7	00:15	22:59:10.7	+31:25:08	300	88	3.0	0 Calibration	2	
0029-0030.DARK	900	00:53	22:59:10.7	+31:25:08	300	88	3.0	0 Calibration	2	
0031.COMP	10	02:03	22:59:10.7	+31:25:08	300	88	3.0	0 Calibration	2	
0032.alfCet	20	02:11	03:02:16.8	+04:05:23	300	88	3.0	#226 GAIA-ESO	2	
0033.alfCet	20	02:12	03:02:16.8	+04:05:23	300	88	3.0	#226 GAIA-ESO	2	
0034.alfCet	20	02:13	03:02:16.8	+04:05:23	300	88	3.0	#226 GAIA-ESO	2	
0035.alfCet	20	02:14	03:02:16.8	+04:05:23	300	88	3.0	#226 GAIA-ESO	2	
0036.COMP	10	02:15	03:02:16.8	+04:05:23	300	88	3.0	0 Calibration	2	
0037.HD19445	10	02:18	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0038.HD19445	10	02:19	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0039.HD19445	10	02:19	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0040.HD19445	10	02:20	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0041.COMP	10	02:22	03:08:25.6	+26:19:51	300	88	3.0	0 Calibration	2	
0042.GKTau	300	02:29	04:33:34.5	+24:21:07	300	88	3.0	#12 Symbiotic	2	
0043.COMP	10	02:35	04:33:34.5	+24:21:07	300	88	3.0	0 Calibration	2	
0044.GITau	600	02:36	04:33:34.0	+24:21:18	300	88	3.0	#12 Symbiotic	2	
0045.COMP	10	02:46	04:33:34.0	+24:21:18	300	88	3.0	0 Calibration	2	

UT Date 2017-02-25 Observers A VazColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0046.AWI00062xg	1200	03:13	05:30:54.7	+14:21:52	300	88	3.0	#219 WISE Debr	2	
0047.COMP	10	03:33	05:30:54.7	+14:21:52	300	88	3.0	0 Calibration	2	
0048.BGGem	300	03:36	06:03:31.0	+27:41:50	300	88	3.0	#12 Symbiotic	2	
0049.COMP	10	03:41	06:03:31.0	+27:41:50	300	88	3.0	0 Calibration	2	
0050.AWI00055zx	120	03:50	06:55:56.2	+27:17:09	300	88	3.0	#219 WISE Debr	2	
0051.COMP	10	03:52	06:55:56.2	+27:17:09	300	88	3.0	0 Calibration	2	
0052.AWI00055zx	30	03:53	06:55:56.2	+27:17:09	300	88	3.0	#219 WISE Debr	2	
0053.AWI00055zx	10	03:54	06:55:56.2	+27:17:09	300	88	3.0	#219 WISE Debr	2	
0054.AWI00055zx	10	03:55	06:55:56.2	+27:17:09	300	88	3.0	#219 WISE Debr	2	
0055.COMP	10	03:57	06:55:56.2	+27:17:09	300	88	3.0	0 Calibration	2	
0056.AWI0005c3v	300	04:03	07:17:28.9	+35:04:54	300	88	3.0	#219 WISE Debr	2	
0057.COMP	10	04:08	07:17:28.9	+35:04:54	300	89	3.0	0 Calibration	2	
0058.AWI0005d80	20	04:18	08:12:58.0	+40:21:07	300	87	3.0	#219 WISE Debr	2	
0059.COMP	10	04:19	08:12:58.0	+40:21:07	300	87	3.0	0 Calibration	2	
0060.AWI0005d80	20	04:19	08:12:58.0	+40:21:07	300	87	3.0	#219 WISE Debr	2	
0061.AWI0005d80	20	04:20	08:12:58.0	+40:21:07	300	87	3.0	#219 WISE Debr	2	
0062.COMP	10	04:20	08:12:58.0	+40:21:07	300	87	3.0	0 Calibration	2	
0063.BXMon	15	04:36	07:25:23.0	-03:35:51	300	87	3.0	#12 Symbiotic	2	
0064.BXMon	15	04:36	07:25:23.0	-03:35:51	300	87	3.0	#12 Symbiotic	2	
0065.BXMon	15	04:37	07:25:23.0	-03:35:51	300	87	3.0	#12 Symbiotic	2	

UT Date 2017-02-25 Observers A VazColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0066.BXMon	180	04:38	07:25:23.0	-03:35:51	300	87	3.0	#12 Symbiotic	2	
0067.COMP	10	04:42	07:25:23.0	-03:35:51	300	87	3.0	0 Calibration	2	
0068.sn2017ms	1800	05:35	10:26:42.4	+36:40:51	300	87	3.0	#2 SN Observat	2	
0069.COMP	10	06:06	10:26:42.4	+36:40:51	300	87	3.0	0 Calibration	2	
0070.snATLAS17bas	1800	06:28	11:07:35.5	+22:51:04	300	87	3.0	#2 SN Observat	2	
0071.COMP	10	06:59	11:07:35.5	+22:51:04	300	89	3.0	0 Calibration	2	
0072.Feige34	180	08:17	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0073.Feige34	180	08:21	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0074.Feige34	180	08:24	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0075.COMP	10	08:27	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0076.TXCVn	10	08:50	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0077.TXCVn	10	08:51	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0078.TXCVn	10	08:52	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0079.TXCVn	30	08:55	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0080.TXCVn	30	08:55	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0081.COMP	10	08:57	12:44:42.0	+36:45:48	300	89	3.0	0 Calibration	2	
0082.snPS17akj	1800	09:04	13:49:49.2	-03:04:48	300	89	3.0	#2 SN Observat	2	
0083.COMP	10	09:35	13:49:49.2	-03:04:48	300	88	3.0	0 Calibration	2	
0084.snPS17akj	1800	09:36	13:49:49.2	-03:04:48	300	88	3.0	#2 SN Observat	2	
0085.COMP	10	10:09	13:49:49.2	-03:04:48	300	88	3.0	0 Calibration	2	

UT Date 2017-02-25 Observers A VazColl. Focus 1280 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0086.snATLAS17axb	1800	10:17	13:43:23.2	-19:56:37	300	88	3.0	#2 SN Observat	2	
0087.COMP	10	10:50	13:43:14.8	-19:58:52	300	88	3.0	0 Calibration	2	
0088.COMP	10	10:58	13:43:23.2	-19:56:37	300	88	3.0	0 Calibration	2	
0089.snATLAS17axb	1800	10:59	13:43:23.2	-19:56:37	300	88	3.0	#2 SN Observat	2	
0090.COMP	10	11:29	13:43:23.2	-19:56:37	300	88	3.0	0 Calibration	2	
0091.snASASSN-17bd	1800	11:46	15:59:18.4	+13:36:51	300	88	3.0	#2 SN Observat	2	
0092.COMP	10	12:17	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0093.snASASSN-17bd	1800	12:18	15:59:18.4	+13:36:51	300	88	3.0	#2 SN Observat	2	
0094.COMP	10	12:49	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0095-0104.BIAS	0	13:04	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0105-0119.FLAT	7	13:08	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0120-0124.DARK	900	14:12	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	

UT Date 2017-02-26 Observers A VazColl. Focus 1280 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	23:25	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0011-0025.FLAT	7	23:30	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0026-0030.DARK	900	00:34	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0031.COMP	10	01:47	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0032.HD19445	10	02:22	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0033.HD19445	10	02:23	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0034.HD19445	10	02:24	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0035.HD19445	10	02:24	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0036.COMP	10	02:24	03:08:25.6	+26:19:51	300	88	3.0	0 Calibration	2	
0037.HD52071	10	02:29	07:00:58.2	+27:09:27	300	88	3.0	#57 Velocity S	2	
0038.HD52071	5	02:30	07:00:58.2	+27:09:27	300	88	3.0	#57 Velocity S	2	
0039.HD52071	5	02:30	07:00:58.2	+27:09:27	300	88	3.0	#57 Velocity S	2	
0040.HD52071	5	02:30	07:00:58.2	+27:09:27	300	88	3.0	#57 Velocity S	2	
0041.COMP	10	02:31	07:00:58.2	+27:09:27	300	88	3.0	0 Calibration	2	
0042.AGK2p14783	5	02:33	07:20:37.9	+14:53:58	300	88	3.0	#57 Velocity S	2	
0043.AGK2p14783	5	02:33	07:20:37.9	+14:53:58	300	88	3.0	#57 Velocity S	2	
0044.AGK2p14783	5	02:33	07:20:37.9	+14:53:58	300	88	3.0	#57 Velocity S	2	
0045.AGK2p14783	10	02:34	07:20:37.9	+14:53:58	300	88	3.0	#57 Velocity S	2	
0046.AGK2p14783	10	02:34	07:20:37.9	+14:53:58	300	88	3.0	#57 Velocity S	2	
0047.COMP	10	02:35	07:20:37.9	+14:53:58	300	88	3.0	0 Calibration	2	

UT Date 2017-02-26 Observers A VazColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0048.sn2017av1	1800	02:42	05:20:47.1	+03:15:25	300	88	3.0	#2 SN Observat	2	
0049.COMP	10	03:13	05:20:47.1	+03:15:25	300	89	3.0	0 Calibration	2	
0050.sn2017av1	1800	03:19	05:20:47.1	+03:15:25	300	89	3.0	#2 SN Observat	2	
0051.COMP	10	03:49	05:20:47.1	+03:15:25	300	88	3.0	0 Calibration	2	
0052.snMASTEROTJ083256	1800	03:52	08:32:56.9	-03:51:28	300	88	3.0	#2 SN Observat	2	
0053.COMP	10	04:23	08:32:56.9	-03:51:28	300	88	3.0	0 Calibration	2	
0054.snMASTEROTJ083256	1800	04:24	08:32:56.9	-03:51:28	300	88	3.0	#2 SN Observat	2	
0055.COMP	10	04:55	08:32:56.9	-03:51:28	300	88	3.0	0 Calibration	2	
0056-0065.BIAS	0	13:19	08:32:56.9	-03:51:28	300	88	3.0	0 Calibration	2	
0066-0080.FLAT	7	13:24	08:32:56.9	-03:51:28	300	88	3.0	0 Calibration	2	
0081-0085.DARK	900	14:28	08:32:56.9	-03:51:28	300	88	3.0	0 Calibration	2	

UT Date 2017-02-27 Observers A VazColl. Focus 1280 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	23:21	08:32:56.9	-03:51:28	300	88	3.0	0 Calibration	2	
0011-0025.FLAT	7	23:26	08:32:56.9	-03:51:28	300	88	3.0	0 Calibration	2	
0026-0030.DARK	900	00:30	08:32:56.9	-03:51:28	300	88	3.0	0 Calibration	2	
0031.HD19445	10	02:17	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0032.HD19445	10	02:18	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0033.HD19445	10	02:19	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0034.COMP	10	02:19	03:08:25.6	+26:19:51	300	88	3.0	0 Calibration	2	
0035.COMP	10	04:33	03:08:25.6	+26:19:51	600	88	1.5	0 Calibration	4	
0036-0045.BIAS	0	04:35	03:08:25.6	+26:19:51	600	88	1.5	0 Calibration	4	
0046-0056.FLAT	12	04:39	03:08:25.6	+26:19:51	600	88	1.5	0 Calibration	4	
0057-0066.BIAS	0	05:18	03:08:25.6	+26:19:51	600	88	1.5	0 Calibration	4	
0067-0077.FLAT	12	05:21	03:08:25.6	+26:19:51	600	88	1.5	0 Calibration	4	
0078.hva1085	900	05:44	10:17:15.0	-08:02:55	600	88	1.5	#178 Low Mass	4	
0079.COMP	10	05:59	10:17:15.0	-08:02:55	600	88	1.5	0 Calibration	4	
0080.hva1086	900	06:03	10:17:53.3	-07:33:28	600	88	1.5	#178 Low Mass	4	
0081.COMP	10	06:26	10:17:53.3	-07:33:28	600	88	1.5	0 Calibration	4	
0082.hva1087	1800	06:29	10:29:18.0	-10:06:43	600	88	1.5	#178 Low Mass	4	
0083.COMP	10	06:59	10:29:18.0	-10:06:43	600	89	1.5	0 Calibration	4	
0084.hva1089	1500	07:21	10:33:35.0	-09:06:24	600	89	1.5	#178 Low Mass	4	
0085.COMP	10	07:46	10:33:35.0	-09:06:24	600	87	1.5	0 Calibration	4	

UT Date 2017-02-27 Observers A VazColl. Focus 1280 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0086.hva1094	1800	07:48	11:33:10.9	-09:41:11	600	87	1.5	#178 Low Mass	4	
0087.COMP	10	08:20	11:33:10.9	-09:41:11	600	87	1.5	0 Calibration	4	
0088.hva1091	900	08:22	11:14:44.0	-10:38:31	600	87	1.5	#178 Low Mass	4	
0089.COMP	10	08:38	11:14:44.0	-10:38:31	600	88	1.5	0 Calibration	4	
0090.Feige34	180	08:44	10:39:36.7	+43:06:09	600	88	1.5	#56 Spectropho	4	
0091.Feige34	180	08:48	10:39:36.7	+43:06:09	600	88	1.5	#56 Spectropho	4	
0092.COMP	10	08:52	10:39:36.7	+43:06:09	600	88	1.5	0 Calibration	4	
0093.hva1095	600	08:55	11:53:30.8	-09:03:30	600	88	1.5	#178 Low Mass	4	
0094.hva1095	600	09:09	11:53:30.8	-09:03:30	600	88	1.5	#178 Low Mass	4	
0095.COMP	10	09:23	11:53:30.8	-09:03:30	600	88	1.5	0 Calibration	4	
0096.hva1098	1200	09:46	13:26:38.5	-07:57:28	600	88	1.5	#178 Low Mass	4	
0097.COMP	10	10:06	13:26:38.5	-07:57:28	600	88	1.5	0 Calibration	4	
0098.j1446p34	949	10:09	14:46:59.9	+34:53:07	600	88	1.5	#178 Low Mass	4	
0099.j1446p34	949	10:25	14:46:59.9	+34:53:07	600	88	1.5	#178 Low Mass	4	
0100.j1446p34	949	10:47	14:46:59.9	+34:53:07	600	88	1.5	#178 Low Mass	4	
0101.j1446p34	949	11:04	14:46:59.9	+34:53:07	600	88	1.5	#178 Low Mass	4	
0102.j1446p34	949	11:24	14:46:59.9	+34:53:07	600	88	1.5	#178 Low Mass	4	
0103.COMP	10	11:40	14:46:59.9	+34:53:07	600	88	1.5	0 Calibration	4	
0104.hva1104	900	11:43	15:05:48.9	-07:41:23	600	88	1.5	#178 Low Mass	4	
0105.COMP	10	11:59	15:05:48.9	-07:41:23	600	87	1.5	0 Calibration	4	

UT Date 2017-02-27 Observers A VazColl. Focus 1280 Grating/Grism 600

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0106.hva1106	600	12:00	15:29:28.4	-07:28:38	600	87	1.5	#178 Low Mass	4	
0107.COMP	10	12:11	15:29:28.4	-07:28:38	600	87	1.5	0 Calibration	4	
0108.COMP	10	13:05	15:27:36.4	-08:02:38	600	88	1.5	0 Calibration	4	
0109-0118.BIAS	0	13:43	15:27:36.4	-08:02:38	600	88	1.5	0 Calibration	4	
0119-0129.FLAT	12	13:47	15:27:36.4	-08:02:38	600	88	1.5	0 Calibration	4	
0130-0134.DARK	900	14:55	15:27:36.4	-08:02:38	600	88	1.5	0 Calibration	2	
0135-0137.DARK	900	15:40	15:27:36.4	-08:02:38	600	88	1.5	0 Calibration	4	

UT Date 2017-03-01 Observers A VazColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.COMP	10	23:45	15:27:36.4	-08:02:38	300	88	3.0	0 Calibration	2	
0002.COMP	10	23:47	15:27:36.4	-08:02:38	300	88	3.0	0 Calibration	2	
0003.COMP	10	23:49	15:27:36.4	-08:02:38	300	88	3.0	0 Calibration	2	
0004-0013.BIAS	0	23:53	15:27:36.4	-08:02:38	300	88	3.0	0 Calibration	2	
0014-0028.FLAT	7	23:58	15:27:36.4	-08:02:38	300	88	3.0	0 Calibration	2	
0029-0033.DARK	900	01:02	15:27:36.4	-08:02:38	300	88	3.0	0 Calibration	2	
0034.COMP	10	02:01	15:27:36.4	-08:02:38	300	88	3.0	0 Calibration	2	
0035.COMP	10	07:27	03:08:25.6	+26:19:51	300	88	3.0	0 Calibration	2	
0036.Feige34	180	07:33	10:39:36.7	+43:06:09	300	88	3.0	#56 Spectropho	2	
0037.COMP	10	07:37	10:39:36.7	+43:06:09	300	88	3.0	0 Calibration	2	
0038.Feige34	10	07:38	10:39:36.7	+43:06:09	300	88	3.0	#56 Spectropho	2	
0039.Feige34	180	07:39	10:39:36.7	+43:06:09	300	88	3.0	#56 Spectropho	2	
0040.COMP	10	07:46	10:39:36.7	+43:06:09	300	88	3.0	0 Calibration	2	
0041.BRUTUS7812_1	1200	07:57	11:29:28.6	+24:05:40	300	88	3.0	#220 ASASSN Tr	2	
0042.COMP	10	08:17	11:29:28.6	+24:05:40	300	88	3.0	0 Calibration	2	
0043.snPS17bii	1800	08:23	11:25:38.3	+07:20:01	300	88	3.0	#2 SN Observat	2	
0044.COMP	10	08:53	11:25:38.3	+07:20:01	300	87	3.0	0 Calibration	2	
0045.snPS17bii	1800	08:54	11:25:38.3	+07:20:01	300	87	3.0	#2 SN Observat	2	
0046.COMP	10	09:31	11:25:38.3	+07:20:01	300	87	3.0	0 Calibration	2	
0047.N4853	60	09:34	12:58:35.2	+27:35:47	300	87	3.0	#57 Velocity S	2	

UT Date 2017-03-01 Observers A VazColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0048.COMP	10	09:39	12:58:35.2	+27:35:47	300	87	3.0	0 Calibration	2	
0049.N4853	300	09:40	12:58:35.2	+27:35:47	300	87	3.0	#57 Velocity S	2	
0050.COMP	10	09:46	12:58:35.2	+27:35:47	300	87	3.0	0 Calibration	2	
0051.snAT2017zd	1800	09:55	13:32:42.1	-21:48:04	300	87	3.0	#2 SN Observat	2	
0052.COMP	10	10:26	13:32:42.1	-21:48:04	300	88	3.0	0 Calibration	2	
0053.TDE225	900	10:41	14:46:05.2	+68:57:31	300	98	3.0	#225	2	
0054.COMP	10	10:57	14:46:05.2	+68:57:31	300	99	3.0	0 Calibration	2	
0055.TDE225	900	10:58	14:46:05.2	+68:57:31	300	99	3.0	#225	2	
0056.TDE225	900	11:13	14:46:05.2	+68:57:31	300	99	3.0	#225	2	
0057.TDE225	900	11:28	14:46:05.2	+68:57:31	300	99	3.0	#225	2	
0058.COMP	10	11:43	14:46:05.2	+68:57:31	300	99	3.0	0 Calibration	2	
0059.snASASSN-17cr	1800	11:51	16:23:49.8	+15:04:48	300	88	3.0	#2 SN Observat	2	
0060.COMP	10	12:22	16:23:49.8	+15:04:48	300	88	3.0	0 Calibration	2	
0061.18Sco	20	12:45	16:15:37.3	-08:22:10	300	88	3.0	#226 GAIA-ESO	2	
0062.18Sco	10	12:46	16:15:37.3	-08:22:10	300	88	3.0	#226 GAIA-ESO	2	
0063.18Sco	10	12:46	16:15:37.3	-08:22:10	300	88	3.0	#226 GAIA-ESO	2	
0064.COMP	10	12:47	16:15:37.3	-08:22:10	300	88	3.0	0 Calibration	2	
0065.HD122563	1	12:49	14:02:31.8	+09:41:10	300	88	3.0	#226 GAIA-ESO	2	
0066.HD122563	10	12:49	14:02:31.8	+09:41:10	300	88	3.0	#226 GAIA-ESO	2	
0067.HD122563	1	12:50	14:02:31.8	+09:41:10	300	88	3.0	#226 GAIA-ESO	2	

UT Date 2017-03-01 Observers A VazColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0068.COMP	10	12:50	14:02:31.8	+09:41:10	300	88	3.0	0 Calibration	2	
0069.Arcturus	10	12:51	14:15:39.7	+19:10:57	300	88	3.0	#226 GAIA-ESO	2	
0070.Arcturus	10	12:52	14:15:39.7	+19:10:57	300	88	3.0	#226 GAIA-ESO	2	
0071.Arcturus	10	12:53	14:15:39.7	+19:10:57	300	88	3.0	#226 GAIA-ESO	2	
0072.Arcturus	10	12:54	14:15:39.7	+19:10:57	300	88	3.0	#226 GAIA-ESO	2	
0073.Arcturus	10	12:55	14:15:39.7	+19:10:57	300	88	3.0	#226 GAIA-ESO	2	
0074.COMP	10	12:56	14:15:39.7	+19:10:57	300	88	3.0	0 Calibration	2	
0075.HD140283	1	12:58	15:43:03.1	-10:56:01	300	88	3.0	#226 GAIA-ESO	2	
0076.HD140283	1	12:58	15:43:03.1	-10:56:01	300	88	3.0	#226 GAIA-ESO	2	
0077.HD140283	1	12:58	15:43:03.1	-10:56:01	300	88	3.0	#226 GAIA-ESO	2	
0078.COMP	10	12:59	15:43:03.1	-10:56:01	300	88	3.0	0 Calibration	2	
0079.BDp262606	90	13:01	14:49:02.4	+25:42:09	300	88	3.0	#56 Spectropho	2	
0080.BDp262606	90	13:02	14:49:02.4	+25:42:09	300	88	3.0	#56 Spectropho	2	
0081.COMP	10	13:04	14:49:02.4	+25:42:09	300	88	3.0	0 Calibration	2	
0082-0091.BIAS	0	15:13	14:49:02.4	+25:42:09	300	88	3.0	0 Calibration	2	
0092-0106.FLAT	7	15:17	14:49:02.4	+25:42:09	300	88	3.0	0 Calibration	2	
0107-0108.DARK	900	15:36	14:49:02.4	+25:42:09	300	88	3.0	0 Calibration	2	