

UT Date 2017-02-25 Observers A VazColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0002.BIAS	0	20:05	22:59:10.7	+31:25:08	300	88	3.0	0 Calibration	2	
0003.COMP	10	20:06	22:59:10.7	+31:25:08	300	88	3.0	0 Calibration	2	
0004-0013.BIAS	0	00:09	22:59:10.7	+31:25:08	300	88	3.0	0 Calibration	2	
0014-0028.FLAT	7	00:15	22:59:10.7	+31:25:08	300	88	3.0	0 Calibration	2	
0029-0030.DARK	900	00:53	22:59:10.7	+31:25:08	300	88	3.0	0 Calibration	2	
0031.COMP	10	02:03	22:59:10.7	+31:25:08	300	88	3.0	0 Calibration	2	
0032.alfCet	20	02:11	03:02:16.8	+04:05:23	300	88	3.0	#226 GAIA-ESO	2	
0033.alfCet	20	02:12	03:02:16.8	+04:05:23	300	88	3.0	#226 GAIA-ESO	2	
0034.alfCet	20	02:13	03:02:16.8	+04:05:23	300	88	3.0	#226 GAIA-ESO	2	
0035.alfCet	20	02:14	03:02:16.8	+04:05:23	300	88	3.0	#226 GAIA-ESO	2	
0036.COMP	10	02:15	03:02:16.8	+04:05:23	300	88	3.0	0 Calibration	2	
0037.HD19445	10	02:18	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0038.HD19445	10	02:19	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0039.HD19445	10	02:19	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0040.HD19445	10	02:20	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0041.COMP	10	02:22	03:08:25.6	+26:19:51	300	88	3.0	0 Calibration	2	
0042.GKTau	300	02:29	04:33:34.5	+24:21:07	300	88	3.0	#12 Symbiotic	2	
0043.COMP	10	02:35	04:33:34.5	+24:21:07	300	88	3.0	0 Calibration	2	
0044.GITau	600	02:36	04:33:34.0	+24:21:18	300	88	3.0	#12 Symbiotic	2	
0045.COMP	10	02:46	04:33:34.0	+24:21:18	300	88	3.0	0 Calibration	2	

UT Date 2017-02-25 Observers A VazColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0046.AWI00062xg	1200	03:13	05:30:54.7	+14:21:52	300	88	3.0	#219 WISE Debr	2	
0047.COMP	10	03:33	05:30:54.7	+14:21:52	300	88	3.0	0 Calibration	2	
0048.BGGem	300	03:36	06:03:31.0	+27:41:50	300	88	3.0	#12 Symbiotic	2	
0049.COMP	10	03:41	06:03:31.0	+27:41:50	300	88	3.0	0 Calibration	2	
0050.AWI00055zx	120	03:50	06:55:56.2	+27:17:09	300	88	3.0	#219 WISE Debr	2	
0051.COMP	10	03:52	06:55:56.2	+27:17:09	300	88	3.0	0 Calibration	2	
0052.AWI00055zx	30	03:53	06:55:56.2	+27:17:09	300	88	3.0	#219 WISE Debr	2	
0053.AWI00055zx	10	03:54	06:55:56.2	+27:17:09	300	88	3.0	#219 WISE Debr	2	
0054.AWI00055zx	10	03:55	06:55:56.2	+27:17:09	300	88	3.0	#219 WISE Debr	2	
0055.COMP	10	03:57	06:55:56.2	+27:17:09	300	88	3.0	0 Calibration	2	
0056.AWI0005c3v	300	04:03	07:17:28.9	+35:04:54	300	88	3.0	#219 WISE Debr	2	
0057.COMP	10	04:08	07:17:28.9	+35:04:54	300	89	3.0	0 Calibration	2	
0058.AWI0005d80	20	04:18	08:12:58.0	+40:21:07	300	87	3.0	#219 WISE Debr	2	
0059.COMP	10	04:19	08:12:58.0	+40:21:07	300	87	3.0	0 Calibration	2	
0060.AWI0005d80	20	04:19	08:12:58.0	+40:21:07	300	87	3.0	#219 WISE Debr	2	
0061.AWI0005d80	20	04:20	08:12:58.0	+40:21:07	300	87	3.0	#219 WISE Debr	2	
0062.COMP	10	04:20	08:12:58.0	+40:21:07	300	87	3.0	0 Calibration	2	
0063.BXMon	15	04:36	07:25:23.0	-03:35:51	300	87	3.0	#12 Symbiotic	2	
0064.BXMon	15	04:36	07:25:23.0	-03:35:51	300	87	3.0	#12 Symbiotic	2	
0065.BXMon	15	04:37	07:25:23.0	-03:35:51	300	87	3.0	#12 Symbiotic	2	

UT Date 2017-02-25 Observers A VazColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0066.BXMon	180	04:38	07:25:23.0	-03:35:51	300	87	3.0	#12 Symbiotic	2	
0067.COMP	10	04:42	07:25:23.0	-03:35:51	300	87	3.0	0 Calibration	2	
0068.sn2017ms	1800	05:35	10:26:42.4	+36:40:51	300	87	3.0	#2 SN Observat	2	
0069.COMP	10	06:06	10:26:42.4	+36:40:51	300	87	3.0	0 Calibration	2	
0070.snATLAS17bas	1800	06:28	11:07:35.5	+22:51:04	300	87	3.0	#2 SN Observat	2	
0071.COMP	10	06:59	11:07:35.5	+22:51:04	300	89	3.0	0 Calibration	2	
0072.Feige34	180	08:17	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0073.Feige34	180	08:21	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0074.Feige34	180	08:24	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0075.COMP	10	08:27	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0076.TXCVn	10	08:50	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0077.TXCVn	10	08:51	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0078.TXCVn	10	08:52	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0079.TXCVn	30	08:55	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0080.TXCVn	30	08:55	12:44:42.0	+36:45:48	300	89	3.0	#12 Symbiotic	2	
0081.COMP	10	08:57	12:44:42.0	+36:45:48	300	89	3.0	0 Calibration	2	
0082.snPS17akj	1800	09:04	13:49:49.2	-03:04:48	300	89	3.0	#2 SN Observat	2	
0083.COMP	10	09:35	13:49:49.2	-03:04:48	300	88	3.0	0 Calibration	2	
0084.snPS17akj	1800	09:36	13:49:49.2	-03:04:48	300	88	3.0	#2 SN Observat	2	
0085.COMP	10	10:09	13:49:49.2	-03:04:48	300	88	3.0	0 Calibration	2	

UT Date 2017-02-25 Observers A VazColl. Focus 1280 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0086.snATLAS17axb	1800	10:17	13:43:23.2	-19:56:37	300	88	3.0	#2 SN Observat	2	
0087.COMP	10	10:50	13:43:14.8	-19:58:52	300	88	3.0	0 Calibration	2	
0088.COMP	10	10:58	13:43:23.2	-19:56:37	300	88	3.0	0 Calibration	2	
0089.snATLAS17axb	1800	10:59	13:43:23.2	-19:56:37	300	88	3.0	#2 SN Observat	2	
0090.COMP	10	11:29	13:43:23.2	-19:56:37	300	88	3.0	0 Calibration	2	
0091.snASASSN-17bd	1800	11:46	15:59:18.4	+13:36:51	300	88	3.0	#2 SN Observat	2	
0092.COMP	10	12:17	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0093.snASASSN-17bd	1800	12:18	15:59:18.4	+13:36:51	300	88	3.0	#2 SN Observat	2	
0094.COMP	10	12:49	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0095-0104.BIAS	0	13:04	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0105-0119.FLAT	7	13:08	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	
0120-0124.DARK	900	14:12	15:59:18.4	+13:36:51	300	88	3.0	0 Calibration	2	