

UT Date 2017-03-26 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	02:54	14:15:49.3	+53:36:39	600	90	1.5	0 Calibration	4	
0011-0020.BIAS	0	03:30	14:15:49.3	+53:36:39	600	90	1.5	0 Calibration	4	
0021-0030.FLAT	12	06:35	14:15:49.3	+53:36:39	600	90	1.5	0 Calibration	4	
0031.j0813p39	1518	06:39	08:13:21.8	+39:05:35	600	90	1.5	#178 Low Mass	4	
0032.COMP	10	07:05	08:13:21.8	+39:05:35	600	90	1.5	0 Calibration	4	
0033.j0825p60	1700	07:08	08:25:08.3	+60:03:58	600	90	1.5	#178 Low Mass	4	
0034.COMP	10	07:37	08:25:08.3	+60:03:58	600	90	1.5	0 Calibration	4	
0035.j0840p40	660	07:40	08:40:07.7	+40:15:04	600	90	1.5	#178 Low Mass	4	
0036.COMP	10	07:52	08:40:07.7	+40:15:04	600	91	1.5	0 Calibration	4	
0037.j0950p18	1500	07:54	09:50:07.0	+18:37:33	600	91	1.5	#178 Low Mass	4	
0038.COMP	10	08:20	09:50:07.0	+18:37:33	600	91	1.5	0 Calibration	4	
0039.j1114m15	1300	08:23	11:14:51.6	-15:21:42	600	89	1.5	#178 Low Mass	4	
0040.COMP	10	08:46	11:14:51.6	-15:21:42	600	90	1.5	0 Calibration	4	
0041.j1125m11	1500	08:48	11:25:50.0	-11:15:20	600	90	1.5	#178 Low Mass	4	
0042.COMP	10	09:13	11:25:50.0	-11:15:20	600	90	1.5	0 Calibration	4	
0043.j1128m05	1500	09:19	11:28:12.2	-05:46:15	600	90	1.5	#178 Low Mass	4	
0044.COMP	10	09:44	11:28:12.2	-05:46:15	600	90	1.5	0 Calibration	4	
0045.j1144p36	414	09:47	11:44:46.2	+36:41:51	600	90	1.5	#178 Low Mass	4	
0046.COMP	10	09:54	11:44:46.2	+36:41:51	600	90	1.5	0 Calibration	4	
0047.j1156p34	292	09:55	11:56:00.3	+34:07:25	600	90	1.5	#178 Low Mass	4	

UT Date 2017-03-26 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0048.COMP	10	10:00	11:56:00.3	+34:07:25	600	90	1.5	0 Calibration	4	
0049.BDp332642	150	10:03	15:51:59.9	+32:56:54	600	90	1.5	#56 Spectropho	4	
0050.COMP	10	10:05	15:51:59.9	+32:56:54	600	90	1.5	0 Calibration	4	
0051.BDp332642	120	10:17	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0052.COMP	10	10:19	15:51:59.9	+32:56:54	300	88	3.0	0 Calibration	2	
0053.BDp262606	90	10:22	14:49:02.4	+25:42:09	300	88	3.0	#56 Spectropho	2	
0054.COMP	10	10:24	14:49:02.4	+25:42:09	300	88	3.0	0 Calibration	2	
0055.sn2017cfb	1200	10:31	13:54:06.8	+09:24:46	300	61	3.0	#2 SN Observat	2	
0056.COMP	10	10:52	13:54:06.8	+09:24:46	300	61	3.0	0 Calibration	2	
0057.snASASSN17eb	1800	11:07	15:38:34.0	+13:20:52	300	90	3.0	#220 ASASSN Tr	2	
0058.COMP	10	11:38	15:38:34.0	+13:20:52	300	90	3.0	0 Calibration	2	
0059.snASASSN17co	1800	11:43	18:09:20.9	+18:17:56	300	90	3.0	#220 ASASSN Tr	2	
0060.COMP	10	12:14	18:09:20.9	+18:17:56	300	89	3.0	0 Calibration	2	
0061.AGDra	2	12:17	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0062.AGDra	15	12:18	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0063.AGDra	60	12:18	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0064.COMP	10	12:19	16:01:41.0	+66:48:10	300	89	3.0	0 Calibration	2	
0065.TCrB	15	12:21	15:59:30.0	+25:55:12	300	89	3.0	#12 Symbiotic	2	
0066.TCrB	60	12:22	15:59:30.0	+25:55:12	300	89	3.0	#12 Symbiotic	2	
0067.COMP	10	12:23	15:59:30.0	+25:55:12	300	89	3.0	0 Calibration	2	

UT Date 2017-03-26 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0068.Hen1341	12	12:25	17:08:36.0	-17:26:30	300	89	3.0	#12 Symbiotic	2	
0069.Hen1341	30	12:26	17:08:36.0	-17:26:30	300	89	3.0	#12 Symbiotic	2	
0070.Hen1341	60	12:27	17:08:36.0	-17:26:30	300	89	3.0	#12 Symbiotic	2	
0071.COMP	10	12:28	17:08:36.0	-17:26:30	300	89	3.0	0 Calibration	2	
0072-0091.BIAS	0	12:36	17:08:36.0	-17:26:30	300	89	3.0	0 Calibration	2	
0092-0101.BIAS	0	12:37	17:08:36.0	-17:26:30	300	89	3.0	0 Calibration	4	
0102-0121.FLAT	7	12:48	17:08:36.0	-17:26:30	300	89	3.0	0 Calibration	2	
0122-0131.DARK	900	15:07	17:08:36.0	-17:26:30	300	89	3.0	0 Calibration	2	