


UT Date 2017-03-31 Observers M CalkinsColl. Focus 1280 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0009.DARK	900	02:19	15:06:29.5	+55:45:48	300	90	3.0	0 Calibration	4	
0010-0020.BIAS	0	02:35	15:06:29.5	+55:45:48	300	90	3.0	0 Calibration	4	
0021-0040.FLAT	7	02:41	15:06:29.5	+55:45:48	300	90	3.0	0 Calibration	2	
0041-0050.BIAS	0	02:44	15:06:29.5	+55:45:48	300	90	3.0	0 Calibration	2	
0051.HD84937	40	02:48	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0052.COMP	10	02:49	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0053.HD84937	20	02:52	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0054.COMP	10	02:53	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0055.snAT2017cfd	1800	03:05	08:40:49.2	+73:29:15	300	60	3.0	#2 SN Observat	2	
0056.COMP	10	03:36	08:40:49.2	+73:29:15	300	60	3.0	0 Calibration	2	
0057.sn2917cjb	1800	03:40	10:10:45.6	-03:46:40	300	89	3.0	#2 SN Observat	2	
0058.COMP	10	04:12	10:10:45.6	-03:46:40	300	90	3.0	0 Calibration	2	
0059.snATLAS17bas	1800	04:17	11:07:35.5	+22:51:04	300	89	3.0	#2 SN Observat	2	
0060.COMP	10	04:48	11:07:35.5	+22:51:04	300	89	3.0	0 Calibration	2	
0061.Feige34	120	04:50	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0062.COMP	10	04:52	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0063.10550522-0912414	1500	05:09	10:55:05.2	-09:12:42	600	89	2.0	#228 M Dwarfs	2	
0064.COMP	10	05:35	10:55:05.2	-09:12:42	600	89	2.0	0 Calibration	2	
0065.10501052-0639131	1800	05:38	10:50:10.5	-06:39:13	600	90	2.0	#228 M Dwarfs	2	
0066.COMP	10	06:08	10:50:10.5	-06:39:13	600	90	2.0	0 Calibration	2	

UT Date 2017-03-31 Observers M CalkinsColl. Focus 1280 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0067.11042520-1748082	1800	06:11	11:04:25.2	-17:48:08	600	90	2.0	#228 M Dwarfs	2	
0068.COMP	10	06:42	11:04:25.2	-17:48:08	600	90	2.0	0 Calibration	2	
0069.11280702+0141304	1800	06:45	11:28:07.0	+01:41:30	600	90	2.0	#228 M Dwarfs	2	
0070.11280702+0141304	1800	07:18	11:28:07.0	+01:41:30	600	90	2.0	#228 M Dwarfs	2	
0071.COMP	10	07:49	11:28:07.0	+01:41:30	600	90	2.0	0 Calibration	2	
0072.11515529-0131319	1800	07:52	11:51:55.3	-01:31:32	600	90	2.0	#228 M Dwarfs	2	
0073.COMP	10	08:22	11:51:55.3	-01:31:32	600	90	2.0	0 Calibration	2	
0074.BDp262606	60	08:25	14:49:02.4	+25:42:09	600	90	2.0	#228 M Dwarfs	2	
0075.COMP	10	08:27	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	
0076-0085.FLAT	12	08:31	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	
0086.COMP	5	08:35	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0087.COMP	5	08:36	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0088.COMP	5	08:38	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0089.snAT2017cfc	2400	08:44	13:52:39.0	-02:00:08	300	90	3.0	#2 SN Observat	2	
0090.COMP	10	09:24	13:52:39.0	-02:00:08	300	90	3.0	0 Calibration	2	
0091.snASASSN17eb	2100	09:36	15:38:34.1	+13:20:52	300	90	3.0	#220 ASASSN Tr	2	
0092.snASASSN17eb	2100	10:12	15:38:34.1	+13:20:52	300	90	3.0	#220 ASASSN Tr	2	
0093.COMP	10	10:47	15:38:34.1	+13:20:52	300	90	3.0	0 Calibration	2	
0094.BDp262606	30	10:49	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0095.COMP	10	10:50	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	

UT Date 2017-03-31 Observers M CalkinsColl. Focus 1280 Grating/Grism 600

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0096.BDp262606	80	10:51	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0097.COMP	10	10:53	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0098.BDp332642	240	10:54	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0099.COMP	10	10:59	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0100-0119.FLAT	7	11:06	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0120-0129.BIAS	0	11:08	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0130.BDp332642	180	11:34	15:51:59.9	+32:56:54	600	90	1.5	#56 Spectropho	4	
0131.COMP	10	11:38	15:51:59.9	+32:56:54	600	90	1.5	0 Calibration	4	
0132-0141.FLAT	12	11:50	15:51:59.9	+32:56:54	600	90	1.5	0 Calibration	4	
0142-0151.BIAS	0	11:55	15:51:59.9	+32:56:54	600	90	1.5	0 Calibration	4	
0152-0161.DARK	900	14:47	15:51:59.9	+32:56:54	600	90	1.5	0 Calibration	2	