

UT Date 2017-04-02 Observers P BerlindColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	02:22	07:00:58.2	+27:09:27	300	75	3.0	0 Calibration	2	
0006-0010.DARK	900	03:38	07:00:58.2	+27:09:27	300	75	3.0	0 Calibration	4	
0011.AS289	60	11:53	18:12:22.0	-11:40:08	300	75	3.0	#12 Symbiotic	2	
0012.AS289	180	11:54	18:12:22.0	-11:40:08	300	75	3.0	#12 Symbiotic	2	
0013.COMP	10	11:58	18:12:22.0	-11:40:08	300	75	3.0	0 Calibration	2	
0014.snASASSN-17ej	480	12:01	14:07:52.3	+09:38:30	300	0	3.0	#220 ASASSN Tr	2	
0015.snASASSN-17ej	480	12:09	14:07:52.3	+09:38:30	300	0	3.0	#220 ASASSN Tr	2	
0016.snASASSN-17ej	360	12:17	14:07:52.3	+09:38:30	300	0	3.0	#220 ASASSN Tr	2	
0017-0026.BIAS	0	12:29	14:07:52.3	+09:38:30	300	90	3.0	0 Calibration	2	
0027-0041.FLAT	7	12:35	14:07:52.3	+09:38:30	300	90	3.0	0 Calibration	2	

UT Date 2017-04-03 Observers P BerlindColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	21:25	14:07:52.3	+09:38:30	300	90	3.0	0 Calibration	2	
0006-0010.DARK	900	22:41	14:07:52.3	+09:38:30	300	90	3.0	0 Calibration	4	
0011-0020.BIAS	0	01:38	14:07:52.3	+09:38:30	300	90	3.0	0 Calibration	2	
0021-0035.FLAT	7	01:44	14:07:52.3	+09:38:30	300	90	3.0	0 Calibration	2	
0036.sn2017coa	1200	02:40	08:49:55.5	+56:05:57	300	90	3.0	#2 SN Observat	2	
0037.sn2017coa	1200	03:01	08:49:55.5	+56:05:57	300	90	3.0	#2 SN Observat	2	
0038.COMP	10	03:22	08:49:55.5	+56:05:57	300	88	3.0	0 Calibration	2	
0039.BRUTUS7845_2	600	03:28	07:49:49.6	-02:17:53	300	88	3.0	#220 ASASSN Tr	2	
0040.BRUTUS7845_2	600	03:38	07:49:49.6	-02:17:53	300	88	3.0	#220 ASASSN Tr	2	
0041.BRUTUS7845_2	600	03:48	07:49:49.6	-02:17:53	300	88	3.0	#220 ASASSN Tr	2	
0042.COMP	10	03:59	07:49:49.6	-02:17:53	300	90	3.0	0 Calibration	2	
0043.sn2017ckx	1800	04:02	07:48:11.0	+28:13:49	300	90	3.0	#2 SN Observat	2	
0044.COMP	10	04:32	07:48:11.0	+28:13:49	300	90	3.0	0 Calibration	2	
0045.HD84937	30	04:34	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0046.COMP	10	04:35	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0047.sn2017cjb	1800	04:38	10:10:45.6	-03:46:40	300	90	3.0	#2 SN Observat	2	
0048.sn2017cjb	1800	05:09	10:10:45.6	-03:46:40	300	90	3.0	#2 SN Observat	2	
0049.COMP	10	05:40	10:10:45.6	-03:46:40	300	89	3.0	0 Calibration	2	
0050.Feige34	180	05:42	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0051.COMP	10	05:45	10:39:36.7	+43:06:09	300	84	3.0	0 Calibration	2	

UT Date 2017-04-03 Observers P BerlindColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0052.sn2017cfb	1800	05:50	13:54:06.8	+09:24:46	300	90	3.0	#2 SN Observat	2	
0053.sn2017cfb	1800	06:21	13:54:06.8	+09:24:46	300	90	3.0	#2 SN Observat	2	
0054.COMP	10	06:52	13:54:06.8	+09:24:46	300	90	3.0	0 Calibration	2	
0055.sn2017cfc	1800	06:55	13:52:39.0	-02:00:08	300	90	3.0	#2 SN Observat	2	
0056.sn2017cfc	1800	07:26	13:52:39.0	-02:00:08	300	90	3.0	#2 SN Observat	2	
0057.COMP	10	07:57	13:52:39.0	-02:00:08	300	90	3.0	0 Calibration	2	
0058.snPTSS17niq	1800	08:00	14:20:16.7	+15:20:30	300	90	3.0	#2 SN Observat	2	
0059.snPTSS17niq	1800	08:30	14:20:16.7	+15:20:30	300	90	3.0	#2 SN Observat	2	
0060.COMP	10	09:01	14:20:16.7	+15:20:30	300	90	3.0	0 Calibration	2	
0061.BDp262606	90	09:02	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0062.COMP	10	09:04	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0063.snASASSN-17ej	720	09:13	14:07:52.3	+09:38:30	300	71	3.0	#220 ASASSN Tr	2	
0064.snASASSN-17ej	720	09:25	14:07:52.3	+09:38:30	300	71	3.0	#220 ASASSN Tr	2	
0065.snASASSN-17ej	720	09:37	14:07:52.3	+09:38:30	300	71	3.0	#220 ASASSN Tr	2	
0066.snASASSN-17ej	720	09:50	14:07:52.3	+09:38:30	300	71	3.0	#220 ASASSN Tr	2	
0067.COMP	10	10:02	14:07:52.3	+09:38:30	300	70	3.0	0 Calibration	2	
0068.sn2017cii	1800	10:05	16:33:19.8	+23:43:52	300	89	3.0	#2 SN Observat	2	
0069.sn2017cii	1800	10:35	16:33:19.8	+23:43:52	300	89	3.0	#2 SN Observat	2	
0070.COMP	10	11:06	16:33:19.8	+23:43:52	300	89	3.0	0 Calibration	2	
0071.BDp332642	120	11:08	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	

UT Date 2017-04-03 Observers P BerlindColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0072.COMP	10	11:10	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0073.sn2017ciy	1201	11:15	17:04:06.9	+25:03:10	300	80	3.0	#2 SN Observat	2	
0074.sn2017ciy	1201	11:35	17:04:06.9	+25:03:10	300	80	3.0	#2 SN Observat	2	
0075.COMP	10	11:56	17:04:06.9	+25:03:10	300	80	3.0	0 Calibration	2	
0076.AS270	30	11:59	18:05:33.7	-20:20:38	300	80	3.0	#12 Symbiotic	2	
0077.AS270	90	12:00	18:05:33.7	-20:20:38	300	80	3.0	#12 Symbiotic	2	
0078.AS270	360	12:02	18:05:33.7	-20:20:38	300	80	3.0	#12 Symbiotic	2	
0079.COMP	10	12:09	18:05:33.7	-20:20:38	300	80	3.0	0 Calibration	2	
0080.V919Sgr	30	12:10	19:03:45.0	-16:59:56	300	80	3.0	#12 Symbiotic	2	
0081.V919Sgr	300	12:11	19:03:45.0	-16:59:56	300	80	3.0	#12 Symbiotic	2	
0082.COMP	10	12:17	19:03:45.0	-16:59:56	300	80	3.0	0 Calibration	2	
0083-0092.BIAS	0	12:25	17:57:45.8	+29:14:53	300	89	3.0	0 Calibration	2	
0093-0107.FLAT	7	12:32	17:57:45.8	+29:14:53	300	89	3.0	0 Calibration	2	

UT Date 2017-04-25 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.BIAS	0	17:57	00:41:57.4	+31:25:09	300	88	3.0	0 Calibration	2	
0001.DARK	900	00:00	00:41:57.4	+31:25:09	300	88	3.0	0 Calibration	4	
0002.COMP	5	17:58	00:41:57.4	+31:25:09	300	88	3.0	0 Calibration	2	
0002.DARK	900	00:15	00:41:57.4	+31:25:09	300	88	3.0	0 Calibration	4	
0003.COMP	5	18:01	00:41:57.4	+31:25:09	300	88	3.0	0 Calibration	2	
0003-0010.DARK	900	02:16	00:41:57.4	+31:25:09	300	88	3.0	0 Calibration	4	
0011-0020.BIAS	0	03:24	00:41:57.4	+31:25:09	300	88	3.0	0 Calibration	4	
0021-0040.FLAT	7	03:41	00:41:57.4	+31:25:09	300	88	3.0	0 Calibration	2	
0041-0050.BIAS	0	03:44	00:41:57.4	+31:25:09	300	88	3.0	0 Calibration	2	
0051.HD84937	20	04:42	09:48:56.1	+13:44:39	300	88	3.0	#56 Spectropho	2	
0052.COMP	10	04:43	09:48:56.1	+13:44:39	300	88	3.0	0 Calibration	2	
0053.Feige34	120	04:46	10:39:36.7	+43:06:09	300	88	3.0	#56 Spectropho	2	through cirrus
0054.COMP	10	04:49	10:39:36.7	+43:06:09	300	85	3.0	0 Calibration	2	
0055.TXCVn	10	05:06	12:44:42.0	+36:45:48	300	88	3.0	#12 Symbiotic	2	
0056.TXCVn	30	05:06	12:44:42.0	+36:45:48	300	88	3.0	#12 Symbiotic	2	
0057.COMP	10	05:08	12:44:42.0	+36:45:48	300	88	3.0	0 Calibration	2	
0058.N3377	240	05:10	10:47:42.4	+13:59:08	300	88	3.0	#57 Velocity S	2	
0059.COMP	10	05:14	10:47:42.4	+13:59:08	300	88	3.0	0 Calibration	2	
0060.RWHya	3	07:20	13:34:18.0	-25:22:51	300	88	3.0	#12 Symbiotic	2	
0061.RWHya	12	07:20	13:34:18.0	-25:22:51	300	88	3.0	#12 Symbiotic	2	

UT Date 2017-04-25 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0062.RWHya	30	07:21	13:34:18.0	-25:22:51	300	88	3.0	#12 Symbiotic	2	
0063.COMP	10	07:22	13:34:18.0	-25:22:51	300	88	3.0	0 Calibration	2	
0064.TCrB	15	07:24	15:59:30.0	+25:55:12	300	88	3.0	#12 Symbiotic	2	more cirrus
0065.TCrB	30	07:25	15:59:30.0	+25:55:12	300	88	3.0	#12 Symbiotic	2	
0066.TCrB	75	07:27	15:59:30.0	+25:55:12	300	88	3.0	#12 Symbiotic	2	
0067.COMP	10	07:28	15:59:30.0	+25:55:12	300	88	3.0	0 Calibration	2	
0068.AS210	15	09:48	16:51:20.3	-26:00:33	300	85	3.0	#12 Symbiotic	2	
0069.AS210	420	09:48	16:51:20.3	-26:00:33	300	85	3.0	#12 Symbiotic	2	
0070.COMP	10	09:56	16:51:20.3	-26:00:33	300	87	3.0	0 Calibration	2	
0071.AS210	300	09:57	16:51:20.3	-26:00:33	300	87	3.0	#12 Symbiotic	2	more more cirrus
0072.COMP	10	10:02	16:51:20.3	-26:00:33	300	87	3.0	0 Calibration	2	
0073.AS210	150	10:03	16:51:20.3	-26:00:33	300	87	3.0	#12 Symbiotic	2	
0074.Hen1341	20	10:08	17:08:36.0	-17:26:30	300	87	3.0	#12 Symbiotic	2	
0075.COMP	10	10:10	17:08:36.0	-17:26:30	300	87	3.0	0 Calibration	2	
0076.AGDra	3	10:28	16:01:41.0	+66:48:10	300	87	3.0	#12 Symbiotic	2	
0077.AGDra	15	10:29	16:01:41.0	+66:48:10	300	87	3.0	#12 Symbiotic	2	clouds clearing!
0078.AGDra	60	10:29	16:01:41.0	+66:48:10	300	87	3.0	#12 Symbiotic	2	
0079.COMP	10	10:32	16:01:41.0	+66:48:10	300	87	3.0	0 Calibration	2	
0080.Hen1341	20	11:20	17:08:36.0	-17:26:30	300	90	3.0	#12 Symbiotic	2	
0081.Hen1341	45	11:20	17:08:36.0	-17:26:30	300	90	3.0	#12 Symbiotic	2	

UT Date 2017-04-25 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0082.Hen1341	90	11:21	17:08:36.0	-17:26:30	300	90	3.0	#12 Symbiotic	2	
0083.COMP	10	11:24	17:08:36.0	-17:26:30	300	90	3.0	0 Calibration	2	
0084.RSOph	15	11:25	17:50:13.0	-06:42:30	300	90	3.0	#12 Symbiotic	2	
0085.RSOph	90	11:26	17:50:13.0	-06:42:30	300	90	3.0	#12 Symbiotic	2	
0086.RSOph	240	11:31	17:50:13.0	-06:42:30	300	90	3.0	#12 Symbiotic	2	
0087.COMP	10	11:39	17:50:13.0	-06:42:30	300	90	3.0	0 Calibration	2	
0088-0097.BIAS	0	11:54	17:50:13.0	-06:42:30	300	90	3.0	0 Calibration	2	
0098-0117.FLAT	7	12:07	17:50:13.0	-06:42:30	300	90	3.0	0 Calibration	2	
0118-0127.DARK	900	14:31	17:50:13.0	-06:42:30	300	90	3.0	0 Calibration	2	

UT Date 2017-04-26 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	01:54	08:30:16.0	+60:43:06	300	89	3.0	0 Calibration	4	
0011-0020.BIAS	0	02:31	08:30:16.0	+60:43:06	300	89	3.0	0 Calibration	4	
0021-0040.FLAT	7	03:04	08:30:16.0	+60:43:06	300	89	3.0	0 Calibration	2	
0041-0050.BIAS	0	03:22	08:30:16.0	+60:43:06	300	89	3.0	0 Calibration	2	
0051.HD84937	30	03:31	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0052.HD84937	20	03:33	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0053.COMP	10	03:33	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0054.Feige34	150	03:36	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	cirrus
0055.COMP	10	03:39	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0056.BGGem	900	03:43	06:03:31.0	+27:41:50	300	89	3.0	#12 Symbiotic	2	
0057.COMP	10	03:58	06:03:31.0	+27:41:50	300	90	3.0	0 Calibration	2	
0058.BXMon	30	04:07	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0059.BXMon	240	04:09	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0060.COMP	10	04:13	07:25:23.0	-03:35:51	300	90	3.0	0 Calibration	2	
0061.BXMon	180	04:14	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0062.COMP	10	04:18	07:25:23.0	-03:35:51	300	90	3.0	0 Calibration	2	
0063.snATLASdzg	1800	05:20	09:08:34.7	+48:36:26	300	80	3.0	#2 SN Observat	2	through cirrus
0064.snATLASdzg	1800	05:50	09:08:34.7	+48:36:26	300	80	3.0	#2 SN Observat	2	
0065.COMP	10	06:20	09:08:34.7	+48:36:26	300	80	3.0	0 Calibration	2	
0066.snAT2017dfq	1800	06:26	11:03:13.0	+11:04:41	300	90	3.0	#2 SN Observat	2	

UT Date 2017-04-26 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0067.COMP	10	06:56	11:03:13.0	+11:04:41	300	90	3.0	0 Calibration	2	
0068-0076.FLAT	12	07:51	13:52:39.0	-02:00:08	600	89	1.5	0 Calibration	4	
0077.FLAT	12	07:51	13:52:39.0	-02:00:08	600	89	1.5	0 Calibration	4	cirrus continue
0078.j1240p11	1500	08:30	12:40:06.2	+11:32:18	600	89	1.5	#178 Low Mass	4	
0079.COMP	10	08:56	12:40:06.2	+11:32:18	600	89	1.5	0 Calibration	4	
0080.j1623m03	1500	09:01	16:23:30.0	-03:05:58	600	89	1.5	#178 Low Mass	4	
0081.COMP	10	09:28	16:23:30.0	-03:05:58	600	90	1.5	0 Calibration	4	
0082.j1626m00	600	09:31	16:26:09.2	-00:59:30	600	90	1.5	#178 Low Mass	4	
0083.COMP	10	09:42	16:26:09.2	-00:59:30	600	89	1.5	0 Calibration	4	
0084.BDp332642	180	10:48	15:51:59.9	+32:56:54	600	89	1.5	#56 Spectropho	4	
0085.COMP	10	10:52	15:51:59.9	+32:56:54	600	89	1.5	0 Calibration	4	
0086.tyc2688	420	11:03	20:51:31.8	+30:30:49	600	70	1.5	#178 Low Mass	4	
0087.COMP	10	11:11	20:51:31.8	+30:30:49	600	71	1.5	0 Calibration	4	
0088.j1736p61	614	11:20	17:36:08.4	+61:02:27	600	90	1.5	#178 Low Mass	4	
0089.COMP	10	11:31	17:36:08.4	+61:02:27	600	90	1.5	0 Calibration	4	
0090.j1737p05	516	11:40	17:37:45.2	+05:53:45	600	90	1.5	#178 Low Mass	4	
0091.COMP	10	11:49	17:37:45.2	+05:53:45	600	90	1.5	0 Calibration	4	
0092-0101.BIAS	0	12:36	19:23:05.9	+31:28:41	300	90	3.0	0 Calibration	4	
0102-0121.FLAT	7	12:46	19:23:05.9	+31:28:41	300	90	3.0	0 Calibration	2	
0122-0131.BIAS	0	12:51	19:23:05.9	+31:28:41	300	90	3.0	0 Calibration	2	

UT Date 2017-04-26 Observers M CalkinsColl. Focus 1280 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0132-0141.DARK	900	15:10	19:23:05.9	+31:28:41	300	90	3.0	0 Calibration	2	

UT Date 2017-04-27 Observers C ClohertyColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	02:26	08:26:50.4	+54:28:06	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	02:32	08:26:50.4	+54:28:06	300	90	3.0	0 Calibration	2	
0026.HD84937	30	02:55	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0027.HD84937	30	02:57	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0028.COMP	10	02:59	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0029.Feige34	180	03:06	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0030.COMP	10	03:10	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0031.sn2017ckx	1800	03:18	07:48:11.0	+28:13:49	300	90	3.0	#2 SN Observat	2	
0032.COMP	10	03:50	07:48:11.0	+28:13:49	300	89	3.0	0 Calibration	2	
0033.AWI0005bgp	20	10:41	17:14:36.8	-04:29:04	300	89	3.0	#219 WISE Debr	2	
0034.AWI0005bgp	40	10:42	17:14:36.8	-04:29:04	300	89	3.0	#219 WISE Debr	2	
0035.COMP	10	10:43	17:14:36.8	-04:29:04	300	89	3.0	0 Calibration	2	
0036.sn2017cii	1800	10:49	16:33:19.8	+23:43:52	300	89	3.0	#2 SN Observat	2	
0037.COMP	10	11:19	16:33:19.8	+23:43:52	300	90	3.0	0 Calibration	2	
0038.sn2017ciy	1200	11:22	17:04:06.9	+25:03:10	300	90	3.0	#2 SN Observat	2	
0039.COMP	10	11:43	17:04:06.9	+25:03:10	300	90	3.0	0 Calibration	2	
0040-0049.BIAS	0	11:46	17:04:06.9	+25:03:10	300	90	3.0	0 Calibration	2	
0050-0064.FLAT	7	11:52	17:04:06.9	+25:03:10	300	90	3.0	0 Calibration	2	
0065-0069.DARK	1200	13:14	17:04:06.9	+25:03:10	300	90	3.0	0 Calibration	2	

UT Date 2017-04-28 Observers C ClohertyColl. Focus 1280 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	02:01	17:04:06.9	+25:03:10	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	02:07	17:04:06.9	+25:03:10	300	90	3.0	0 Calibration	2	
0026.Feige34	180	06:10	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0027.COMP	10	06:14	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0028.PS17ckh	1800	06:21	13:25:01.1	+24:34:28	300	89	3.0	#225	2	
0029.COMP	10	06:52	13:25:01.1	+24:34:28	300	89	3.0	0 Calibration	2	
0030.BDp262606	120	07:08	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0031.COMP	10	07:11	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0032.BDp332642	180	07:14	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0033.COMP	10	07:18	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0034.sn2017cfb	1600	07:22	13:54:06.8	+09:24:46	300	89	3.0	#2 SN Observat	2	
0035.COMP	10	07:50	13:54:06.8	+09:24:46	300	89	3.0	0 Calibration	2	
0036.AWI0005clv	600	07:55	17:15:28.8	+04:43:20	300	89	3.0	#219 WISE Debr	2	
0037.COMP	10	08:07	17:15:28.8	+04:43:20	300	90	3.0	0 Calibration	2	
0038.AWI0005cm1	600	08:09	17:17:18.7	+00:40:35	300	90	3.0	#219 WISE Debr	2	
0039.COMP	10	08:20	17:17:18.7	+00:40:35	300	89	3.0	0 Calibration	2	
0040.PS17chg	1800	08:24	15:42:24.1	-00:08:39	300	89	3.0	#225	2	
0041.COMP	10	08:55	15:42:24.1	-00:08:39	300	90	3.0	0 Calibration	2	
0042.sn2017cne	1800	08:58	15:08:42.9	+04:08:46	300	90	3.0	#2 SN Observat	2	
0043.COMP	10	09:30	15:08:42.9	+04:08:46	300	90	3.0	0 Calibration	2	

UT Date 2017-04-28 Observers C ClohertyColl. Focus 1280 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0045.AWI0005cm1	300	09:40	17:17:18.7	+00:40:35	300	90	3.0	#219 WISE Debr	2	
0046.COMP	10	09:46	17:17:18.7	+00:40:35	300	90	3.0	0 Calibration	2	
0047.AWI0005cm2	120	09:48	17:17:40.0	+00:18:23	300	90	3.0	#219 WISE Debr	2	
0048.COMP	10	09:51	17:17:40.0	+00:18:23	300	90	3.0	0 Calibration	2	
0049.sn2017ciy	1800	10:00	17:04:06.9	+25:03:10	300	90	3.0	#2 SN Observat	2	
0050.COMP	10	10:31	17:04:06.9	+25:03:10	300	90	3.0	0 Calibration	2	
0051-0060.BIAS	0	10:40	17:04:06.9	+25:03:10	300	90	3.0	0 Calibration	2	
0061-0075.FLAT	7	10:46	17:04:06.9	+25:03:10	300	90	3.0	0 Calibration	2	
0076-0080.DARK	1200	12:08	17:04:06.9	+25:03:10	300	90	3.0	0 Calibration	2	