

UT Date 2017-06-23 Observers Maurice WilsonColl. Focus 1300 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	02:53	23:11:28.1	+29:29:34	600	90	1.5	0 Calibration	4	
0011-0020.BIAS	0	03:09	23:11:28.1	+29:29:34	600	90	1.5	0 Calibration	4	
0021.COMP	10	03:15	23:11:28.1	+29:29:34	300	90	3.0	0 Calibration	2	
0022.COMP	10	03:19	23:11:28.1	+29:29:34	300	90	3.0	0 Calibration	2	
0023.COMP	10	03:22	23:11:28.1	+29:29:34	300	90	3.0	0 Calibration	2	
0024.COMP	10	03:25	23:11:28.1	+29:29:34	300	90	3.0	0 Calibration	2	
0025.COMP	10	03:27	23:11:28.1	+29:29:34	300	90	3.0	0 Calibration	2	
0026.COMP	10	03:29	23:11:28.1	+29:29:34	300	90	3.0	0 Calibration	2	
0027.COMP	10	03:32	23:11:28.1	+29:29:34	300	90	3.0	0 Calibration	2	
0028.COMP	10	03:34	23:11:28.1	+29:29:34	300	90	3.0	0 Calibration	2	
0029.COMP	10	03:36	23:11:28.1	+29:29:34	300	90	3.0	0 Calibration	2	
0030-0049.FLAT	7	03:42	23:11:28.1	+29:29:34	300	90	3.0	0 Calibration	2	
0050-0059.BIAS	0	03:44	23:11:28.1	+29:29:34	300	90	3.0	0 Calibration	2	
0060.Feige34	240	04:00	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0061.COMP	10	04:05	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0062.BFCyg	20	08:06	19:23:53.0	+29:40:27	300	100	3.0	#12 Symbiotic	2	
0063.BFCyg	20	08:07	19:23:53.0	+29:40:27	300	100	3.0	#12 Symbiotic	2	
0064.COMP	10	08:07	19:23:53.0	+29:40:27	300	100	3.0	0 Calibration	2	
0065-0084.FLAT	7	11:45	22:07:00.5	+25:20:42	300	91	3.0	0 Calibration	2	
0085-0094.BIAS	0	11:49	22:07:00.5	+25:20:42	300	91	3.0	0 Calibration	2	

UT Date 2017-06-23 Observers Maurice WilsonColl. Focus 1300 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0095-0100.DARK	900	13:20	22:07:00.5	+25:20:42	300	91	3.0	0 Calibration	2	