

UT Date 2017-09-14 Observers P BerlindColl. Focus 1300 Grating/Grism 600


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.BIAS	0	21:30	13:40:00.0	+32:00:00	300	90	3.0	0 Calibration	2	
0006-0010.DARK	1200	22:51	13:40:00.0	+32:00:00	300	90	3.0	0 Calibration	2	
0011-0020.BIAS	0	00:49	13:40:00.0	+32:00:00	300	90	3.0	0 Calibration	2	
0021-0035.FLAT	7	00:55	13:40:00.0	+32:00:00	300	90	3.0	0 Calibration	2	
0036.CHCyg	2	02:16	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0037.CHCyg	4	02:17	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0038.CHCyg	6	02:17	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0039.COMP	10	02:18	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	
0040.BFCyg	10	02:22	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0041.BFCyg	30	02:23	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0042.BFCyg	30	02:24	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0043.COMP	10	02:24	19:23:53.0	+29:40:27	300	90	3.0	0 Calibration	2	
0044.V1016Cyg	10	02:26	19:57:05.0	+39:49:37	300	90	3.0	#12 Symbiotic	2	
0045.V1016Cyg	5	02:27	19:57:05.0	+39:49:37	300	90	3.0	#12 Symbiotic	2	
0046.V1016Cyg	60	02:27	19:57:05.0	+39:49:37	300	90	3.0	#12 Symbiotic	2	
0047.V1016Cyg	360	02:29	19:57:05.0	+39:49:37	300	90	3.0	#12 Symbiotic	2	
0048.COMP	10	02:35	19:57:05.0	+39:49:37	300	90	3.0	0 Calibration	2	
0049.CICyg	10	02:37	19:50:12.0	+35:41:02	300	89	3.0	#12 Symbiotic	2	
0050.CICyg	30	02:37	19:50:12.0	+35:41:02	300	89	3.0	#12 Symbiotic	2	
0051.CICyg	360	02:38	19:50:12.0	+35:41:02	300	89	3.0	#12 Symbiotic	2	

UT Date 2017-09-14 Observers P BerlindColl. Focus 1300 Grating/Grism 600


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0052.COMP	10	02:44	19:50:12.0	+35:41:02	300	89	3.0	0 Calibration	2	
0053.AGDra	30	02:47	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0054.AGDra	10	02:48	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0055.AGDra	90	02:48	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0056.COMP	10	02:51	16:01:41.0	+66:48:10	300	89	3.0	0 Calibration	2	
0057.TCrB	30	02:52	15:59:30.0	+25:55:12	300	89	3.0	#12 Symbiotic	2	
0058.TCrB	60	02:53	15:59:30.0	+25:55:12	300	89	3.0	#12 Symbiotic	2	
0059.TCrB	15	02:55	15:59:30.0	+25:55:12	300	89	3.0	#12 Symbiotic	2	
0060.COMP	10	02:56	15:59:30.0	+25:55:12	300	89	3.0	0 Calibration	2	
0061.AS296	30	02:58	18:15:07.0	-00:18:52	300	89	3.0	#12 Symbiotic	2	
0062.AS296	90	02:59	18:15:07.0	-00:18:52	300	89	3.0	#12 Symbiotic	2	
0063.AS296	180	03:02	18:15:07.0	-00:18:52	300	89	3.0	#12 Symbiotic	2	
0064.COMP	10	03:05	18:15:07.0	-00:18:52	300	88	3.0	0 Calibration	2	
0065.RSOph	60	03:07	17:50:13.0	-06:42:30	300	88	3.0	#12 Symbiotic	2	
0066.RSOph	20	03:08	17:50:13.0	-06:42:30	300	88	3.0	#12 Symbiotic	2	
0067.RSOph	120	03:09	17:50:13.0	-06:42:30	300	88	3.0	#12 Symbiotic	2	
0068.COMP	10	03:11	17:50:13.0	-06:42:30	300	88	3.0	0 Calibration	2	
0069.AS270	120	03:13	18:05:33.7	-20:20:38	300	88	3.0	#12 Symbiotic	2	
0070.AS270	480	03:15	18:05:33.7	-20:20:38	300	88	3.0	#12 Symbiotic	2	
0071.AS270	45	03:24	18:05:33.7	-20:20:38	300	88	3.0	#12 Symbiotic	2	

UT Date 2017-09-14 Observers P BerlindColl. Focus 1300 Grating/Grism 600


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0072.COMP	10	03:25	18:05:33.7	-20:20:38	300	85	3.0	0 Calibration	2	
0073.AS327	60	03:32	18:53:17.0	-24:22:59	300	85	3.0	#12 Symbiotic	2	
0074.AS327	120	03:33	18:53:17.0	-24:22:59	300	85	3.0	#12 Symbiotic	2	
0075.AS327	360	03:36	18:53:17.0	-24:22:59	300	85	3.0	#12 Symbiotic	2	
0076.COMP	10	03:42	18:53:17.0	-24:22:59	300	86	3.0	0 Calibration	2	
0077.AS316	60	03:44	18:42:33.0	-21:17:47	300	86	3.0	#12 Symbiotic	2	
0078.AS316	120	03:45	18:42:33.0	-21:17:47	300	86	3.0	#12 Symbiotic	2	
0079.AS316	600	03:48	18:42:33.0	-21:17:47	300	86	3.0	#12 Symbiotic	2	
0080.COMP	10	03:58	18:42:33.0	-21:17:47	300	86	3.0	0 Calibration	2	
0081.sn2017gav	1800	04:07	17:03:21.1	+45:24:49	300	87	3.0	#2 SN Observat	2	
0082.COMP	10	04:37	17:03:21.1	+45:24:49	300	88	3.0	0 Calibration	2	
0083.snJ192441	1800	04:40	19:24:41.0	+62:06:39	300	88	3.0	#2 SN Observat	2	
0084.COMP	10	05:12	19:24:41.0	+62:06:39	300	89	3.0	0 Calibration	2	
0085.sn2017gqr	1800	05:14	19:28:21.6	+56:34:46	300	89	3.0	#2 SN Observat	2	
0086.COMP	10	05:45	19:28:21.6	+56:34:46	300	90	3.0	0 Calibration	2	
0087.sn2017glx	1067	05:48	19:43:40.3	+56:06:36	300	71	3.0	#2 SN Observat	2	
0088.COMP	10	06:06	19:43:40.3	+56:06:36	300	71	3.0	0 Calibration	2	
0091.BDp174708	240	06:14	22:11:31.4	+18:05:34	300	89	3.0	#56 Spectropho	2	
0092.COMP	10	06:19	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0093.BDp284211	240	06:38	21:51:11.0	+28:51:50	300	89	3.0	#56 Spectropho	2	

UT Date 2017-09-14 Observers P BerlindColl. Focus 1300 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0094.COMP	10	06:43	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0095-0097.BIAS	0	06:50	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0098.bb518	60	08:32	00:20:28.4	-03:43:57	600	89	1.5	#178 Low Mass	4	
0099.COMP	10	08:34	00:20:28.4	-03:43:57	600	89	1.5	0 Calibration	4	
0100.bb534	60	08:35	00:44:18.0	-18:56:18	600	89	1.5	#178 Low Mass	4	
0101.COMP	10	08:36	00:44:18.0	-18:56:18	600	89	1.5	0 Calibration	4	
0102.bb506	70	08:37	00:07:27.8	-21:22:28	600	89	1.5	#178 Low Mass	4	
0103.COMP	10	08:39	00:07:27.8	-21:22:28	600	89	1.5	0 Calibration	4	
0104.bb511	60	08:40	00:15:29.4	-21:05:50	600	89	1.5	#178 Low Mass	4	
0105.COMP	10	08:41	00:15:29.4	-21:05:50	600	89	1.5	0 Calibration	4	
0106.bb493	900	08:44	23:48:57.0	-21:23:35	600	89	1.5	#178 Low Mass	4	
0107.COMP	10	08:59	23:48:57.0	-21:23:35	600	89	1.5	0 Calibration	4	
0108.bb514	720	09:01	00:16:41.5	-21:23:21	600	89	1.5	#178 Low Mass	4	
0109.COMP	10	09:14	00:16:41.5	-21:23:21	600	89	1.5	0 Calibration	4	
0110.bb551	60	09:15	00:59:11.6	-18:18:00	600	89	1.5	#178 Low Mass	4	
0111.COMP	10	09:17	00:59:11.6	-18:18:00	600	89	1.5	0 Calibration	4	
0112.bb579	45	09:19	01:46:31.9	-16:22:38	600	89	1.5	#178 Low Mass	4	
0113.COMP	10	09:20	01:46:31.9	-16:22:38	600	89	1.5	0 Calibration	4	
0114.bb582	960	09:22	01:52:15.0	-18:39:36	600	89	1.5	#178 Low Mass	4	
0115.COMP	10	09:38	01:52:15.0	-18:39:36	600	89	1.5	0 Calibration	4	

UT Date 2017-09-14 Observers P BerlindColl. Focus 1300 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0116.bb588	1560	09:40	01:55:53.4	-28:44:02	600	89	1.5	#178 Low Mass	4	
0117.COMP	10	10:06	01:55:53.4	-28:44:02	600	89	1.5	0 Calibration	4	
0118.bb590	390	10:08	01:56:48.1	-04:37:18	600	89	1.5	#178 Low Mass	4	
0119.COMP	10	10:15	01:56:48.1	-04:37:18	600	90	1.5	0 Calibration	4	
0120.gd278	390	10:17	01:30:58.1	+53:21:40	600	90	1.5	#178 Low Mass	4	
0121.COMP	10	10:24	01:30:58.1	+53:21:40	600	88	1.5	0 Calibration	4	
0122.bb649	45	10:26	03:14:21.8	-01:16:51	600	88	1.5	#178 Low Mass	4	
0123.COMP	10	10:27	03:14:21.8	-01:16:51	600	88	1.5	0 Calibration	4	
0124.bb614	1455	10:30	02:27:26.7	-19:34:00	600	88	1.5	#178 Low Mass	4	
0125.COMP	10	10:54	02:27:26.7	-19:34:00	600	89	1.5	0 Calibration	4	
0126.bb622	150	10:56	02:32:47.8	-20:38:43	600	89	1.5	#178 Low Mass	4	
0127.COMP	10	10:59	02:32:47.8	-20:38:43	600	89	1.5	0 Calibration	4	
0128.bb645	420	11:01	03:09:28.6	-01:17:33	600	89	1.5	#178 Low Mass	4	
0129.COMP	10	11:09	03:09:28.6	-01:17:33	600	90	1.5	0 Calibration	4	
0130.G191B2B	300	11:12	05:05:30.6	+52:49:52	600	90	1.5	#56 Spectropho	4	
0131.COMP	10	11:18	05:05:30.6	+52:49:52	600	90	1.5	0 Calibration	4	
0132.bb651	1500	11:20	03:19:32.7	-16:48:15	600	87	1.5	#178 Low Mass	4	
0133.COMP	10	11:46	03:19:32.7	-16:48:15	600	89	1.5	0 Calibration	4	
0134.bb643	360	11:47	03:06:06.8	-12:09:09	600	89	1.5	#178 Low Mass	4	
0135.COMP	10	11:53	03:06:06.8	-12:09:09	600	89	1.5	0 Calibration	4	

UT Date 2017-09-14 Observers P BerlindColl. Focus 1300 Grating/Grism 600

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0136.bb658	301	11:56	03:33:50.6	-22:45:15	600	89	1.5	#178 Low Mass	4	
0137.COMP	10	12:01	03:33:50.6	-22:45:15	600	89	1.5	0 Calibration	4	
0138.bb657	30	12:03	03:32:35.4	-23:37:44	600	89	1.5	#178 Low Mass	4	
0139.COMP	10	12:03	03:32:35.4	-23:37:44	600	89	1.5	0 Calibration	4	
0140.bb663	120	12:04	03:38:57.2	-24:46:42	600	89	1.5	#178 Low Mass	4	
0141.COMP	10	12:07	03:38:57.2	-24:46:42	600	89	1.5	0 Calibration	4	
0142-0151.BIAS	0	12:13	04:42:08.7	-10:36:50	600	88	1.5	0 Calibration	4	
0152-0166.FLAT	12	12:18	04:42:08.7	-10:36:50	600	88	1.5	0 Calibration	4	
0167-0173.DARK	1200	14:20	04:42:08.7	-10:36:50	600	88	1.5	0 Calibration	4	