


UT Date 2017-09-15 Observers P BerlindColl. Focus 1300 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	1200	23:02	04:42:08.7	-10:36:50	600	88	1.5	0 Calibration	2	
0006-0015.BIAS	0	01:21	17:30:00.0	+32:00:00	300	88	3.0	0 Calibration	2	
0016-0030.FLAT	7	01:28	17:30:00.0	+32:00:00	300	88	3.0	0 Calibration	2	
0031-0035.DARK	1200	02:58	17:30:00.0	+32:00:00	300	88	3.0	0 Calibration	4	
0036.BDp284211	180	05:30	21:51:11.0	+28:51:50	300	88	3.0	#56 Spectropho	2	
0037.COMP	10	05:34	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0038.BDp174708	90	05:42	22:11:31.4	+18:05:34	300	89	3.0	#56 Spectropho	2	
0039.COMP	10	05:45	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0040.PUVu1	25	05:51	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0041.PUVu1	90	05:52	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0042.PUVu1	420	05:54	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0043.COMP	10	06:02	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	
0044.HMSge	30	06:04	19:41:57.0	+16:44:41	300	89	3.0	#12 Symbiotic	2	
0045.HMSge	10	06:04	19:41:57.0	+16:44:41	300	89	3.0	#12 Symbiotic	2	
0046.HMSge	360	06:05	19:41:57.0	+16:44:41	300	89	3.0	#12 Symbiotic	2	
0047.COMP	10	06:11	19:41:57.0	+16:44:41	300	89	3.0	0 Calibration	2	
0048.AS360	70	06:14	19:45:49.0	+18:36:49	300	89	3.0	#12 Symbiotic	2	
0049.AS360	600	06:16	19:45:49.0	+18:36:49	300	89	3.0	#12 Symbiotic	2	
0050.COMP	10	06:26	19:45:49.0	+18:36:49	300	89	3.0	0 Calibration	2	
0051.V1329Cyg	90	06:29	20:51:01.0	+35:34:55	300	89	3.0	#12 Symbiotic	2	

UT Date 2017-09-15 Observers P BerlindColl. Focus 1300 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0052.V1329Cyg	90	06:31	20:51:01.0	+35:34:55	300	89	3.0	#12 Symbiotic	2	
0053.V1329Cyg	420	06:33	20:51:01.0	+35:34:55	300	89	3.0	#12 Symbiotic	2	
0054.COMP	10	06:40	20:51:01.0	+35:34:55	300	89	3.0	0 Calibration	2	
0055.V1515Cyg	480	06:44	20:23:48.0	+42:12:24	300	89	3.0	#12 Symbiotic	2	
0056.COMP	10	06:53	20:23:48.0	+42:12:24	300	89	3.0	0 Calibration	2	
0057.20231647+2013013	360	06:58	20:23:16.5	+20:13:01	300	88	3.0	#141 2MASS Red	2	
0058.COMP	10	07:05	20:23:16.5	+20:13:01	300	89	3.0	0 Calibration	2	
0059.V1057Cyg	30	07:07	20:58:54.0	+44:15:30	300	89	3.0	#12 Symbiotic	2	
0060.V1057Cyg	360	07:08	20:58:54.0	+44:15:30	300	89	3.0	#12 Symbiotic	2	
0061.COMP	10	07:15	20:58:54.0	+44:15:30	300	89	3.0	0 Calibration	2	
0062.ZAnd	8	07:17	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0063.ZAnd	15	07:18	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0064.ZAnd	60	07:19	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0065.COMP	10	07:20	23:33:40.0	+48:49:06	300	89	3.0	0 Calibration	2	
0066.AGPeg	1	07:22	21:51:02.0	+12:37:33	300	89	3.0	#12 Symbiotic	2	
0067.AGPeg	3	07:22	21:51:02.0	+12:37:33	300	89	3.0	#12 Symbiotic	2	
0068.AGPeg	15	07:22	21:51:02.0	+12:37:33	300	89	3.0	#12 Symbiotic	2	
0069.AGPeg	30	07:23	21:51:02.0	+12:37:33	300	89	3.0	#12 Symbiotic	2	
0070.COMP	10	07:24	21:51:02.0	+12:37:33	300	89	3.0	0 Calibration	2	
0071.RAqr	1	07:26	23:43:49.0	-15:17:05	300	89	3.0	#12 Symbiotic	2	

UT Date 2017-09-15 Observers P BerlindColl. Focus 1300 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0072.RAqr	3	07:26	23:43:49.0	-15:17:05	300	89	3.0	#12 Symbiotic	2	
0073.RAqr	15	07:26	23:43:49.0	-15:17:05	300	89	3.0	#12 Symbiotic	2	
0074.RAqr	45	07:27	23:43:49.0	-15:17:05	300	89	3.0	#12 Symbiotic	2	
0075.COMP	10	07:28	23:43:49.0	-15:17:05	300	89	3.0	0 Calibration	2	
0076.PS17emo	1800	07:30	01:01:18.7	-00:51:05	300	89	3.0	#225	2	
0077.COMP	10	08:01	01:01:18.7	-00:51:05	300	89	3.0	0 Calibration	2	
0078.EGAnd	1	08:10	00:44:37.0	+40:40:47	300	89	3.0	#12 Symbiotic	2	
0079.EGAnd	10	08:10	00:44:37.0	+40:40:47	300	89	3.0	#12 Symbiotic	2	
0080.EGAnd	10	08:11	00:44:37.0	+40:40:47	300	89	3.0	#12 Symbiotic	2	
0081.COMP	10	08:11	00:44:37.0	+40:40:47	300	89	3.0	0 Calibration	2	
0082.AXPer	5	08:13	01:36:23.0	+54:15:03	300	89	3.0	#12 Symbiotic	2	
0083.AXPer	10	08:13	01:36:23.0	+54:15:03	300	89	3.0	#12 Symbiotic	2	
0084.AXPer	30	08:13	01:36:23.0	+54:15:03	300	89	3.0	#12 Symbiotic	2	
0085.AXPer	180	08:14	01:36:23.0	+54:15:03	300	89	3.0	#12 Symbiotic	2	
0086.COMP	10	08:18	01:36:23.0	+54:15:03	300	89	3.0	0 Calibration	2	
0087.BIAS	0	08:21	00:55:00.0	+32:00:00	600	89	1.5	0 Calibration	4	
0088.bb489	30	08:23	23:42:52.0	-04:48:00	600	89	1.5	#178 Low Mass	4	
0089.COMP	10	08:23	23:42:52.0	-04:48:00	600	89	1.5	0 Calibration	4	
0090.bb536	1260	08:26	00:44:44.1	-20:28:00	600	89	1.5	#178 Low Mass	4	
0091.COMP	10	08:48	00:44:44.1	-20:28:00	600	89	1.5	0 Calibration	4	

UT Date 2017-09-15 Observers P BerlindColl. Focus 1300 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0092.bb537	1600	08:49	00:45:27.8	-20:26:56	600	89	1.5	#178 Low Mass	4	
0093.COMP	10	09:17	00:45:27.8	-20:26:56	600	89	1.5	0 Calibration	4	
0094.bb592	1600	09:19	02:00:00.8	-22:28:01	600	89	1.5	#178 Low Mass	4	
0095.COMP	10	09:47	02:00:00.8	-22:28:01	600	90	1.5	0 Calibration	4	
0096.bb608	360	09:48	02:21:39.2	-26:30:50	600	90	1.5	#178 Low Mass	4	
0097.COMP	10	09:54	02:21:39.2	-26:30:50	600	90	1.5	0 Calibration	4	
0098.bb628	200	09:56	02:46:29.1	-14:05:35	600	90	1.5	#178 Low Mass	4	
0099.COMP	10	10:00	02:46:29.1	-14:05:35	600	90	1.5	0 Calibration	4	
0100.bb630	30	10:01	02:48:48.1	-15:00:52	600	90	1.5	#178 Low Mass	4	
0101.COMP	10	10:02	02:48:48.1	-15:00:52	600	90	1.5	0 Calibration	4	
0102.bb632	45	10:03	02:51:37.2	-15:17:09	600	90	1.5	#178 Low Mass	4	
0103.COMP	10	10:04	02:51:37.2	-15:17:09	600	90	1.5	0 Calibration	4	
0104.bb637	60	10:05	02:57:52.9	-19:01:27	600	90	1.5	#178 Low Mass	4	
0105.COMP	10	10:07	02:57:52.9	-19:01:27	600	90	1.5	0 Calibration	4	
0106.bb631	760	10:08	02:50:52.6	-23:37:10	600	90	1.5	#178 Low Mass	4	
0107.COMP	10	10:21	02:50:52.6	-23:37:10	600	89	1.5	0 Calibration	4	
0108.bb640	60	10:23	03:00:34.3	-11:26:10	600	89	1.5	#178 Low Mass	4	
0109.COMP	10	10:24	03:00:34.3	-11:26:10	600	89	1.5	0 Calibration	4	
0110.gd278	450	10:36	01:30:58.1	+53:21:40	600	88	1.5	#178 Low Mass	4	
0111.COMP	10	10:44	01:30:58.1	+53:21:40	600	89	1.5	0 Calibration	4	

UT Date 2017-09-15 Observers P BerlindColl. Focus 1300 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0112.bb683	1600	10:47	04:04:17.7	-13:06:31	600	89	1.5	#178 Low Mass	4	
0113.COMP	10	11:14	04:04:17.7	-13:06:31	600	89	1.5	0 Calibration	4	
0114.bb668	1517	11:16	03:47:11.2	-22:16:57	600	89	1.5	#178 Low Mass	4	
0115.COMP	10	11:41	03:47:11.2	-22:16:57	600	89	1.5	0 Calibration	4	
0116.bb685	240	11:43	04:08:24.8	-20:27:03	600	89	1.5	#178 Low Mass	4	
0117.COMP	10	11:48	04:08:24.8	-20:27:03	600	89	1.5	0 Calibration	4	
0118.bb686	60	11:49	04:08:46.5	-29:49:11	600	89	1.5	#178 Low Mass	4	
0119.COMP	10	11:50	04:08:46.5	-29:49:11	600	89	1.5	0 Calibration	4	
0120.bb689	45	11:52	04:12:52.9	-13:20:15	600	89	1.5	#178 Low Mass	4	
0121.COMP	10	11:53	04:12:52.9	-13:20:15	600	89	1.5	0 Calibration	4	
0122.bb688	180	11:54	04:11:46.6	-10:44:18	600	89	1.5	#178 Low Mass	4	
0123.COMP	10	11:57	04:11:46.6	-10:44:18	600	89	1.5	0 Calibration	4	
0124.bb699	240	11:59	04:23:19.8	-03:34:35	600	89	1.5	#178 Low Mass	4	
0125.COMP	10	12:03	04:23:19.8	-03:34:35	600	89	1.5	0 Calibration	4	
0126.G191B2B	300	12:06	05:05:30.6	+52:49:52	600	89	1.5	#56 Spectropho	4	
0127.COMP	10	12:11	05:05:30.6	+52:49:52	600	88	1.5	0 Calibration	4	
0128-0137.BIAS	0	12:14	05:05:30.6	+52:49:52	600	90	1.5	0 Calibration	4	
0138-0152.FLAT	12	12:18	05:05:30.6	+52:49:52	600	90	1.5	0 Calibration	4	
0153-0157.FLAT	20	12:21	05:05:30.6	+52:49:52	600	90	1.5	0 Calibration	4	
0158.test	10	12:24	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	

UT Date 2017-09-15 Observers P BerlindColl. Focus 1300 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0159.test	10	12:25	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	
0160.test	10	12:26	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	
0161.test	10	12:28	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	
0162.test	10	12:29	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	