

UT Date 2017-09-19 Observers P BerlindColl. Focus 1300 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:47	18:15:00.0	+32:00:00	300	89	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:53	18:15:00.0	+32:00:00	300	89	3.0	0 Calibration	2	
0026.BDp332642	120	02:19	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0027.COMP	10	02:21	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0028.18332462+0850303	479	02:25	18:33:24.6	+08:50:30	300	89	3.0	#141 2MASS Red	2	
0029.COMP	10	02:34	18:33:24.6	+08:50:30	300	89	3.0	0 Calibration	2	
0030.17131800-2336430	420	02:42	17:13:18.0	-23:36:43	300	90	3.0	#141 2MASS Red	2	
0031.COMP	10	02:50	17:13:18.0	-23:36:43	300	90	3.0	0 Calibration	2	
0032.17130678-2255350	720	02:52	17:13:06.8	-22:55:35	300	90	3.0	#141 2MASS Red	2	
0033.COMP	10	03:04	17:13:06.8	-22:55:35	300	90	3.0	0 Calibration	2	
0034.17150845-2354140	900	03:06	17:15:08.5	-23:54:14	300	90	3.0	#141 2MASS Red	2	
0035.COMP	10	03:22	17:15:08.5	-23:54:14	300	90	3.0	0 Calibration	2	
0036.17431264-1421391	900	03:24	17:43:12.6	-14:21:39	300	90	3.0	#141 2MASS Red	2	
0037.COMP	10	03:39	17:43:12.6	-14:21:39	300	90	3.0	0 Calibration	2	
0038.17415027-1111248	1200	03:41	17:41:50.3	-11:11:25	300	90	3.0	#141 2MASS Red	2	
0039.COMP	10	04:02	17:41:50.3	-11:11:25	300	90	3.0	0 Calibration	2	
0040.18430724-2158506	960	04:03	18:43:07.2	-21:58:51	300	90	3.0	#141 2MASS Red	2	
0041.COMP	10	04:20	18:43:07.2	-21:58:51	300	90	3.0	0 Calibration	2	
0042.19155381-0616506	660	04:24	19:15:53.8	-06:16:51	300	90	3.0	#141 2MASS Red	2	
0043.COMP	10	04:35	19:15:53.8	-06:16:51	300	90	3.0	0 Calibration	2	

UT Date 2017-09-19 Observers P BerlindColl. Focus 1300 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.19221808-0530338	1500	04:38	19:22:18.1	-05:30:34	300	90	3.0	#141 2MASS Red	2	
0045.COMP	10	05:03	19:22:18.1	-05:30:34	300	90	3.0	0 Calibration	2	
0046.19222436-0153128	1800	05:05	19:22:24.4	-01:53:13	300	90	3.0	#141 2MASS Red	2	
0047.COMP	10	05:35	19:22:24.4	-01:53:13	300	90	3.0	0 Calibration	2	
0048.19184295+0145276	720	05:37	19:18:43.0	+01:45:28	300	90	3.0	#141 2MASS Red	2	
0049.COMP	10	05:49	19:18:43.0	+01:45:28	300	90	3.0	0 Calibration	2	
0050.19390542+0917593	960	05:54	19:39:05.4	+09:17:59	300	90	3.0	#141 2MASS Red	2	
0051.COMP	10	06:10	19:39:05.4	+09:17:59	300	90	3.0	0 Calibration	2	
0052.19404953+0809539	760	06:13	19:40:49.5	+08:09:54	300	90	3.0	#141 2MASS Red	2	
0053.COMP	10	06:26	19:40:49.5	+08:09:54	300	90	3.0	0 Calibration	2	
0054.19450317+0427368	760	06:27	19:45:03.2	+04:27:37	300	90	3.0	#141 2MASS Red	2	
0055.COMP	10	06:41	19:45:03.2	+04:27:37	300	90	3.0	0 Calibration	2	
0056.19444668+0604082	660	06:43	19:44:46.7	+06:04:08	300	90	3.0	#141 2MASS Red	2	
0057.COMP	10	06:54	19:44:46.7	+06:04:08	300	89	3.0	0 Calibration	2	
0058.BDp284211	150	06:56	21:51:11.0	+28:51:50	300	89	3.0	#56 Spectropho	2	
0059.COMP	10	06:59	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0060.BDp174708	90	07:00	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0061.BDp174708	90	07:03	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0062.COMP	10	07:05	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	
0063.N7331	180	07:10	22:37:04.1	+34:24:56	300	90	3.0	#57 Velocity S	2	

UT Date 2017-09-19 Observers P BerlindColl. Focus 1300 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0064.COMP	10	07:14	22:37:04.1	+34:24:56	300	90	3.0	0 Calibration	2	
0065.sn2017fnzhost	1445	07:18	22:29:42.9	+11:48:17	300	90	3.0	#2 SN Observat	2	ha em stopped by fog
0066.COMP	10	07:43	22:29:42.9	+11:48:17	300	90	3.0	0 Calibration	2	
0067-0076.BIAS	0	11:32	22:29:42.9	+11:48:17	300	90	3.0	0 Calibration	2	
0077-0091.FLAT	7	11:38	22:29:42.9	+11:48:17	300	90	3.0	0 Calibration	2	
0092-0096.DARK	1200	13:03	22:29:42.9	+11:48:17	300	90	3.0	0 Calibration	2	