

UT Date 2017-10-17 Observers P BerlindColl. Focus 1300 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:58	19:00:00.0	+32:00:00	300	87	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:05	19:00:00.0	+32:00:00	300	87	3.0	0 Calibration	2	
0026.AGDra	10	01:43	16:01:41.0	+66:48:10	300	87	3.0	#12 Symbiotic	2	
0027.AGDra	60	01:44	16:01:41.0	+66:48:10	300	87	3.0	#12 Symbiotic	2	
0028.AGDra	90	01:46	16:01:41.0	+66:48:10	300	87	3.0	#12 Symbiotic	2	
0029.COMP	10	01:48	16:01:41.0	+66:48:10	300	87	3.0	0 Calibration	2	
0030.RSOph	30	01:52	17:50:13.0	-06:42:30	300	87	3.0	#12 Symbiotic	2	
0031.RSOph	90	01:53	17:50:13.0	-06:42:30	300	87	3.0	#12 Symbiotic	2	
0032.RSOph	159	01:54	17:50:13.0	-06:42:30	300	87	3.0	#12 Symbiotic	2	
0033.COMP	10	01:58	17:50:13.0	-06:42:30	300	87	3.0	0 Calibration	2	
0034.AS296	30	01:59	18:15:07.0	-00:18:52	300	87	3.0	#12 Symbiotic	2	
0035.AS296	90	02:00	18:15:07.0	-00:18:52	300	87	3.0	#12 Symbiotic	2	
0036.AS296	180	02:02	18:15:07.0	-00:18:52	300	87	3.0	#12 Symbiotic	2	
0037.COMP	10	02:05	18:15:07.0	-00:18:52	300	86	3.0	0 Calibration	2	
0038.18540053+1247545	1500	02:08	18:54:00.5	+12:47:54	300	86	3.0	#141 2MASS Red	2	target at row 80 has emission
0039.COMP	10	02:34	18:54:00.5	+12:47:54	300	86	3.0	0 Calibration	2	
0040.19190375-0250124	1200	02:39	19:19:03.7	-02:50:12	300	82	3.0	#141 2MASS Red	2	
0041.COMP	10	02:59	19:19:03.7	-02:50:12	300	81	3.0	0 Calibration	2	
0042.19403665+0318140	1500	03:03	19:40:36.7	+03:18:14	300	12	3.0	#141 2MASS Red	2	target row 82
0043.COMP	10	03:28	19:40:36.7	+03:18:14	300	12	3.0	0 Calibration	2	

UT Date 2017-10-17 Observers P BerlindColl. Focus 1300 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.AT2017hhn	1800	03:34	19:08:51.2	+46:03:46	300	89	3.0	#225	2	
0045.AT2017hhn	1800	04:05	19:08:51.2	+46:03:46	300	89	3.0	#225	2	
0046.COMP	10	04:35	19:08:51.2	+46:03:46	300	90	3.0	0 Calibration	2	
0047.BDp284211	150	04:37	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0048.COMP	10	04:40	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0049.sn2017hhi	1800	04:45	22:22:02.0	-26:10:02	300	90	3.0	#2 SN Observat	2	
0050.COMP	10	05:15	22:22:02.0	-26:10:02	300	90	3.0	0 Calibration	2	
0051.BDp174708	90	05:18	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0052.COMP	10	05:20	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	
0053.sn2017hdv	1800	05:24	23:38:36.5	-11:23:29	300	90	3.0	#2 SN Observat	2	
0054.COMP	10	05:55	23:38:36.5	-11:23:29	300	90	3.0	0 Calibration	2	
0055.snAT2017gvp	1800	05:58	23:41:47.0	-01:21:05	300	99	3.0	#2 SN Observat	2	
0056.COMP	10	06:30	23:41:47.0	-01:21:05	300	100	3.0	0 Calibration	2	
0057.sn2017hhz	1800	06:34	01:44:16.9	+12:15:20	300	100	3.0	#2 SN Observat	2	
0058.COMP	10	07:04	01:44:16.9	+12:15:20	300	100	3.0	0 Calibration	2	
0059.PS16dtm	1800	07:41	01:58:04.7	-00:52:22	300	89	3.0	#225	2	
0060.PS16dtm	1800	08:11	01:58:04.7	-00:52:22	300	89	3.0	#225	2	
0061.COMP	10	08:48	01:58:04.7	-00:52:22	300	90	3.0	0 Calibration	2	
0062.sn2017gvw	1800	08:57	03:02:13.4	+03:48:37	300	1	3.0	#2 SN Observat	2	
0063.sn2017gvw	1800	09:28	03:02:13.4	+03:48:37	300	1	3.0	#2 SN Observat	2	

UT Date 2017-10-17 Observers P BerlindColl. Focus 1300 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0064.COMP	10	09:58	03:02:13.4	+03:48:37	300	0	3.0	0 Calibration	2	
0065.sn2017guh	300	10:03	05:03:13.1	-22:49:59	300	89	3.0	#2 SN Observat	2	
0066.COMP	10	10:10	05:03:13.1	-22:49:59	300	89	3.0	0 Calibration	2	
0067.GITau	300	10:13	04:33:34.0	+24:21:18	300	90	3.0	#12 Symbiotic	2	
0068.GKTau	240	10:20	04:33:34.5	+24:21:07	300	89	3.0	#12 Symbiotic	2	
0069.COMP	10	10:24	04:33:34.5	+24:21:07	300	90	3.0	0 Calibration	2	
0070.cometASASSN1701	600	10:27	04:44:15.8	+53:54:39	300	95	3.0	#220 ASASSN Tr	2	extended emission along slit ok
0071.COMP	10	10:37	04:44:15.8	+53:54:39	300	95	3.0	0 Calibration	2	
0072.BGGem	600	10:40	06:03:31.0	+27:41:50	300	90	3.0	#12 Symbiotic	2	
0073.COMP	10	10:51	06:03:31.0	+27:41:50	300	90	3.0	0 Calibration	2	
0074.snAT2017hfv	1800	10:58	07:41:26.0	+18:43:46	300	71	3.0	#2 SN Observat	2	
0075.COMP	10	11:29	07:41:26.0	+18:43:46	300	71	3.0	0 Calibration	2	
0076.BXMon	15	11:31	07:25:23.0	-03:35:51	300	71	3.0	#12 Symbiotic	2	
0077.BXMon	45	11:32	07:25:23.0	-03:35:51	300	71	3.0	#12 Symbiotic	2	
0078.BXMon	90	11:33	07:25:23.0	-03:35:51	300	71	3.0	#12 Symbiotic	2	
0079.COMP	10	11:35	07:25:23.0	-03:35:51	300	71	3.0	0 Calibration	2	
0080.BIAS	0	11:48	06:30:00.0	+32:00:00	600	89	1.5	0 Calibration	4	
0081.bb777	60	11:50	05:15:35.5	-23:21:27	600	89	1.5	#178 Low Mass	4	
0082.COMP	10	11:52	05:15:35.5	-23:21:27	600	89	1.5	0 Calibration	4	
0083.bb769	180	11:53	05:10:24.3	-29:16:15	600	89	1.5	#178 Low Mass	4	

UT Date 2017-10-17 Observers P BerlindColl. Focus 1300 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0084.COMP	10	11:57	05:10:24.3	-29:16:15	600	89	1.5	0 Calibration	4	
0085.bb782	900	11:58	05:21:05.8	-25:49:11	600	89	1.5	#178 Low Mass	4	
0086.COMP	10	12:14	05:21:05.8	-25:49:11	600	90	1.5	0 Calibration	4	
0087.bb767	90	12:16	05:08:18.4	-17:54:53	600	90	1.5	#178 Low Mass	4	
0088.COMP	10	12:18	05:08:18.4	-17:54:53	600	90	1.5	0 Calibration	4	
0089.G191B2B	300	12:20	05:05:30.6	+52:49:52	600	90	1.5	#56 Spectropho	4	
0090.COMP	10	12:26	05:05:30.6	+52:49:52	600	89	1.5	0 Calibration	4	
0091-0100.BIAS	0	12:29	05:05:30.6	+52:49:52	600	89	1.5	0 Calibration	4	
0101-0115.FLAT	12	12:34	05:05:30.6	+52:49:52	600	89	1.5	0 Calibration	4	
0116.test	10	12:37	05:05:30.6	+52:49:52	300	89	3.0	#56 Spectropho	2	
0117.test	10	12:39	05:05:30.6	+52:49:52	300	89	3.0	#56 Spectropho	2	
0118.test	10	12:40	05:05:30.6	+52:49:52	300	89	3.0	#56 Spectropho	2	
0119-0123.DARK	900	13:42	05:05:30.6	+52:49:52	300	89	3.0	0 Calibration	2	
0124-0128.DARK	900	14:58	05:05:30.6	+52:49:52	300	89	3.0	0 Calibration	4	