

UT Date 2018-01-11 Observers M CalkinsColl. Focus 1290 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	03:57	01:55:08.8	+31:30:34	300	87	3.0	0 Calibration	4	
0011-0020.BIAS	0	06:21	01:55:08.8	+31:30:34	300	87	3.0	0 Calibration	4	
0021-0040.FLAT	7	06:27	01:55:08.8	+31:30:34	300	87	3.0	0 Calibration	2	
0041-0050.BIAS	0	06:32	01:55:08.8	+31:30:34	300	87	3.0	0 Calibration	2	
0051.HD84937	20	08:04	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0052.COMP	10	08:05	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0053.Feige34	150	08:07	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0054.COMP	10	08:10	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0055.BGGem	600	08:13	06:03:31.0	+27:41:50	300	90	3.0	#12 Symbiotic	2	
0056.COMP	10	08:23	06:03:31.0	+27:41:50	300	91	3.0	0 Calibration	2	
0057.BXMon	15	08:26	07:25:23.0	-03:35:51	300	91	3.0	#12 Symbiotic	2	
0058.BXMon	180	08:27	07:25:23.0	-03:35:51	300	91	3.0	#12 Symbiotic	2	
0059.COMP	10	08:30	07:25:23.0	-03:35:51	300	90	3.0	0 Calibration	2	
0060.SS129	360	08:32	07:32:45.0	-26:49:16	300	75	3.0	#12 Symbiotic	2	
0061.SS129	360	08:39	07:32:45.0	-26:49:16	300	75	3.0	#12 Symbiotic	2	
0062.COMP	10	08:45	07:32:45.0	-26:49:16	300	76	3.0	0 Calibration	2	
0063.sn2017jeh	1800	08:48	07:30:04.1	+54:26:09	300	89	3.0	#2 SN Observat	2	
0064.COMP	10	09:19	07:30:04.1	+54:26:09	300	85	3.0	0 Calibration	2	
0065.BRUTUS8129_10	1500	09:47	09:16:12.3	+39:03:42	300	93	3.0	#220 ASASSN Tr	2	
0066.BRUTUS8129_10	1500	10:12	09:16:12.3	+39:03:42	300	93	3.0	#220 ASASSN Tr	2	

UT Date 2018-01-11 Observers M CalkinsColl. Focus 1290 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0067.COMP	10	10:38	09:16:12.3	+39:03:42	300	92	3.0	0 Calibration	2	
0068.sn2017isj	2400	10:55	11:10:44.6	+04:50:51	300	40	3.0	#2 SN Observat	2	
0069.COMP	10	11:35	11:10:44.6	+04:50:51	300	40	3.0	0 Calibration	2	
0070.sn2018bq	1800	11:38	11:05:59.8	-12:31:37	300	90	3.0	#2 SN Observat	2	
0071.COMP	10	12:08	11:05:59.8	-12:31:37	300	90	3.0	0 Calibration	2	
0072.BRUTUS8128_8	1800	12:11	14:48:53.6	+38:46:03	300	90	3.0	#220 ASASSN Tr	2	
0073.COMP	10	12:42	14:48:53.6	+38:46:03	300	88	3.0	0 Calibration	2	
0074.sn2017jef	1800	12:45	15:05:21.0	+12:47:04	300	88	3.0	#2 SN Observat	2	
0075.COMP	10	13:15	15:05:21.0	+12:47:04	300	88	3.0	0 Calibration	2	
0076.AGDra	2	13:17	16:01:41.0	+66:48:10	300	88	3.0	#12 Symbiotic	2	
0077.AGDra	15	13:17	16:01:41.0	+66:48:10	300	88	3.0	#12 Symbiotic	2	
0078.AGDra	60	13:18	16:01:41.0	+66:48:10	300	88	3.0	#12 Symbiotic	2	
0079.COMP	10	13:19	16:01:41.0	+66:48:10	300	88	3.0	0 Calibration	2	
0080.TCrB	15	13:21	15:59:30.0	+25:55:12	300	88	3.0	#12 Symbiotic	2	
0081.TCrB	60	13:22	15:59:30.0	+25:55:12	300	88	3.0	#12 Symbiotic	2	
0082.COMP	10	13:23	15:59:30.0	+25:55:12	300	88	3.0	0 Calibration	2	
0083.RWHya	2	13:25	13:34:18.0	-25:22:51	300	88	3.0	#12 Symbiotic	2	
0084.RWHya	10	13:25	13:34:18.0	-25:22:51	300	88	3.0	#12 Symbiotic	2	
0085.RWHya	20	13:26	13:34:18.0	-25:22:51	300	88	3.0	#12 Symbiotic	2	
0086.COMP	10	13:27	13:34:18.0	-25:22:51	300	88	3.0	0 Calibration	2	

UT Date 2018-01-11 Observers M CalkinsColl. Focus 1290 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0087.TXCVn	10	13:29	12:44:42.0	+36:45:48	300	88	3.0	#12 Symbiotic	2	
0088.TXCVn	30	13:29	12:44:42.0	+36:45:48	300	88	3.0	#12 Symbiotic	2	
0089.COMP	10	13:30	12:44:42.0	+36:45:48	300	88	3.0	0 Calibration	2	
0090-0099.BIAS	0	13:37	12:58:35.2	+27:35:47	300	88	3.0	0 Calibration	2	
0100-0119.FLAT	7	13:44	12:58:35.2	+27:35:47	300	88	3.0	0 Calibration	2	
0120-0127.DARK	900	15:32	12:58:35.2	+27:35:47	300	88	3.0	0 Calibration	2	