

UT Date 2018-01-15 Observers M CalkinsColl. Focus 1310 Grating/Grism 600


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:38	01:50:57.0	+31:30:34	300	91	3.0	0 Calibration	4	
0011-0030.FLAT	7	01:44	01:50:57.0	+31:30:34	300	91	3.0	0 Calibration	2	
0031-0040.BIAS	0	01:45	01:50:57.0	+31:30:34	300	91	3.0	0 Calibration	2	
0041.BRUTUS8133.2	1800	01:49	01:46:42.3	+32:30:28	300	91	3.0	#220 ASASSN Tr	2	
0042.COMP	10	02:20	01:46:42.3	+32:30:28	300	90	3.0	0 Calibration	2	
0043.HD19445	30	02:57	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	
0044.COMP	10	02:58	03:08:25.6	+26:19:51	300	90	3.0	0 Calibration	2	
0045.HD19445	15	02:59	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	
0046.COMP	10	03:00	03:08:25.6	+26:19:51	300	90	3.0	0 Calibration	2	
0047.G191B2B	420	03:02	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	
0048.COMP	10	03:09	05:05:30.6	+52:49:52	300	88	3.0	0 Calibration	2	
0049.sn2017jdx	2100	03:12	00:47:56.2	+22:22:26	300	70	3.0	#2 SN Observat	2	
0050.COMP	10	03:48	00:47:56.2	+22:22:26	300	70	3.0	0 Calibration	2	
0051.sn2018K	2400	03:52	01:50:50.5	+48:21:14	300	70	3.0	#2 SN Observat	2	
0052.COMP	10	04:33	01:50:50.5	+48:21:14	300	70	3.0	0 Calibration	2	
0053.AT2018ay	1800	04:36	03:45:24.8	-05:35:24	300	90	3.0	#225	2	
0054.AT2018ay	1800	05:06	03:45:24.8	-05:35:24	300	90	3.0	#225	2	
0055.AT2018ay	1800	05:36	03:45:24.8	-05:35:24	300	90	3.0	#225	2	
0056.COMP	10	06:07	03:45:24.8	-05:35:24	300	90	3.0	0 Calibration	2	
0057.snAT2017jet	2400	06:17	08:37:01.0	+81:41:43	300	90	3.0	#2 SN Observat	2	

UT Date 2018-01-15 Observers M CalkinsColl. Focus 1310 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0058.COMP	10	06:57	08:37:01.0	+81:41:43	300	90	3.0	0 Calibration	2	
0059.AT2018dt	1800	07:03	08:53:22.2	+48:59:44	300	90	3.0	#225	2	
0060.AT2018dt	1800	07:33	08:53:22.2	+48:59:44	300	90	3.0	#225	2	
0061.AT2018dt	1800	08:03	08:53:22.2	+48:59:44	300	90	3.0	#225	2	
0062.COMP	10	08:33	08:53:22.2	+48:59:44	300	89	3.0	0 Calibration	2	
0063.AT2018dx	1800	08:35	09:16:12.3	+39:03:42	300	89	3.0	#225	2	
0064.COMP	10	09:06	09:16:12.3	+39:03:42	300	88	3.0	0 Calibration	2	
0065.sn2017jeh	1800	09:08	07:30:04.1	+54:26:09	300	88	3.0	#2 SN Observat	2	
0066.COMP	10	09:38	07:30:04.1	+54:26:09	300	89	3.0	0 Calibration	2	
0067.sn2017isj	2100	09:41	11:10:44.6	+04:50:51	300	60	3.0	#2 SN Observat	2	
0068.COMP	10	10:17	11:10:44.6	+04:50:51	300	60	3.0	0 Calibration	2	
0069.AT2018J	1800	10:19	11:00:57.1	-25:47:13	300	89	3.0	#225	2	
0070.COMP	10	10:49	11:00:57.1	-25:47:13	300	90	3.0	0 Calibration	2	
0071.HD84937	20	10:52	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0072.COMP	10	10:53	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0073.Feige34	120	10:55	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0074.COMP	10	10:57	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0075.N3377	180	10:59	10:47:42.4	+13:59:08	300	90	3.0	#57 Velocity S	2	
0076.COMP	10	11:02	10:47:42.4	+13:59:08	300	90	3.0	0 Calibration	2	
0077.bb868	154	11:08	10:43:03.5	-23:33:56	600	90	1.5	#178 Low Mass	4	

UT Date 2018-01-15 Observers M CalkinsColl. Focus 1310 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0078.COMP	10	11:11	10:43:03.5	-23:33:56	600	90	1.5	0 Calibration	4	
0079.bb873	58	11:12	10:53:34.2	-22:21:57	600	90	1.5	#178 Low Mass	4	
0080.COMP	10	11:14	10:53:34.2	-22:21:57	600	90	1.5	0 Calibration	4	
0081.bb874	753	11:15	10:54:02.3	-23:50:36	600	90	1.5	#178 Low Mass	4	
0082.COMP	10	11:28	10:54:02.3	-23:50:36	600	90	1.5	0 Calibration	4	
0083.bb875	1500	11:30	10:56:26.2	-24:08:44	600	90	1.5	#178 Low Mass	4	
0084.COMP	10	11:55	10:56:26.2	-24:08:44	600	90	1.5	0 Calibration	4	
0085.bb877	56	11:56	11:05:52.7	-18:14:50	600	90	1.5	#178 Low Mass	4	
0086.COMP	10	11:58	11:05:52.7	-18:14:50	600	90	1.5	0 Calibration	4	
0087.bb880	106	11:59	11:08:13.0	-16:48:20	600	90	1.5	#178 Low Mass	4	
0088.COMP	10	12:01	11:08:13.0	-16:48:20	600	90	1.5	0 Calibration	4	
0089.bb888	709	12:02	11:20:29.0	-28:11:37	600	90	1.5	#178 Low Mass	4	
0090.COMP	10	12:15	11:20:29.0	-28:11:37	600	90	1.5	0 Calibration	4	
0091.bb889	459	12:16	11:24:42.9	-26:23:20	600	90	1.5	#178 Low Mass	4	
0092.COMP	10	12:24	11:24:42.9	-26:23:20	600	90	1.5	0 Calibration	4	
0093.bb891	524	12:26	11:26:17.1	-11:46:39	600	90	1.5	#178 Low Mass	4	
0094.COMP	10	12:35	11:26:17.1	-11:46:39	600	90	1.5	0 Calibration	4	
0095.bb892	358	12:37	11:34:02.6	-06:19:20	600	90	1.5	#178 Low Mass	4	
0096.COMP	10	12:43	11:34:02.6	-06:19:20	600	90	1.5	0 Calibration	4	
0097.bb893	1200	12:44	11:39:23.3	-13:16:57	600	90	1.5	#178 Low Mass	4	

UT Date 2018-01-15 Observers M CalkinsColl. Focus 1310 Grating/Grism 600

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0098.COMP	10	13:05	11:39:23.3	-13:16:57	600	90	1.5	0 Calibration	4	
0099.bb936	68	13:06	12:33:32.4	-23:02:25	600	90	1.5	#178 Low Mass	4	
0100.COMP	10	13:08	12:33:32.4	-23:02:25	600	90	1.5	0 Calibration	4	
0101.bb937	32	13:09	12:35:24.9	-17:11:48	600	90	1.5	#178 Low Mass	4	
0102.COMP	10	13:10	12:35:24.9	-17:11:48	600	90	1.5	0 Calibration	4	
0103.bb939	205	13:11	12:38:00.5	-18:47:26	600	90	1.5	#178 Low Mass	4	
0104.COMP	10	13:15	12:38:00.5	-18:47:26	600	90	1.5	0 Calibration	4	
0105.BDp332642	150	13:18	15:51:59.9	+32:56:54	600	90	1.5	#56 Spectropho	4	
0106.COMP	10	13:21	15:51:59.9	+32:56:54	600	89	1.5	0 Calibration	4	
0107-0116.BIAS	0	13:24	15:51:59.9	+32:56:54	600	89	1.5	0 Calibration	4	
0117-0136.FLAT	12	13:31	15:51:59.9	+32:56:54	600	89	1.5	0 Calibration	4	
0137-0146.BIAS	0	13:35	15:51:59.9	+32:56:54	600	89	1.5	0 Calibration	2	
0147-0151.DARK	900	14:38	15:51:59.9	+32:56:54	600	89	1.5	0 Calibration	4	
0152-0156.DARK	900	15:54	15:51:59.9	+32:56:54	600	89	1.5	0 Calibration	2	