

UT Date 2018-02-13 Observers P BerlindColl. Focus 1310 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:19	04:04:04.0	+14:04:04	300	91	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:25	04:04:04.0	+14:04:04	300	91	3.0	0 Calibration	2	
0027.HD19445	30	01:57	03:08:25.6	+26:19:51	300	91	3.0	#56 Spectropho	2	
0028.COMP	10	01:58	03:08:25.6	+26:19:51	300	91	3.0	0 Calibration	2	
0029.G191B2B	300	02:01	05:05:30.6	+52:49:52	300	91	3.0	#56 Spectropho	2	
0030.COMP	10	02:07	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0031.AT2018ms	1800	02:10	00:07:51.0	+44:27:38	300	90	3.0	#225	2	
0032.COMP	10	02:41	00:07:51.0	+44:27:38	300	89	3.0	0 Calibration	2	
0033.AT2018kj	1800	02:45	08:02:39.3	+48:26:27	300	89	3.0	#225	2	
0034.AT2018kj	1800	03:16	08:02:39.3	+48:26:27	300	89	3.0	#225	2	
0035.AT2018kj	1800	03:47	08:02:39.3	+48:26:27	300	89	3.0	#225	2	
0036.COMP	10	04:17	08:02:39.3	+48:26:27	300	90	3.0	0 Calibration	2	
0037.snAT2018oh	901	04:19	09:06:39.5	+19:20:18	300	90	3.0	#2 SN Observat	2	
0038.COMP	10	04:35	09:06:39.5	+19:20:18	300	88	3.0	0 Calibration	2	
0039.sn2018ph	1800	04:40	08:11:02.3	+05:05:14	300	0	3.0	#2 SN Observat	2	
0040.COMP	10	05:11	08:11:02.3	+05:05:14	300	0	3.0	0 Calibration	2	
0041.snAT2018gv	420	05:13	08:05:34.6	-11:26:16	300	0	3.0	#2 SN Observat	2	
0042.COMP	10	05:21	08:05:34.6	-11:26:16	300	1	3.0	0 Calibration	2	
0043.snAT2018pc	1200	05:27	09:28:55.2	+49:14:17	300	89	3.0	#2 SN Observat	2	
0044.COMP	10	05:47	09:28:55.2	+49:14:17	300	90	3.0	0 Calibration	2	

UT Date 2018-02-13 Observers P BerlindColl. Focus 1310 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0045.ASASSN-18bw	1200	05:50	07:10:31.7	+32:38:46	300	90	3.0	#220 ASASSN Tr	2	
0046.ASASSN-18bw	1200	06:10	07:10:31.7	+32:38:46	300	90	3.0	#220 ASASSN Tr	2	
0047.ASASSN-18bw	109	06:31	07:10:31.7	+32:38:46	300	90	3.0	#220 ASASSN Tr	2	
0048.COMP	10	06:33	07:10:31.7	+32:38:46	300	89	3.0	0 Calibration	2	
0049.sn2018pv	420	06:39	11:52:55.7	+36:59:12	300	0	3.0	#2 SN Observat	2	
0050.COMP	10	06:47	11:52:55.7	+36:59:12	300	0	3.0	0 Calibration	2	
0051.sn2018pv	420	06:47	11:52:55.7	+36:59:12	300	0	3.0	#2 SN Observat	2	
0052.COMP	10	06:55	11:52:55.7	+36:59:12	300	0	3.0	0 Calibration	2	
0053-0057.DARK	1200	08:22	11:52:55.7	+36:59:12	300	90	3.0	0 Calibration	2	