


UT Date 2018-04-12 Observers M CalkinsColl. Focus 1310 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	01:34	18:22:07.0	+23:27:20	300	89	3.0	0 Calibration	4	
0006-0015.BIAS	0	01:54	18:22:07.0	+23:27:20	300	89	3.0	0 Calibration	4	
0016-0035.FLAT	7	02:05	18:22:07.0	+23:27:20	300	89	3.0	0 Calibration	2	
0036-0045.BIAS	0	02:06	18:22:07.0	+23:27:20	300	89	3.0	0 Calibration	2	
0046.HD84937	40	02:48	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	cnts too high, clouds, good seeing
0047.HD84937	20	02:49	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0048.COMP	10	02:50	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0049.Feige34	120	02:52	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0050.COMP	10	02:55	10:39:36.7	+43:06:09	300	85	3.0	0 Calibration	2	
0051.J095944	1800	03:32	09:59:44.1	+30:56:16	300	89	3.0	#227 Changing-	2	thick cirrus, wait till clring
0052.COMP	10	04:03	09:59:44.1	+30:56:16	300	88	3.0	0 Calibration	2	
0053.J095944	1800	04:39	09:59:44.1	+30:56:16	300	88	3.0	#227 Changing-	2	clouds finally mvd out
0054.J095944	1800	05:09	09:59:44.1	+30:56:16	300	88	3.0	#227 Changing-	2	
0055.J095944	1800	05:39	09:59:44.1	+30:56:16	300	88	3.0	#227 Changing-	2	
0056.COMP	10	06:10	09:59:44.1	+30:56:16	300	86	3.0	0 Calibration	2	
0057.sn2018aoz	300	06:13	11:51:01.8	-28:44:39	300	86	3.0	#2 SN Observat	2	
0058.COMP	10	06:19	11:51:01.8	-28:44:39	300	86	3.0	0 Calibration	2	
0059.N4853	600	06:21	12:58:35.2	+27:35:47	300	86	3.0	#57 Velocity S	2	
0060.COMP	10	06:31	12:58:35.2	+27:35:47	300	85	3.0	0 Calibration	2	
0061.snAT2018ast	1800	06:34	11:41:08.0	+24:49:11	300	85	3.0	#2 SN Observat	2	

UT Date 2018-04-12 Observers M CalkinsColl. Focus 1310 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0062.COMP	10	07:05	11:41:08.0	+24:49:11	300	86	3.0	0 Calibration	2	
0063.sn2018aoq	600	07:07	12:10:38.2	+39:23:47	300	86	3.0	#2 SN Observat	2	
0064.COMP	10	07:18	12:10:38.2	+39:23:47	300	87	3.0	0 Calibration	2	
0065.sn2018are	1800	07:22	13:49:26.9	+26:27:43	300	1	3.0	#2 SN Observat	2	
0066.sn2018are	1800	07:52	13:49:26.9	+26:27:43	300	1	3.0	#2 SN Observat	2	
0067.sn2018are	1800	08:23	13:49:26.9	+26:27:43	300	1	3.0	#2 SN Observat	2	
0068.COMP	10	08:53	13:49:26.9	+26:27:43	300	1	3.0	0 Calibration	2	
0069.BRUTUS8218_13	1800	08:59	14:53:47.0	+72:35:50	300	90	3.0	#220 ASASSN Tr	2	
0070.COMP	10	09:29	14:53:47.0	+72:35:50	300	86	3.0	0 Calibration	2	
0071.PS17els	1800	09:33	16:20:35.0	+24:07:27	300	100	3.0	#225	2	
0072.PS17els	1800	10:03	16:20:35.0	+24:07:27	300	101	3.0	#225	2	
0073.PS17els	1800	10:34	16:20:35.0	+24:07:27	300	101	3.0	#225	2	
0074.COMP	10	11:04	16:20:35.0	+24:07:27	300	100	3.0	0 Calibration	2	
0075.snAT2018asz	1800	11:11	16:05:40.2	+15:35:31	300	90	3.0	#2 SN Observat	2	
0076.COMP	10	11:41	16:05:40.2	+15:35:31	300	90	3.0	0 Calibration	2	
0077.BDp262606	40	11:43	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0078.COMP	10	11:45	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0079.BDp332642	120	11:47	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0080.COMP	10	11:49	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0081.AS316	30	11:52	18:42:33.0	-21:17:47	300	90	3.0	#12 Symbiotic	2	

UT Date 2018-04-12 Observers M CalkinsColl. Focus 1310 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0082.AS316	300	11:52	18:42:33.0	-21:17:47	300	90	3.0	#12 Symbiotic	2	
0083.COMP	10	11:58	18:42:33.0	-21:17:47	300	90	3.0	0 Calibration	2	
0084.AS327	30	11:59	18:53:17.0	-24:22:59	300	90	3.0	#12 Symbiotic	2	
0085.AS327	300	12:00	18:53:17.0	-24:22:59	300	90	3.0	#12 Symbiotic	2	
0086.COMP	10	12:05	18:53:17.0	-24:22:59	300	90	3.0	0 Calibration	2	
0087.V919Sgr	15	12:09	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0088.V919Sgr	30	12:10	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0089.V919Sgr	60	12:11	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0090.COMP	10	12:12	19:03:45.0	-16:59:56	300	90	3.0	0 Calibration	2	
0091-0100.BIAS	0	12:17	19:03:45.0	-16:59:56	300	90	3.0	0 Calibration	2	
0101-0120.FLAT	7	12:24	19:03:45.0	-16:59:56	300	90	3.0	0 Calibration	2	
0121-0130.DARK	900	14:42	19:03:45.0	-16:59:56	300	90	3.0	0 Calibration	2	