

UT Date 2018-06-13 Observers M CalkinsColl. Focus 1310 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.BIAS	0	19:23	05:23:29.0	+31:35:10	300	86	3.0	0 Calibration	2	
0002.COMP	10	19:23	05:23:29.0	+31:35:10	300	86	3.0	0 Calibration	2	
0007-0016.BIAS	0	02:56	12:56:50.1	+31:34:46	300	85	3.0	0 Calibration	4	
0017-0036.FLAT	7	03:05	12:56:50.1	+31:34:46	300	85	3.0	0 Calibration	2	
0037-0046.BIAS	0	03:09	12:56:50.1	+31:34:46	300	85	3.0	0 Calibration	2	
0047.BDp262606	25	03:47	14:49:02.4	+25:42:09	300	85	3.0	#56 Spectropho	2	
0048.COMP	10	03:48	14:49:02.4	+25:42:09	300	85	3.0	0 Calibration	2	
0049.Mkn110	1200	03:52	09:25:12.9	+52:17:10	300	85	3.0	#227 Changing-	2	
0050.Mkn110	1200	04:18	09:25:12.9	+52:17:10	300	85	3.0	#227 Changing-	2	
0051.Mkn110	1200	04:38	09:25:12.9	+52:17:10	300	85	3.0	#227 Changing-	2	
0052.COMP	10	04:58	09:25:12.9	+52:17:10	300	85	3.0	0 Calibration	2	
0053.TXCVn	10	05:30	12:44:42.0	+36:45:48	300	85	3.0	#12 Symbiotic	2	
0054.TXCVn	45	05:31	12:44:42.0	+36:45:48	300	85	3.0	#12 Symbiotic	2	
0055.COMP	10	05:32	12:44:42.0	+36:45:48	300	86	3.0	0 Calibration	2	
0056.TCrB	15	05:34	15:59:30.0	+25:55:12	300	86	3.0	#12 Symbiotic	2	
0057.TCrB	60	05:34	15:59:30.0	+25:55:12	300	86	3.0	#12 Symbiotic	2	
0058.COMP	10	05:36	15:59:30.0	+25:55:12	300	86	3.0	0 Calibration	2	
0059.AGDra	3	05:39	16:01:41.0	+66:48:10	300	86	3.0	#12 Symbiotic	2	
0060.AGDra	15	05:40	16:01:41.0	+66:48:10	300	86	3.0	#12 Symbiotic	2	
0061.AGDra	60	05:40	16:01:41.0	+66:48:10	300	86	3.0	#12 Symbiotic	2	

UT Date 2018-06-13 Observers M CalkinsColl. Focus 1310 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0062.COMP	10	05:42	16:01:41.0	+66:48:10	300	86	3.0	0 Calibration	2	
0063.DracoC1	1500	05:45	17:19:58.0	+57:50:06	300	86	3.0	#12 Symbiotic	2	
0064.COMP	10	06:11	17:19:58.0	+57:50:06	300	85	3.0	0 Calibration	2	
0065.BDp332642	120	06:13	15:51:59.9	+32:56:54	300	85	3.0	#56 Spectropho	2	
0066.COMP	10	06:16	15:51:59.9	+32:56:54	300	85	3.0	0 Calibration	2	
0067.SN2018bsz	1800	06:19	16:09:39.2	-32:03:45	300	86	3.0	#225	2	
0068.SN2018bsz	1800	06:49	16:09:39.2	-32:03:45	300	86	3.0	#225	2	
0069.SN2018bsz	1800	07:22	16:09:39.2	-32:03:45	300	86	3.0	#225	2	
0070.COMP	10	07:53	16:09:39.2	-32:03:45	300	86	3.0	0 Calibration	2	
0071.AT2018bym	2400	07:58	18:43:13.4	+45:12:28	300	86	3.0	#225	2	
0072.AT2018bym	2400	08:38	18:43:13.4	+45:12:28	300	86	3.0	#225	2	
0073.AT2018bym	2400	09:37	18:43:13.4	+45:12:28	300	80	3.0	#225	2	
0074.COMP	10	10:17	18:43:13.4	+45:12:28	300	82	3.0	0 Calibration	2	
0075-0084.BIAS	0	11:13	18:05:33.7	-20:20:38	300	82	3.0	0 Calibration	2	
0085-0104.FLAT	7	11:21	18:05:33.7	-20:20:38	300	82	3.0	0 Calibration	2	
0105-0114.DARK	900	13:43	18:05:33.7	-20:20:38	300	82	3.0	0 Calibration	2	