

UT Date 2018-11-10 Observers Lambert/MacriColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:44	09:25:12.9	+52:17:10	300	90	3.0	0 Calibration	2	
0011-0020.BIAS	0	00:46	09:25:12.9	+52:17:10	300	90	3.0	0 Calibration	4	
0021-0030.FLAT	12	00:51	09:25:12.9	+52:17:10	300	90	3.0	0 Calibration	2	
0031-0040.FLAT	6	00:54	09:25:12.9	+52:17:10	300	90	3.0	0 Calibration	4	
0041.18432770+0553498	900	01:44	18:43:27.7	+05:53:50	300	90	3.0	#141 2MASS Red	4	
0042.18432770+0553498	900	02:02	18:43:27.7	+05:53:50	300	90	3.0	#141 2MASS Red	4	
0043.COMP	5	02:18	18:43:27.7	+05:53:50	300	87	3.0	0 Calibration	4	
0044.18443435+0527564	900	02:23	18:44:34.4	+05:27:56	300	87	3.0	#141 2MASS Red	4	
0045.18443435+0527564	900	02:40	18:44:34.4	+05:27:56	300	87	3.0	#141 2MASS Red	4	
0046.COMP	5	02:56	18:44:34.4	+05:27:56	300	87	3.0	0 Calibration	4	
0047.20000942+4321590	900	03:01	20:00:09.4	+43:21:59	300	88	3.0	#141 2MASS Red	4	
0048.COMP	5	03:18	20:00:09.4	+43:21:59	300	89	3.0	0 Calibration	4	
0049.20113049+4209265	900	03:28	20:11:30.5	+42:09:26	300	89	3.0	#141 2MASS Red	4	
0050.COMP	5	03:46	20:11:30.5	+42:09:26	300	89	3.0	0 Calibration	4	
0051.20171300+4341267	900	03:51	20:17:13.0	+43:41:27	300	89	3.0	#141 2MASS Red	4	
0051.20171300+4341267q.ms	900	03:51	20:17:13.0	+43:41:27	300	89	3.0	#141 2MASS Red	1	
0052.20171300+4341267	900	04:14	20:17:13.0	+43:41:27	300	89	3.0	#141 2MASS Red	4	
0053.COMP	5	04:30	20:17:13.0	+43:41:27	300	89	3.0	0 Calibration	4	
0054.20321160+4937105	1200	04:48	20:32:11.6	+49:37:10	300	110	3.0	#141 2MASS Red	4	
0054.20321160+4937105q.ms	1200	04:48	20:32:11.6	+49:37:10	300	110	3.0	#141 2MASS Red	1	

UT Date 2018-11-10 Observers Lambert/MacriColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0055.20321160+4937105	1200	05:11	20:32:11.6	+49:37:10	300	110	3.0	#141 2MASS Red	4	
0056.COMP	5	05:31	20:32:11.6	+49:37:10	300	109	3.0	0 Calibration	4	
0057.00345616+1027533	360	05:37	00:34:56.2	+10:27:53	300	90	3.0	#141 2MASS Red	4	
0057.00345616+1027533q.ms	360	05:37	00:34:56.2	+10:27:53	300	90	3.0	#141 2MASS Red	1	
0058.COMP	5	05:44	00:34:56.2	+10:27:53	300	90	3.0	0 Calibration	4	
0059.00161976+7025219	600	05:53	00:16:19.8	+70:25:22	300	90	3.0	#141 2MASS Red	4	
0059.00161976+7025219q.ms	600	05:53	00:16:19.8	+70:25:22	300	90	3.0	#141 2MASS Red	1	
0060.COMP	5	06:04	00:16:19.8	+70:25:22	300	89	3.0	0 Calibration	4	
0061.01010569+5804266	600	06:07	01:01:05.7	+58:04:27	300	89	3.0	#141 2MASS Red	4	
0061.01010569+5804266q.ms	600	06:07	01:01:05.7	+58:04:27	300	89	3.0	#141 2MASS Red	1	
0062.01010569+5804266	1200	06:19	01:01:05.7	+58:04:27	300	89	3.0	#141 2MASS Red	4	
0062.01010569+5804266q.ms	1200	06:19	01:01:05.7	+58:04:27	300	89	3.0	#141 2MASS Red	1	
0063.COMP	5	06:40	01:01:05.7	+58:04:27	300	89	3.0	0 Calibration	4	
0064.01013460+6715038	600	06:45	01:01:34.6	+67:15:04	300	89	3.0	#141 2MASS Red	4	
0064.01013460+6715038q.ms	600	06:45	01:01:34.6	+67:15:04	300	89	3.0	#141 2MASS Red	1	
0065.01013460+6715038	600	06:56	01:01:34.6	+67:15:04	300	89	3.0	#141 2MASS Red	4	
0066.01013460+6715038	600	07:06	01:01:34.6	+67:15:04	300	89	3.0	#141 2MASS Red	4	
0067.COMP	5	07:17	01:01:34.6	+67:15:04	300	89	3.0	0 Calibration	4	
0068.01021854+6708091	900	07:24	01:02:18.5	+67:08:09	300	110	3.0	#141 2MASS Red	4	
0068.01021854+6708091q.ms	900	07:24	01:02:18.5	+67:08:09	300	110	3.0	#141 2MASS Red	1	

UT Date 2018-11-10 Observers Lambert/MacriColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0069.01021854+6708091	900	07:40	01:02:18.5	+67:08:09	300	110	3.0	#141 2MASS Red	4	
0069.01021854+6708091q.ms	900	07:40	01:02:18.5	+67:08:09	300	110	3.0	#141 2MASS Red	1	
0070.COMP	5	07:56	01:02:18.5	+67:08:09	300	110	3.0	0 Calibration	4	
0071.01173664+5959488	600	07:59	01:17:36.6	+59:59:49	300	90	3.0	#141 2MASS Red	4	
0071.01173664+5959488q.ms	600	07:59	01:17:36.6	+59:59:49	300	90	3.0	#141 2MASS Red	1	
0072.COMP	5	08:10	01:17:36.6	+59:59:49	300	91	3.0	0 Calibration	4	
0073.01312331+6019128	600	08:14	01:31:23.3	+60:19:13	300	22	3.0	#141 2MASS Red	4	
0074.COMP	5	08:25	01:31:23.3	+60:19:13	300	22	3.0	0 Calibration	4	
0075.01345732+6628216	900	08:30	01:34:57.3	+66:28:22	300	89	3.0	#141 2MASS Red	4	
0075.01345732+6628216q.ms	900	08:30	01:34:57.3	+66:28:22	300	89	3.0	#141 2MASS Red	1	
0076.01345732+6628216	900	08:46	01:34:57.3	+66:28:22	300	89	3.0	#141 2MASS Red	4	
0077.COMP	5	09:02	01:34:57.3	+66:28:22	300	90	3.0	0 Calibration	4	
0078.01572385+6539302	900	09:06	01:57:23.9	+65:39:30	300	90	3.0	#141 2MASS Red	4	
0079.01572385+6539302	900	09:22	01:57:23.9	+65:39:30	300	90	3.0	#141 2MASS Red	4	
0080.COMP	5	09:37	01:57:23.9	+65:39:30	300	90	3.0	0 Calibration	4	
0081.02002296+6531178	900	09:41	02:00:23.0	+65:31:18	300	90	3.0	#141 2MASS Red	4	
0082.02002296+6531178	900	09:58	02:00:23.0	+65:31:18	300	90	3.0	#141 2MASS Red	4	
0083.COMP	5	10:13	02:00:23.0	+65:31:18	300	89	3.0	0 Calibration	4	
0084.02063421+5855125	900	10:17	02:06:34.2	+58:55:12	300	23	3.0	#141 2MASS Red	4	
0084.02063421+5855125q.ms	900	10:17	02:06:34.2	+58:55:12	300	23	3.0	#141 2MASS Red	1	

UT Date 2018-11-10 Observers Lambert/MacriColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0085.COMP	5	10:33	02:06:34.2	+58:55:12	300	23	3.0	0 Calibration	4	
0086.02082184+6640353	900	10:37	02:08:21.8	+66:40:35	300	89	3.0	#141 2MASS Red	4	
0087.COMP	5	10:55	02:08:21.8	+66:40:35	300	89	3.0	0 Calibration	4	
0088.02084861+6228485	900	11:00	02:08:48.6	+62:28:48	300	90	3.0	#141 2MASS Red	4	
0089.COMP	5	11:19	02:08:48.6	+62:28:48	300	89	3.0	0 Calibration	4	
0090.06283437+0623064	1200	11:34	06:28:34.4	+06:23:06	300	89	3.0	#141 2MASS Red	4	
0090.06283437+0623064q.ms	1200	11:34	06:28:34.4	+06:23:06	300	89	3.0	#141 2MASS Red	1	
0091.06283437+0623064	1200	11:55	06:28:34.4	+06:23:06	300	89	3.0	#141 2MASS Red	4	
0092.COMP	5	12:15	06:28:34.4	+06:23:06	300	90	3.0	0 Calibration	4	
0093.Mkn110	300	12:35	09:25:12.9	+52:17:10	300	89	3.0	#227 Changing-	2	
0094.Mkn110	300	12:40	09:25:12.9	+52:17:10	300	89	3.0	#227 Changing-	2	
0094.Mkn110q.ms	300	12:40	09:25:12.9	+52:17:10	300	89	3.0	#227 Changing-	1	
0095.Mkn110	300	12:45	09:25:12.9	+52:17:10	300	89	3.0	#227 Changing-	2	
0096.COMP	10	12:50	09:25:12.9	+52:17:10	300	89	3.0	0 Calibration	2	
comp300+600.ms	10	05:47	10:39:36.9	+43:06:11	300	90	3.0	#56 Spectropho	1	