

UT Date 2018-11-15 Observers M CalkinsColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	01:53	06:13:09.8	+14:27:30	300	87	3.0	0 Calibration	4	
0011-0020.BIAS	0	03:23	06:13:09.8	+14:27:30	300	87	3.0	0 Calibration	4	
0021-0040.FLAT	7	03:38	06:13:09.8	+14:27:30	300	87	3.0	0 Calibration	2	
0041-0050.BIAS	0	04:11	06:13:09.8	+14:27:30	300	87	3.0	0 Calibration	2	
0051.j2140p20	1500	04:58	21:40:50.2	+20:05:20	600	95	1.5	#178 Low Mass	4	
0052.COMP	10	05:24	21:40:50.2	+20:05:20	600	95	1.5	0 Calibration	4	
0053.j2147p23	900	05:26	21:47:20.2	+23:46:30	600	95	1.5	#178 Low Mass	4	
0054.COMP	10	05:41	21:47:20.2	+23:46:30	600	95	1.5	0 Calibration	4	
0055.j2151p47	1338	05:45	21:51:31.1	+47:31:50	600	80	1.5	#178 Low Mass	4	
0056.COMP	10	06:08	21:51:31.1	+47:31:50	600	80	1.5	0 Calibration	4	
0057.j2151p15	1500	06:11	21:51:51.1	+15:36:53	600	89	1.5	#178 Low Mass	4	
0058.COMP	10	06:36	21:51:51.1	+15:36:53	600	90	1.5	0 Calibration	4	
0059.j2356p08	927	06:38	23:56:06.7	+08:03:23	600	90	1.5	#178 Low Mass	4	
0060.COMP	10	06:53	23:56:06.7	+08:03:23	600	90	1.5	0 Calibration	4	
0061.j2358m05	848	06:56	23:58:53.0	-05:25:14	600	90	1.5	#178 Low Mass	4	
0062.COMP	10	07:10	23:58:53.0	-05:25:14	600	90	1.5	0 Calibration	4	
0063.j2359m07	1630	07:13	23:59:43.8	-07:40:39	600	60	1.5	#178 Low Mass	4	
0064.COMP	10	07:41	23:59:43.8	-07:40:39	600	60	1.5	0 Calibration	4	
0065.j0012m06	1114	07:46	00:12:20.6	-06:06:22	600	90	1.5	#178 Low Mass	4	
0066.COMP	10	08:05	00:12:20.6	-06:06:22	600	90	1.5	0 Calibration	4	

UT Date 2018-11-15 Observers M CalkinsColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0067.G191B2B	360	08:08	05:05:30.6	+52:49:52	600	90	1.5	#56 Spectropho	4	
0068.COMP	10	08:15	05:05:30.6	+52:49:52	600	86	1.5	0 Calibration	4	
0069-0078.FLAT	12	08:19	05:05:30.6	+52:49:52	600	86	1.5	0 Calibration	4	
0079.COMP	5	08:23	05:05:30.6	+52:49:52	300	86	3.0	0 Calibration	4	
0080.COMP	5	08:26	05:05:30.6	+52:49:52	300	86	3.0	0 Calibration	4	
0081.COMP	5	08:27	05:05:30.6	+52:49:52	300	86	3.0	0 Calibration	4	
0082.PS16dtm	1800	08:30	01:58:04.7	-00:52:22	300	86	3.0	#225	2	
0083.PS16dtm	1800	09:02	01:58:04.7	-00:52:22	300	88	3.0	#225	2	
0084.PS16dtm	1800	09:33	01:58:04.7	-00:52:22	300	88	3.0	#225	2	
0085.COMP	10	10:03	01:58:04.7	-00:52:22	300	89	3.0	0 Calibration	2	
0086.SN2018hti	1800	10:12	03:40:53.7	+11:46:37	300	89	3.0	#225	2	
0087.SN2018hti	1800	10:42	03:40:53.7	+11:46:37	300	89	3.0	#225	2	
0088.SN2018hti	1800	11:12	03:40:53.7	+11:46:37	300	89	3.0	#225	2	
0089.COMP	10	11:42	03:40:53.7	+11:46:37	300	89	3.0	0 Calibration	2	
0090.AT2018hoj	1800	11:46	09:58:42.0	+44:30:43	300	89	3.0	#225	2	
0091.AT2018hoj	1800	12:16	09:58:42.0	+44:30:43	300	89	3.0	#225	2	
0092.COMP	10	12:47	09:58:42.0	+44:30:43	300	88	3.0	0 Calibration	2	
0093.HD84937	20	12:49	09:48:56.1	+13:44:39	300	88	3.0	#56 Spectropho	2	
0094.COMP	10	12:50	09:48:56.1	+13:44:39	300	88	3.0	0 Calibration	2	
0095.Feige34	120	12:51	10:39:36.7	+43:06:09	300	88	3.0	#56 Spectropho	2	

UT Date 2018-11-15 Observers M CalkinsColl. Focus 1320 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0096.COMP	10	12:54	10:39:36.7	+43:06:09	300	88	3.0	0 Calibration	2	
0097-0106.BIAS	0	12:59	10:39:36.7	+43:06:09	300	84	3.0	0 Calibration	2	
0107-0126.FLAT	7	13:05	10:39:36.7	+43:06:09	300	84	3.0	0 Calibration	2	
0127-0136.DARK	900	15:22	10:39:36.7	+43:06:09	300	84	3.0	0 Calibration	2	