

UT Date 2019-03-14 Observers M CalkinsColl. Focus 1290 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	06:03	06:04:41.4	+31:30:35	300	92	3.0	0 Calibration	4	
0011-0020.BIAS	0	07:10	09:48:56.1	+13:44:39	300	92	3.0	0 Calibration	4	
0021-0040.FLAT	7	07:16	09:48:56.1	+13:44:39	300	92	3.0	0 Calibration	2	
0041-0050.BIAS	0	07:17	09:48:56.1	+13:44:39	300	92	3.0	0 Calibration	2	
0051.HD84937	25	07:20	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0052.COMP	10	07:21	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0053.Feige34	180	07:23	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0054.COMP	10	07:27	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0055.N3377	180	07:31	10:47:42.4	+13:59:08	300	90	3.0	#57 Velocity S	2	
0056.COMP	10	07:34	10:47:42.4	+13:59:08	300	90	3.0	0 Calibration	2	
0057.PaulGreen	900	07:38	12:07:51.8	-04:34:40	300	90	3.0	#99 Falco	2	
0058.COMP	10	07:54	12:07:51.8	-04:34:40	300	90	3.0	0 Calibration	2	
0059.JS040914	1800	07:59	11:20:24.7	-01:23:16	300	90	3.0	232 Missing SD	2	
0060.COMP	10	08:29	11:20:24.7	-01:23:16	300	90	3.0	0 Calibration	2	
0061.JS141777	1200	08:31	11:15:12.7	+00:35:24	300	90	3.0	232 Missing SD	2	
0062.COMP	10	08:52	11:15:12.7	+00:35:24	300	90	3.0	0 Calibration	2	
0063.JS151576	1200	08:55	11:21:33.6	+25:02:03	300	90	3.0	232 Missing SD	2	
0064.COMP	10	09:16	11:21:33.6	+25:02:03	300	90	3.0	0 Calibration	2	
0065.Mkn110	300	09:19	09:25:12.9	+52:17:10	300	90	3.0	#227 Changing-	2	
0066.COMP	10	09:25	09:25:12.9	+52:17:10	300	90	3.0	0 Calibration	2	

UT Date 2019-03-14 Observers M CalkinsColl. Focus 1290 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0067.JS075999	1200	09:27	12:58:13.9	+39:46:22	300	90	3.0	232 Missing SD	2	
0068.COMP	10	09:48	12:58:13.9	+39:46:22	300	90	3.0	0 Calibration	2	
0069.JS059185	1800	09:52	12:58:48.2	+65:48:13	300	90	3.0	232 Missing SD	2	
0070.COMP	10	10:22	12:58:48.2	+65:48:13	300	90	3.0	0 Calibration	2	
0071.JS069383	1800	10:24	12:59:18.6	+39:09:04	300	90	3.0	232 Missing SD	2	
0072.COMP	10	10:56	12:59:18.6	+39:09:04	300	89	3.0	0 Calibration	2	
0073.JS053866	1800	10:59	13:00:03.4	+48:14:02	300	89	3.0	232 Missing SD	2	
0074.COMP	10	11:30	13:00:03.4	+48:14:02	300	90	3.0	0 Calibration	2	
0075.JS076086	1800	11:34	13:00:58.1	+39:35:02	300	100	3.0	232 Missing SD	2	
0076.COMP	10	12:05	13:00:58.1	+39:35:02	300	100	3.0	0 Calibration	2	
0077.JS040730	1800	12:08	15:00:39.9	+49:20:06	300	90	3.0	232 Missing SD	2	
0078.COMP	10	12:39	15:00:39.9	+49:20:06	300	90	3.0	0 Calibration	2	
0079.BDp262606	30	12:41	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0080.COMP	10	12:42	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0081.BDp262606	60	12:43	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0082.COMP	10	12:44	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0083.BDp332642	150	12:47	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0084.COMP	10	12:50	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0085-0094.BIAS	0	12:54	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0095-0114.FLAT	5	12:59	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	